

## Editorial

# Advanced Nanomaterials for Energy and Environmental Applications

**Zhi Chen,<sup>1</sup> Dantong Zhou,<sup>1</sup> Xiao-Ping Dong,<sup>2</sup> Wei-Hua Shen,<sup>3</sup>  
Man-Rong Li,<sup>4</sup> Cristina Della Pina,<sup>5</sup> and Ermelinda Falletta<sup>5</sup>**

<sup>1</sup>College of Materials Science and Engineering, China Jiliang University, No. 258 Xueyuan Street, Xiasha Higher Education District, Hangzhou, Zhejiang 310018, China

<sup>2</sup>Department of Chemistry, School of Sciences, Zhejiang Sci-Tech University, 928 Second Avenue, Xiasha Higher Education Zone, Hangzhou 310018, China

<sup>3</sup>School of Chemical Engineering, East China University of Science and Technology, 130 Meilong Road, Shanghai 200237, China

<sup>4</sup>Department of Chemistry and Chemical Biology, Rutgers, The State University of New Jersey, 610 Taylor Road, Piscataway, NJ 08854, USA

<sup>5</sup>Dipartimento di Chimica Inorganica, Metallorganica e Analitica, Unità INSTM, Università degli Studi di Milano, Via Venezian 21, 20133 Milano, Italy

Correspondence should be addressed to Zhi Chen; [zchen0@gmail.com](mailto:zchen0@gmail.com)

Received 6 August 2015; Accepted 6 August 2015

Copyright © 2015 Zhi Chen et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

The increasing of energy crisis and environmental pollution has drastically threatened the sustainable development of human being. Lots of technologies, for instance, rechargeable batteries and supercapacitors, solar photovoltaic cells, solar photocatalysis, biomass fuels, efficient adsorption technology, and so forth, have been developed in the past decades to exploit clean energies and efficiently deal with pollutants. The key is to obtain advanced materials with superior structures and functions as active electrodes or efficient catalysts and adsorbents. Also, it is fundamentally important to deeply understand the relationship between structure and properties.

This special issue is focused on synthesis and application of advanced nanomaterials for energy and environmental applications.

Z. Chen and colleagues work on the loading of nanosized Au in the channels of nanoporous nickel phosphate VSB-5. CO could be catalytically removed on the prepared catalyst at a lower temperature than that on ZIF-8. Enhanced catalytic activity could be observed after the first catalytic cycle. The reaction mechanism has also been investigated and it was found that  $\text{Au}^{3+}/\text{Au}^0$  is responsible for the enhancement.

S. Peng et al. report the fabrication of Ru nanoparticles on mesoporous silica by an in situ reduced method. The prepared sample could work as a highly efficient heterogeneous catalyst for  $\text{H}_2$  generation from the hydrolysis of an alkaline  $\text{NaBH}_4$  solution. Furthermore, the prepared catalyst could be reused and the residual catalytic activity of the repeated Ru/HMS still remains 47.7% after 15 runs.

Carbon nanotubes (CNTs) have attracted attention in the last decade due to their prominent properties. G. Allaedini and colleagues investigate the effect of alumina and magnesia supported Ge nanoparticles on the growth of carbon nanotubes by using the chemical vapor deposition method. A tip-growth mechanism is proposed for the grown carbon nanotubes. The synthesized sample is confirmed as carbon nanotube by using TEM, XRD, and Raman techniques. It has also been found that the degree of graphitization of prepared CNTs has a close relationship with the support.

D. H. Kim et al. investigated the selective catalytic reduction (SCR) activity by using  $\text{V}_2\text{O}_5/\text{TiO}_2$  as the catalyst. Ce and W can work as the promoter for the SCR process and the enhanced selectivity and activity have been observed. The SCR reactivity at low temperature region and  $\text{N}_2$  selectivity

at high temperature region could be improved by changing the impregnating order between W and Ce precursors on  $V_2O_5/TiO_2$  catalyst. Various techniques have been used to analyze the synthesized samples. It was found that W- and Ce-overloaded  $W/Ce/V/TiO_2$  (15:15:1 wt%) catalyst shows the most remarkable De- $NO_x$  properties over the wide temperature region and high  $N_2$  selectivity at high temperature region (350–400°C). The mechanism of the superior activity has also been proposed.

Finally, G. Santana Rodríguez et al. reported their research on nanosized yttrium stabilized zirconia (YbSZ) thin films prepared by ultrasonic spray pyrolysis. The high conductivity is investigated and resulted from different physical parameters in the films.

All of these papers demonstrate how the advanced nanomaterials have been constructed and have potential applications in environmental control and development of new energy for the sustainable development of society. The editors hope that the readers of this special issue will benefit from designing and constructing novel advanced nanomaterials with applications in environmental control and new energy development.

## **Acknowledgments**

The editors would like to acknowledge the authors who have submitted their work to this special issue. The editors are grateful for all reviewers for their contribution to this special issue. The lead guest editor would like to thank all guest editors for spending their precious time in handling the paper.

*Zhi Chen  
Dantong Zhou  
Xiao-Ping Dong  
Wei-Hua Shen  
Man-Rong Li  
Cristina Della Pina  
Ermelinda Falletta*



**Hindawi**

Submit your manuscripts at  
<http://www.hindawi.com>

