H 615.1
H 55 H

HOMŒOPATHIC
MEDICAL
SOCIETY
OF
PENNSYLVANIA

REPERTORY
TO
HERING'S
MATERIA MEDICA

UNIV OF MICH

B 478068

MEDICAL
LIBRARY
H 615.1
H 55
H

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN



Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

REPERTORY

96635

TO

HERING'S

CONDENSED MATERIA MEDICA

PUBLISHED BY THE

HOMŒOPATHIC MEDICAL SOCIETY

OF PENNSYLVANIA

PHILADELPHIA

1889

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

CONTENTS.

	Page.
Preface	2
Repertory of Symptoms of the Lower Extremities (John L. Ferson, M.D.)	1–156
Repertory of Male Sexual Organs (Chandler Weaver, M.D.)	157–164
Repertory to Appetite, Thirst, Desires, Aversions (Edward Cranch, M.D.)	165–175
Repertory of Outer Chest (S. F. Shannon, M.D.)	176–208
Repertory of Stomach Symptoms (A. P. Bowie, M.D.)	209–229
Repertory of Aggravations with Reference to Mental Symptoms only (Z. T. Miller, M.D.)	230–285
Repertory of Symptoms of the Tongue (Eduardo Fornias, M.D.)	286–312
Repertory of Symptoms Occuring During Pregnancy (Theodore J. Gramm, M.D.)	313–360
Repertory of Heart Symptoms (E. R. Snader, M.D.)	361–432

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

PREFACE.

THE "Repertory to Hering's Condensed Materia Medica," so far as completed, is herewith presented to the *Homœopathic Medical Society of Pennsylvania.* To insure absolute correctness each paper has been sent to the author, or compiler, for revision. Attempt has been made to preserve a symmetrical arrangement of all the papers, and at the same time to allow each author as much freedom as possible in the repertorial arrangement of the symptoms.

Editorial Committee: J. C. GUERNSEY, M.D., Ch'm.,
CHAS. MOHR, M.D.,
E. R. SNADER, M.D.

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

REPERTORY OF SYMPTOMS OF THE LOWER EXTREMITIES.

ARRANGED BY JOHN L. FERSON, M.D., PITTSBURG, PA.

Abscess of knee, gouty, with pain and loss of sleep: Guaiacum.
popliteal, hamstrings contracted after: Lachesis.
psoas, causing paralysis of lower limbs: Cuprum met.
muscle contracted after: Lachesis.
Abdomen, drawing, laming pain from, down left leg: Carbo veg.
stitches through from bruised pain in crest of ilium: Kreosotum.
Accompanying the pains, weariness, heaviness and inability to move: Colchicum.
Acetabulum to knee, shooting pains from, worse moving about: Natrum ars.
Ache, in sacro-ischiatic foramen sharply defined, with tenderness on pressure: Podophyllum.
Aching anteriorally down legs, until restless, uneasy feeling is produced: Natrum ars.
in both knees, hard: Apocynum can.
in ball of left great toe, stitching pain: Cannabis ind.
in calves on walking or going up stairs, with heaviness and weakness of legs: Kali bich.
which are swollen: Pulsatilla.
in corns, stinging: Sulphur.
in heels, after long standing: Zingiber.
in hip, leg becomes elongated: Thuya.
in hip-joint, as if dislocated: Causticum.
in knees, heavy: Lilium tig.
in left foot, drawing and: Colocynthis.
in legs: Rumex.
towards evening, with insupportable pain, better on moving: Mercurius jod. rub.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Aching in limbs as if bones were broken: Eupatorium perf.
in muscles and joints on awaking, bruised feeling: Ptelea tri.
in nates while sitting; pain extends to small of back, sacrum and hip-joint: Staphisagria.
in sacral bones, with sore pain in thighs: Calcarea phos.
in shin bones: Lachesis.
in sole of left foot; no relief from change of position: Hydrastis.
lymphatic swelling on ball of great toe: Baryta carb.
of legs and knees, weakness: Hydrastis.
cannot keep them still; worse when giving up control of herself, as when trying to go asleep: Lilium tig.
of limbs, worse at night: Podophyllum.
when sitting, with trembling: Kobaltum.
of soles when standing: Crocus.
pains from hips to ankles, as though she had walked many miles; felt more in the bones: Mercurius jod. rub.
sciatica of right side, pain dull: Rhus tox.
tired, and stiffness of knees; almost entire paralysis of lower limbs: Cannabis ind.
Acute, crampy, tearing pain in posterior muscles, especially those of the calf; better in morning and when rubbing affected part; worse toward evening and when quiet: Valeriana.
Affected limb cooler than rest of body: Ledum.
Afternoon and night, rending, shooting, sciatic or crural neuralgia, in attacks, worse in: Coffea.
debility and weakness of lower limbs all, with sick feeling and dread of work: Argentum nit.
feet cold: Sanguinaria.
weakness of knees: Hamamelis.
Afternoons, drawing in inner side of left thigh: Colocynthis.
Air, open, drawing and tearing pains in thighs, knees, legs and feet; worse in, better in warmth of bed: Causticum.
drawing pains, internal heat of limb, surface cool; better in: Mezereum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Air, left hip pains, as it sprained, when walking in: Hepar.
tension in right tarsal joint when walking in: Belladonna.
Alternate days drawing, tearing in limbs on, or at night; worse at rest: Lycopodium.
Anguish, and pain in legs; limbs cold, especially feet, feel as if in cold water: Gelsemium.
Ankle, and bones of feet, tearing in; ceases when warm in bed: Ammonium carb.
and thigh, right, pains come into, after leaving left limb: Benzoic ac.
drawing, pressive pains in: Agaricus.
fistulous ulcer on the: Calcarea phos.
joint and knee, tension in: Causticum.
lame feeling of, when sitting or walking: Natrum mur.
rending, shooting and tearing in: Calcarea phos.
weariness of: Aloes.
joints pain when walking: Lithium carb.
knee, and hip-joints, cracking and creaking in: Camphora.
pain in, as if sprained, when stepping on left foot: Anacardium.
tearing pain in feet, after severe chill; worse from any motion: Chamomilla.
pains as if sprained, with laming pain in right hip-joint and thigh; must limp when walking: Drosera.
right, and great toe-joint, sharp pain: Sanguinaria.
and left heel, stitches in: Kreosotum.
feels as if dislocated, can scarcely walk; later the left: Veratrum vir.
tearing pain in, as if sprained, only when walking: Drosera.
shooting, tearing pains in: Aconitum.
sprained or dislocated easily; so weak that it gives way: Natrum carb.
stitches from outside of right calf, down to, violent: Guaiacum.
swelling around, cannot use foot: Asafœtida.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Ankle, swelling of feet around, with difficult breathing: Hepar.
swollen after a sprain: Agnus cast.
and inflamed; stitches go from to lower leg: Manganum acet.
tearing in nates, hip, knee, leg, foot, and: Ambra.
to, from knees: Lachnanthes.
tension in, on motion: Bryonia.
to hips; pain gradually rises, causing constant motion and shifting of feet when sitting, better when walking: Belladonna.
weak, foot turns under when walking: Carbo an.
Ankles and feet dropsical; gout: Eupatorium perf.
œdematous: Apocynum can., Mercurius.
pains through; feet puffed; soles burn: Phytolacca.
and knees feel sprained: Natrum mur.
and knee-joints stiff: Sulphur.
drawing pain in knees, feet, toes and: Caulophyllum.
feel paralyzed, legs also: Natrum mur.
herpes on knees and: Petroleum.
itching around, in evening: Selenium.
of, intense, also top of feet, worse after scratching, much worse in warmth of bed: Ledum.
pain after a sprain or dislocation: Ruta.
stiffness of: Chelidonium, Drosera.
swelling of feet, worse around, feet sore to touch; violent tearing in soles, after washing: Mercurius jod. rub.
swollen, after sitting too long; feet swell in the evening: Rhus tox.
evenings: Stannum.
tearing in; also in toes, tendo-achillis, tibæ, and calves: Colchicum.
tibæ and dorsum of feet, boring in: Aurum mur.
to, from hips, aching as though she had walked many miles, felt more in bones: Mercurius jod. rub.
weak, cannot walk: Sulphuricum ac.
and feeling of a heavy weight in each instep: Arnica.
Anxious, restless, asleep; lower limbs; has to move them: Calcarea phos.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Apoplexy, paralysis of limbs after: Nux vom.
Arthritic inflammation of knees; also with nodosities: Nux vom.
lancinations, followed by contractions of limbs: Guaiacum.
nodosities about joints, with swelling, redness, and sensation as if sprained: Rhododendron.
pain in heel: Mephitis.
pains brought on by least cold: Phosphoricum ac.
in foot, worse towards evening; fears passers may strike it; big toe red, feels strained: Arnica.
in joints: Sepia.
swelling of feet, hot: China.
Articular pains preceded by numbness and tingling: Nitrum.
Ascending, is unable to walk up stairs on account of almost entire paralysis of limbs, with stiffness and tired aching: Cannabis ind.
rheumatic pains, from below upward: Ledum.
stairs aggravates pains and weakness in left hip: Podophyllum.
aggravates weakness of knees, with pain: Lithium carb.
knees give way; hamstrings feel shortened and weak: Ruta.
right knee pains, as if wrenched or sprained, when: Nux mosch.
especially difficult, felt in knees; going down, less so: Kali carb.
steps, knees totter when: Cantharis.
or walking caused aching and weakness of calves; heaviness of legs: Kali bich.
or walking, toes spasmodically contract, when: Hyoscyamus.
weariness of thighs, worse when: Bryonia.
Ascends gradually from ankle to hip, pain; necessitates, while sitting, constant motion and shifting of feet; is milder when walking: Belladonna.
to thigh from right knee, pain, or descends to leg; worse from contact than from motion: China. (See "Rises.")

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Asleep, both legs; sensation as if, step, not firm: Ambra.
feet, alternately with hands: Cocculus.
and lower legs feel as if: Rhododendron.
feel as if: Ammonium mur., Psorinum.
feel as if; swelling of feet: Sepia.
feel dead or: Lycopodium.
go, immediately after sitting down: Antimonium tart.
go, when crossing legs or sitting: Laurocerasus.
pricking as if, with numbness: Colchicum.
foot, first left then right goes, disappears on walking: Millefolium.
left goes: Colocynthis.
leg goes, frequently, when sitting, standing, or lying on it at night: Ammonium carb.
left, and arm feel as if they would go asleep: Niccolum.
left, goes asleep easily: Fluoricum ac.
legs and feet go: Mezereum.
feel as if they had gone: Mercurius cor.
go, and tingle, while sitting or when crossing them: Crotalus.
go, when sitting, in evening: Calcarea carb.
go, when sitting quietly: Antimonium crud.
limbs feel as if: Ailanthus, Argentum met., Natrum mur., Stramonium, Sulphur.
feel restless, anxious; has to move them: Calcarea phos.
go: Graphites, Guaiacum.
go, and become stiff: Petroleum.
go, cannot stand on them: Bovista.
go, easily; sore and lame; evenings: Silicea.
go, in putting one over the other; when lying: Rheum.
go, when awaking, more lying than moving: Aurum.
go, when lying: Veratrum alb.
go, when lying on them; bruised, numb: Carbo veg.
go, when walking: Sepia.
nates: feel, stinging on small spots; itching; burning; sore spots; oozing scurfs: Calcarea phos.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Asleep, nates go, when sitting: Alumina.
soles feel as if, limbs weak, when walking: Oleander.
toes go, while walking; hot prickling in toes: Aconitum.
lacerating, jerking, rheumatic pains in legs, as soon as he goes: Lachesis.
limbs jerk when falling: Kobaltum.
Atrophy of left leg; caries of right hip: Capsicum.
of muscles; sciatica: Plumbum.
Bandaged, knees pain as if firmly, when sitting, with tottering stiffness and paralytic feeling of: Aurum.
knees, sensation as if, or made tense, when sitting; with painful uneasiness in: Anacardium. (See "Bound.")
Beaten, all the limbs pain as if: Kreosotum.
joints pain as if: Conium.
knee-joint pains as if: Arsenicum.
limbs feel as if, and are painful: Drosera.
pain as if; with heaviness; can scarcely rise from seat: Berberis.
parts as if, in rheumatism after being wet; pains when quiet, subsides when moving about: Dulcamara.
thighs and knees feel weak as if: Platinum.
and legs pain as if: Belladonna.
pain as if: Cocculus. (See "Bruised" or "Soreness.")
Beating in joint of great toe, swollen, burning: Phosphoricum ac.
in hip-joint as though it would burst, accompanied by chilliness with thirst, flushes of heat, especially in face, without thirst; ischias: Ignatia.
Bed, bruised pains in thighs and legs, mornings in: Causticum.
burning in soles worse in: Sanguinaria.
cold feet when going to: Ammonium carb.
cramps in calves, mornings in: Causticum.
in calves when lying in: Lachnanthes.
drawing and tearing in thighs, knees, legs and feet, better in warmth of: Causticum.
in hamstrings, evenings in: Asarum.
electric jerks in limbs, worse in, must sit up and let leg hang out: Veratrum alb.
intense itching of top of feet and ankles, much worse in: Ledum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Bed, pain in limbs like a bruise, worse in warmth of: Veratrum alb.
tearing in ankles and bones of feet; ceases when warm in: Ammonium carb.
when lying in, feet pain; when walking, the knees: Magnesia carb.
coverings, warmth of, aggravates stinging, drawing, rheumatic pains in pale, swollen, tense and hot joints: Ledum.
Black, painful spots on red, swollen legs: Nux vom.
spots on swollen feet: Secale.
Bleed easily, putrid, bluish, spongy ulcers on legs: Mercurius.
Blisters and ulcers on heel—phagedenic: Causticum.
on balls of toes; feet swollen and sweaty: Phosphoricum ac.
on legs, oozing from small pustules, increasing in size, with tearing pains: Psorinum.
on points of toes, as if scalded: Natrum carb.
on toes: Selenium.
on toes, afterwards ulcers: Petroleum.
spreading, and ulcers, on toes: Graphites.
Blood, all appears to rush from head into lower limbs; she feels paralyzed, has to sit down: Aurum.
Blotches on the legs: Natrum carb.
Blow, pain in calf of right leg, as from, with lassitude of legs: Arnica.
in calves, as of a: Nux mosch.
in left knee, as after a severe: Platinum.
in thighs when walking, as from a blow: Arnica.
Blue color of surface in erysipelas, impending gangrene: Lachesis.
feet and hands, bloated: Sambucus.
scarlatina: Muriatic ac.
limbs, and cold: Agaricus mus.
spot with great burning, above the knee: Ammonium carb.
Bluish limbs, cold, emaciated, paralyzed: Nux vom.
swelling of joints after sprains: Lachesis.
ulcers on legs: Mercurius.
Bone, acute stitches in right hip: Fluoricum ac.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Bone, pains after mercury or checked gonorrhœa: Sarsaparilla.
pain left leg, pressive: Bromium.
Bones ache intensely, as if broken: Eupatorium perf.
aching pains from hips to ankles, felt mostly in: Mercurius jod. rub.
bruised pain in: Crotalus.
gnawing and fine shooting along, with tearing in joints: Belladonna.
gnawing and stitching pains in, especially at joints; less during motion: Drosera.
gnawing pains in when sitting, left hip: Ammonium mur.
heaviness of, as if made of heavy wood: Crotalus.
metatarsal, pain as if dislocated: Belladonna.
stitches between, as from a nail, when standing: Berberis.
of feet pain, cannot step heavily thereon: Ruta.
tearing in, ceases when warm in bed: Ammonium carb.
of hip feel bruised: Ruta.
of limbs smart at night: Phosphoricum ac.
pain in, particularly the tibia: Calcarea phos.
periosteum of long, painful: Mezereum.
wandering, periodical pains along, generally without localized inflammatory process: Kali bich.
Boring and drawing pains in knee: Ammonium carb.
and shooting in lower limbs: Æthusa.
burrowing or pressive pains on the tibiæ: Cistus can.
digging or shooting pains in soles: Belladonna.
gnawing or tearing in doughy, spongy, swollen knee: Kali iod.
in big toe, after lying down: Nux mosch.
in legs and big toe, gnawing, stinging: Ranunculus scel., Sanguinaria.
in thighs, tearing: Sabadilla.
in tibiæ, ankles and dorsum of feet: Aurum.
pain in corns, drawing, stinging: Natrum carb.
in hip-joints, alternating with numbness and loss of sensation in whole thigh: Kreosotum.
in legs, worse at night: Mercurius jod. flav.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Boring pain in one or both tibiæ: Bromium.
in right hip-joint: Lilium tig.
screwing, tearing pressure, in bones of feet: Bismuthum.
stinging in knee and foot-joints: Helleborus.
Bound, limbs feel as if, or powerless: Taraxacum. (See "Bandaged.")
Breathing, stitching pains in hip-joints when: Sabina.
Brittle or soft nails: Thuya.
Broken, left thigh feels as if, at the middle, when sitting, ceases on rising: Illicium.
Bruised feeling along left crural nerve, worse from continued motion: Natrum ars.
along anterior aspect of thigh: Hepar, Ruta.
in bones of hip: Ruta.
in calves; pain at night; muscles will not obey the will; heaviness, weight: Gelsemium.
in calves, weak: Ferrum.
in knee, tired and lame: Berberis.
in knees, legs restless as if becoming insensible: Mephitis.
in left tibia: Asarum.
in limbs, numb, go to sleep when lying on them: Carbo veg.
in soles at night, better on rising and walking: Baryta carb.
in thigh, alternating with burning and pressure in chest: Sanguinaria.
on hard pressure, about hip-joints, with weariness in joints; worse after walking: Argentum met.
knee pains as if: Hepar.
pains as if, when sitting: Argentum met.
muscles of thighs sore as if, sore pain in right femur: Hamamelis.
or stinging sensation in soles of feet: Ignatia.
pain in all the joints: Muriatic ac.
in all the limbs: Kobaltum.
in heel, when treading thereon: Belladonna.
in hot, swollen instep when stretching out foot: Bryonia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Bruised pain in joints and bones: Crotalus.
in knees: Graphites.
in left instep: Kali iod.
in limbs; in joints; worse during motion and at night: Nux vom.
in limbs, worse during wet, cold weather, or in warmth of bed; better when walking: Veratrum alb.
in muscles and joints on awaking; aching: Ptelea.
in right thigh and on inner side near and below the patella; drawing: Camphora.
in soles: Phosphor.
in soles, stinging, or pricking: Arum triph.
in soles, when walking: Ledum.
on crest of ilium; stitches from, through the abdomen; pain in same and in lumbar vertebræ in the morning as if tired: Kreosotum.
on outer side of left calf; on moving and turning the foot, also from touch; during rest numb sensation there: Bryonia.
when moving and when sleeping, with crampy tearing in hip-joint and knee; coxalgia: Kali carb.
pains in right hip, with tearing; dysmenorrhœa: Natrum carb.
in thighs: Graphites.
in thighs and legs, mornings in bed: Causticum.
soreness in joints, no power in hands or feet: Chamomilla.
of whole body: Lilium tig.
tarsal joints feel, legs hurt after least exertion: Natrum mur.
Bubbling as from drops of water, sense of, with synovitis of knee-joint: Belladonna.
sensation from bend of knee to heel: Rheum.
Bunions: Calcarea carb.
excruciating pain in: Hypericum.
Burning above knees, in blue spot, great: Ammonium carb.
around putrid ulcers on lower limbs: Muriatic ac.
beginning in soles and palms, thence over body; worse in bed, constant desire to find a cool place: Lilium tig.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Burning in ball of great toe, stitches; crawling, burning; severe pressive pain: Causticum.
in corns, they are sensitive, smart: Ranunculus bulb.
with pain: Mephitis.
in feet: Lachnanthes, Secale.
in feet and hands, worse at night: Sanguinaria.
in feet at night, or heat: Sepia.
in feet, heat: Fluoricum ac.
in feet, internal; cramps: Nux mosch.
in feet, or great coldness: Natrum mur.
in feet, sharp pain, could not keep her shoes on: Eupatorium perf.
in feet, smarting, itching, stinging pain, and cold feeling, as if frozen: Berberis.
in feet, stinging, tingling: Zingiber.
in feet, tingling: Crocus.
inflamed; frost bites: Carbo an.
in heels, at night; when they come in contact, though, they feel cold: Ignatia.
in heels when walking in open air; when standing or sitting; sore pain: Cyclamen.
in joint of big toe, beating, swelling: Phosphoricum ac.
in knee, pricking in hot, bright red, inflammatory swelling, aggravated by touch or pressure: Iodium.
in knee-joint, stinging; worse at night: Belladonna.
right, with pain and stiffness, worse when moving: Chelidonium.
in knees, legs, toes: Taraxacum.
in leg, from ankle to knee, like fire; itching, purple, swollen, oozing, covered with scales or scabs: Petroleum.
in leg, left, and foot, erysipelatous inflammation of, tearing, tension; after violent dancing; burning worse from touch: Borax.
in leg, left, and foot, in evening, very violent; limb externally cold; worse until 12 P.M.: Sanguinaria.
in left limb, as from a hot iron, worse after sleep; sciatica: Lachesis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Burning in legs, stinging: Kali carb.
in legs, tensive, hot, swollen legs: Pulsatilla.
in legs, to knees, evening and next morning: Natrum sulph.
in nates, itching, sore spots, oozing scurfs, stinging spots, and feeling as if asleep: Calcarea phos.
in posterior muscles of thigh when standing, better when walking: Phosphoricum ac.
in skin of inside of thighs: Eupatorium perf.
in soles: Calcarea carb., Cuprum met., Manganum acet.
in soles and palms: Lachnanthes, Lilium tig.
in soles and palms during menses: Carbo veg.
in soles, and dry feeling: Mancinella.
in soles at night: Phosphoricum ac.
in soles at night; puts feet out of bed: Chamomilla.
in soles, evenings: Magnesia mur.
in soles; feet puffed; severe pains through ankles and feet: Phytolacca.
in soles, hot, swollen: Petroleum.
in soles, itching: Kreosotum.
in soles, stitches: Fluoricum ac.
in soles, wants them uncovered: Sulphur.
in soles, when sitting: Anacardium.
in soles, with profuse, fetid foot-sweat: Lycopodium.
in soles, worse in bed: Sanguinaria.
in tibia, inflammation: Sabadilla.
in tibia, on spot: Magnesia carb.
in thighs, smarting, itching; better from scratching: Alumina.
in tips of toes, which are sensitive to pressure: Sarsaparilla.
in tips of toes, redness, swelling: Muriatic ac.
in toes, and itching, as if frost-bitten: Agaricus.
in toes during slight cold, heat and redness, as if frost-bitten: Borax.
in toes, red, itching, as if frozen: Nux vom.
in toes, stinging pains: Hepar.
in toes, with redness; feet cold: Apis.
in ulcer on leg at night, skin around mottled, purple: Carbo veg.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Burning in ulcer, old, on legs; nightly tearing and itching: Lycopodium.
itching pain in small spot on right hip, then on thigh, then on little toe; all on external aspect of limb; also internally on left thigh and knee: Lithium carb.
Burrowing, boring or pressive pain on the tibiæ: Clematis.
Bursitis, especially about knee: Sticta.
Buzzing or tingling sensation in lower limbs: Kreosotum.
Calf and thigh, muscles of, feel relaxed: Mercurius cor.
cramp in, particularly when standing: Euphrasia.
violent, at night, when walking after sitting: Nitric ac.
cramplike pain at junction of heads of gastrocnemius, extending downward: Natrum ars.
pains in, heels, toes, and: Crotalus.
pains in, rending, shooting; warm feeling: Calcarea phos.
digging and drawing pain in: Cuprum met.
drawing pain in, from hollow of knee to tips of toes: Cyclamen.
from upper part of, to popliteal space, cannot lie on left side: Ledum.
lameness of, from pain as if tendons were stretched: Kali bich.
left, bruised pain in outer side of, on moving, turning the foot, and from touch; numb sensation there during rest: Bryonia.
cramp in: Colocynthis.
pressive pain in: Taraxacum.
pain in course of left sciatic nerve from back of great trochanter to calf; better from motion; pressure on nerve causes shooting along whole leg: Kali bich.
in, from hip, knee and toes of left limb; goes to knee, and after leaving these parts appears in right thigh and ankle: Benzoicum ac.
in, when walking and stepping: Calcarea carb.
posterior muscles of, acute, crampy, tearing pains in; better in morning and when rubbing; worse towards evening and when quiet: Valeriana.
right, fine cutting stitch in, when sitting, passing off when walking: Drosera.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Calf, right, itching of, with swelling of blood-vessels: Cyclamen.
jerking pain in, ceases quickly when touched: Taraxacum.
pain in, as from a blow, with lassitude of legs: Arnica.
pinching, tearing in: Bryonia.
stitches from outside of, down to ankle, violent: Guaiacum.
sore pain in: Crotalus.
swelling of; scrofula: Dulcamara.
Callosities on soles, close to toes: Antimonium crud.
Callous ulcers on the feet: Graphites.
Calves, aching and weakness in, on walking or going up stairs; heaviness of feet: Kali bich.
aching in, swollen: Pulsatilla.
and hips, drawing in: Baptisia.
and legs, cramps in, nearly every night: Ambra.
and soles, cramps in: Selenium.
cramp in about 3 A.M.; also in hollow of knee when stretching out the leg; in sole (left); in toes: Calcarea carb.
in morning; muscles of, feel too short: Bovista.
cramplike, intermittent drawing, from heel into: Anacardium.
pain in, when walking: Lycopodium.
pressure in: Anacardium.
cramps in: Aconitum, Arsenicum, Berberis, Camphora, Chamomilla, Cuprum met., Graphites, Hepar, Natrum carb., Plumbum, Secale, Silicea, Veratrum alb.
in, at night: Magnesia carb., Magnesia mur., Nux vom., Sulphur.
in, dysentery: Mercurius cor.
in, when he moves them: Baptisia.
in, when lying in bed: Lachnanthes.
in, when walking or rising from seat; better lying down: Anacardium.
in, worse at rest, especially at night: Ferrum.
drawing pain in, with painful sense when stepping, as if spikes entered sole and extended through limb to hip: Cannabis ind.
feel as if too short on going down stairs: Argentum met.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Calves feel bruised; pain at night; muscles will not obey the will: Gelsemium.
feeling in, as from a blow: Nux mosch.
formication in: Zincum.
heavy laming pains in, pain in left knee-joint: Mercurius iod. flav.
itching of: Ipecacuanha.
pains in, torment him at night: Argentum nit.
painful tension in, when walking: Carbo an.
red spots on: Sarsaparilla.
on, turning yellow or green, as from contusion, preventing movement: Conium.
rheumatic pains about hip, thighs and: Antimonium tart.
tearing, crampy pain from dorsum of feet, extending along the outside of the calves to the thighs: Camphora.
pains in, also in tibiæ, ankles, toes and tendo-achillis: Colchicum.
tension in: Natrum mur.
to sacrum, pains: Mercurius jod. rub.
weak, as if bruised: Ferrum.
weakness of, sensation of: Kalmia.
weariness of: Aloes, Argentum nit.
Caries of bones of feet: Asafœtida.
of hip-joint; suppuration: Silicea.
of right hip; leg atrophied and painful: Capsicum.
of tibia: Asafœtida, Lachesis.
Carious, pains in thighs and legs as if beaten and: Belladonna.
Chafed, sore pain in ball of toes, while walking, as if: Arsenicum.
Chilblains: Muriatic ac.
inflamed, bluish, itching: Pulsatilla.
on heels; swollen, red, painful: Petroleum.
on soles: Kali carb.
on toes: Crocus, Nitric ac.
thick and red, with cracks on joints: Sulphur.
toes itch and burn; are red and swollen: Agaricus.
worse from scratching and friction: Zincum.
Children, little, unsteady walking and easy falling of: Causticum.
Chill begins in feet, with stinging as from pins: Eupatorium perf.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Chilliness constant, with synovitis of knee; effusion: Ledum.
Chilly feet, covered with cold sweat: Drosera.
Cold, after a, paralysis of lower limbs; œdema of feet: Cocculus.
after a slight exposure of the feet: Conium.
aggravates rheumatic pains in joints; pale tensive swellings: Nux vom.
exposure to, causes pain in joints: Dulcamara
relieves pains of rheumatism: Thuya.
slight, causes arthritic pains: Phosphoricum ac.
weather, with wet, aggravates pain like a bruise, in limbs: Veratrum alb.
and hot alternately, limbs; head hot: Veratrum alb.
feeling in feet, as if frozen, with itching, smarting, stitches and burning: Berberis.
feet: Ambra, Antimonium tart., Benzoicum ac., Capsicum, Cistus can., Cocculus, Ferrum, Hepar, Kali carb., Muriaticum ac., Natrum carb., Podophyllum, Rumex, Sabadilla.
are icy: Mercurius cor., Sepia, Veratrum alb.
afternoon: Sanguinaria.
and ankles: Aconitum.
and hands: Hyoscyamus, Ipecacuanha, Stramonium.
and hands, icy, numb and insensible: Aconitum.
and hot hands: Aconitum.
and legs after suppressed foot-sweat: Silicea.
and limbs, icy: Phosphorus.
at night in bed: Paris.
burning and redness of toes: Apis.
constantly: Oleander.
damp: Calcarea carb.
dead cold: Abrotanum.
evenings, in bed: Ammonium mur.
in morning: Anacardium.
sweat on: Benzoicum ac., Calcarea carb., Lycopodium, Mercurius, Squilla.
swollen: Kreosotum, Petroleum, Sulphuricum ac.
up to knees, clammy; chorea: Laurocerasus.
warm body, hot face: Sambucus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Cold feet, when going to bed: Ammonium carb. with nausea and palpitation: Glonoinum.
foot, other one hot, or cold, sweaty feet: Lycopodium.
hands, warm feet: Phosphoricum ac.
heels, when in contact, although sensation of burning in, at night: Ignatia.
knees: Agnus cast.
as from a cold wind: Climex.
left leg is numb and, while sitting: Hypericum.
legs, clammy, worse at night; child: Mercurius.
powerless; angina pectoris: Oxalicum ac.
with hemorrhages: Trillium.
limbs: Camphora, Dulcamara, Veratrum alb.
and blue: Agaricus m.
bluish, emaciated, paralyzed: Nux vom.
clammy; more when excited or nervous: Lilium tig.
covered with cold sweat: Secale.
transient local sweats of feet and armpits: Silicea.
soles and toes, sweaty and: Aconitum.
sweat on upper part of legs: Capsicum.
water, sensation as if drops of trickled down front of thighs: Aconitum.
Coldness of extremities: Opium.
of extremities, especially of feet, as if in cold water, with anguish and pain in legs: Gelsemium.
of extremities, they look purple; small, spasmodic, frequent pulse: Mercurius cor.
of feet at night: Zincum.
of feet; icy: Cuprum met.
of feet, icy, before going to bed: Sarsaparilla.
of feet, or burning: Natrum mur.
of knees and feet, especially: Arsenicum.
of leg and foot, externally, with violent burning pain; limb swollen, worse until 12 P.M.: Sanguinaria.
of legs and feet, especially in evening in bed; when the feet get warm the hands get cold: Sepia.
of legs and feet, with œdematous swelling: Colchicum.
of legs, and numbness: Antimonium tart., Argentum nit.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Coldness of legs, heaviness: Nux mosch.
of legs, icy: Tabacum.
of legs, skin wrinkled on lower leg: Rhododendron.
of limbs: Camphora, Dulcamara, Veratrum alb.
of limbs, icy: Sepia.
of limbs, trembling, with cold sweat: Tabacum.
of limbs, with numbness: Antimonium tart., Argentum nit.
of thighs, numb, with fever: Spongia.
sensation of, in entire right leg: Sabina.
of, in leg and foot, with whitish swelling: Calcarea carb.
Condyles, pains especially about: Veratrum vir.
Constipation, with ulceration on lower limbs: Graphites.
Constricting pain below knee as if it had been tied too tightly: Antimonium crud. (See "Bandaged" or "Bound.")
Contact or motion fails to effect tearing pressure in middle of inside of leg: Belladonna.
or motion, rheumatic pains worse from, in metatarsal bones and phalanges: China.
pain in right knee, up to thigh, or down to leg; worse from, than from motion: China.
Continuous pain in left knee-joint, impeding walking: Colocynthis.
Contracted and swollen, stiff, immovable, drawn up to thigh, right leg: Guaiacum.
toes spasmodically, when walking, or going up-stairs: Hyoscyamus.
Contracting, drawing, crampy pains in the legs, from thighs into toes; worse on walking or motion: Gelsemium.
Contraction in calves when walking; cramps in toes: Lycopodium.
in thighs as if muscles were too short; tension, languor when walking; worse from touch; better from sitting: Guaiacum.
in hamstrings, after a popliteal abscess: Lachesis.
of hamstrings painful: Natrum mur.
of muscles: Cuprum met.
of psoas muscle after an abscess: Lachesis.
of tendo-achillis; painful: Carbo an.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Contraction of toes: Nitrum.
of toes, with stiffness: Graphites.
sensation of, in right thigh; limb seems to be shortened: Ambra.
Contusion, red spots on calves, turning yellow or green, as from, preventing movement: Conium.
Convulsive jerking of the lower limbs: Ignatia.
twitching of legs: Squilla.
twitchings of legs and feet: Ipecacuanha.
Cooler than other parts of the body is the affected limb: Ledum.
Coolness of surface of limb, with internal heat; drawing pain, better in the open air: Mezereum.
Co-ordination, loss of: Belladonna.
Corns, aching and stinging pains in: Sulphur.
boring, stinging, drawing in: Natrum carb.
on soles and toes: Antimonium crud.
painful: Iodium.
and burning: Mephitis.
and sensitive, with stitches: Kali carb.
to touch: Carbo an.
sensitive to touch; smart and burn: Ranunculus bulb.
soreness of all: Fluoricum ac.
stinging in: Rumex.
stitching pains in: Natrum mur., Sulphuricum ac.
Coughing, aggravates sciatic pains; from sacrum into right thigh: Tellurium.
shooting, tearing from hip to knee and foot, especially when: Capsicum.
Coxagra intermitting, chronic; better in summer, worse in winter; beating as though it would burst the hip-joint, accompanied by chilliness, with thirst; flushes of heat, particularly in the face, without thirst: Ignatia.
pain in hip and thigh, intolerable when standing, as if thigh would break: Valeriana.
with lancinating stitches, must get out of bed for relief; pains worse from rising, but better from slow walking: Sepia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Cracked skin of the feet: Hepar s. c.
on joints; chilblains: Sulphur.
Cracking in right knee, when rising in morning: Mezereum.
of all joints when walking or turning: Caulophyllum.
of hip, knee and ankle-joints and creaking in: Camphora.
of hip or knee-joint, when stooping: Crocus.
of joints on moving them, stiff, rheumatic: Petroleum.
on moving them, stiff, swollen: Natrum mur.
weakness, swelling: Sulphur.
when limb is stretched: Thuya.
with pain therein, as if bruised: Chamomilla.
of knee-joint: Conium, Ranunculus bulb., Sepia.
of knee-joint, when moved, feels dry: Nux vom.
of knee-joints during motion: Podophyllum.
on bending: Selenium.
or sense of dryness in: Benzoicum ac.
of knee on stepping, impeding walking; also throbbing pain in: Caladium.
when moving: Cocculus.
when walking: Arsenicum, Causticum.
of knees: Ignatia.
Cramped, whole leg is: Guaiacum.
Cramp pain in calves, rending, shooting, warm feeling: Calcarea phos.
Cramps in anterior part of thigh: Hyoscyamus.
in calf, left: Colocynthis.
violent, at night, and when walking after sitting: Nitri ac.
in calves: Aconitum, Arsenicum, Berberis, Camphora, Chamomilla, Cuprum m., Graphites, Hepar, Natrum carb., Plumbum, Secale, Silicea, Veratrum alb.
and soles: Selenium, Silicea.
at night: Magnesia carb., Magnesia mur., Sulphur.
at night, about 3 A.M.; also in hollow of knee when stretching out leg; in left sole; in toes: Calcarea carb.
at night, must stretch foot: Nux vom.
dysentery: Mercurius cor.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Cramps in calves, particularly when standing: Euphorbia.
when he moves them: Baptisia.
when lying in bed: Lachnanthes.
when walking or rising from seat, better lying: Anacardium.
worse at rest, especially at night: Ferrum.
in entire limbs, with painless watery stools: Podophyllum.
in feet: Causticum.
and cutting pain: Natrum carb.
during night: Lachnanthes.
internal burning: Nux mosch.
in foot, right, plantar surface: Natrum ars.
in leg, left, lower part: Ammonium mur.
right, on getting awake in the morning: Arum triph.
in legs: Ammonium carb.
and calves, nearly every night: Ambra.
and feet, must walk about: Rhus tox.
legs, fingers and toes: Veratrum vir.
limb, tearing: Tabacum.
soles: Calcarea carb., Ferrum, Hepar, Natrum ars., Zingiber.
at night: Agaricus mus.
at night, must stretch foot: Nux vom.
at every step: Sulphur.
evening after lying down: Carbo veg.
in tendo-achillis at night, sudden: Causticum.
in thighs at night: Ipecacuanha.
in toes: Calcarea carb, Ferrum, Hepar.
and hands: Secale.
when walking: Lycopodium.
Cramplike jerking, digging pain in right hip: Cannabis sat.
jerking at junction of heads of gastrocnemius muscle, extending downward: Natrum ars.
pains in calf, heels and toes: Crotalus.
in calves when walking: Lycopodium.
pain in gluteal muscles, with tension on bending the body forward: Belladonna.
pain in right knee, near patella, towards the outer side; when sitting: Belladonna.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Cramplike pains, numbness in limbs and joints: Platinum.
on right thigh, above popliteal space: Cyclamen.
waken out of sleep; cold sweat follows: Eupatorium perf.
stitching pain in right foot: Natrum mur.
tension in muscles of left leg, with violent drawing, tearing pains from left ischium to os calcis and sole of foot: Chamomilla.
Crampy, contracting, drawing pains in the legs, from thighs into toes; worse on motion or walking: Gelsemium.
drawing pain on dorsum of feet, especially on moving them: Camphora.
pain in the affected hip, as though the parts were screwed in a vise; lies on affected side, with knee drawn up: Colocynthis.
pains in posterior muscles of limbs, especially calf: Valeriana.
pains in thighs: Argentum met.
tearing in hip-joint and knee: bruised pain when moving and when sleeping; coxalgia: Kali carb.
tearing pain on dorsum of feet, extending to the outer side of calves to thighs: Camphora.
Crawling, burning; severe pressive pain; burning stitches; in ball of great toe: Causticum.
in both soles, as from something alive: Causticum.
in feet: Æthusa.
in feet and hands, as if numb: Hypericum.
Creaking and cracking in hip, knee and ankle-joints: Camphora.
and cracking in joints: Cocculus.
Creeping feeling in anterior femoral and posterior tibial regions: Secale.
Crossing legs causes them to go asleep and tingle; also while sitting: Crotalus.
or sitting, feet go asleep when: Laurocerasus.
Crural nerve, left, bruised feeling along, worse from continued motion: Natrum ars.
neuralgia, in attacks; rending, shooting; worse from walking; in afternoon and night; relieved by pressure; restless and sleepless at night: Coffea.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Crural neuralgia, stinging, stitching pains during movement: Staphis. (See "Genito-crural.")
Curved limbs, or stiff, after mercurialization: Lachesis.
Cutting, lancinating pains in hip-joint: Ignatia.
pain and cramps in feet: Natrum carb.
pain in hip: Phytolacca.
stitches in the outer muscles of right thigh, just above the knee, only when sitting: Belladonna.
Damp and cold feet: Calcarea carb.
Dancing caused erysipelatous inflammation of left leg and foot, with tearing, tension and burning; burning worse from touch: Borax.
legs pain at night, as after excessive: Baryta carb.
Darting in left hip at every step, forcing him to limp; Kali iod.
pains, from place to place: Dioscerea.
from toes to hip, worse at stool, from motion or lifting, and at night: Nux vom.
thighs and toes: Sticta.
trochanter to hollow of knee; worse from motion or lifting, and at night: Nux vom. (See "Flying," "Wandering," "Shifting.")
Dead, after walking toes feel: Cyclamen.
feet feel: Lycopodium.
Deadness of legs, numbness: Nux vom.
Debility and weakness of lower limbs the whole afternoon, with sick feeling and dread of work: Argentum nit.
Descending into legs from abdomen, tearing pains. Chamomilla.
pains from right knee to leg, or ascend to thigh; worse from contact than from motion: China.
from thigh: Ranunculus bulb.
paralytic heaviness of limbs felt most when: Stannum.
sensation in joints, particularly knees, as if limbs would give way, when walking more marked when: Belladonna.
stairs, difficulty in knees on, and more on going up-stairs: Kali carb.
stairs, knees give way; hamstrings feel shortened and weak: Ruta.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Diarrhœa, sweat and profuse suppuration with hip disease: China.
Digging, boring or shooting pains in soles: Belladonna.
cramplike, jerking pain in right hip: Cannabis sat.
in calf: Cuprum met.
wandering, pressing pains, confined to small spots; lasting but a short time; soon returning: Nux mosch.
Discharge, black, ichorous and offensive, in third stage of hip-joint disease; great weakness; Carbo veg.
offensive; from ulcers on legs, which burn at night: Carbo veg.
Dislocated, aching in hip-joint as if: Causticum.
ankle easily, or sprained, from weakness of joint; it gives way: Natrum carb.
ankles pain after having been: Ruta.
or sprained, pain as if, in hip and knee-joints: Ignatia.
or strained, sensation as if left foot was: Hypericum.
pain in hip-joints as if, worse when walking: Psorinum.
in left hip-joint as if, with sensation as if leg were too long when standing: Kreosotum.
in metatarsal bones as if: Belladonna.
right ankle feels as if, can scarcely walk; later the left: Veratrum vir.
sensation in femur as if, on sitting down: Ipecacuanha.
Doughy knee, spongy; skin red in spots, and hot; gnawing, boring or tearing, worse at night, must often change position; white swelling: Kali iod.
swelling of knee, with stinging, lancinating pains; fistulous openings with hard edges, and greenish, yellow pus; gonocace: Silicea.
Down, agreeable thrilling from knees down: Cannabis ind.
calves feel as if too short on going down-stairs: Argentum m.
pains go from above: Capsicum, Sulphur.
thigh, from hip-bone to knees; tearing pain, first right, later left: Cantharides. (See "Descending.")
Dragging pain from hips to knees; heavy, neuralgic; worse on outer part of thighs: Phytolacca.
Drawing, aching in left foot: Colocynthis.
boring pain in knees: Ammonium carb.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Drawing, bruised pain in right thigh, and on the inner side, near, and below the patella: Camphora.
contracting, crampy pain in the legs, from thighs into toes; worse on motion or walking: Gelsemium.
crampy pain on the dorsum of the feet, especially on moving them: Camphora.
dull, twitching, pricking pains in joints, fingers; knees, elbows: Aloes.
feels as if a tendon was, from sole of foot through bone of leg, during and after walking: Crotalus.
from heel up into calves, cramplike, intermittent: Anacardium.
in ankle-joint: Abrotanum.
in calf: Cuprum m.
in corns, boring, stinging: Natrum carb.
in external condyle of right femur: Colocynthis.
in hamstrings, evenings when lying in bed: Asarum.
in hip, leg drawn up, cannot touch floor, cutting pains: Phytolacca.
in hip-joint, right: Lilium tig.
in hip-joints, painful: Antimonium crud.
in hips and calves: Baptisia.
in inner side of left thigh, afternoons: Colocynthis.
in knee, right, when walking or sitting on floor: Aurum.
in leg from right tarsus to knee: Guaiacum.
in legs, heaviness, weariness: Pulsatilla.
in limbs, twitching, tearing: Phosphorium ac.
in muscles, laming, spasmodic pains: Stramonium.
in periosteum, tearing, worse at night; in wet, stormy weather; and at rest; better in motion; mostly in forearms and lower legs: Rhododendron.
in tendons as if shortened; rheumatism: Manganum acet.
in thighs, extending downward: Ranunculus bulb.
in tibia painful: Anacardium.
laming pain, severe, from abdomen down left leg: Carbo veg.
lancinating from left hip into thigh: Æthusa.
over front of the legs, weakening; shooting pain, as if in the periosteum: Hepar.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Drawing pain along tibia: Agaricus mus.
down entire left leg: Baryta carb.
from upper part of left calf to popliteal space; cannot lie on left side: Ledum.
in calves, with pain when stepping, as if spikes penetrated sole and ran through limb to hip; worse right limb: Cannabis ind.
in feet: Cannabis sat.
in flexors of leg, seeming to start from the hollow of the knee, and draw to tip of toes: Cyclamen.
in hips, thighs, legs and feet; more right side: Chelidonium.
in knee, tibia, back, etc.: Crotalus.
in knees, ankles, feet and toes: Caulophyllum.
in knees, lower part of left tibia, and left heel: Antimonium crud.
in knees when sitting: Natrum mur.
in legs and feet: Magnesia carb.
in legs, while resting feet upon floor; while sitting: Arsenicum.
in limbs: Graphites.
in limbs and joints, spasmodic, jerking: Platinum.
in right thigh, down to knee: Colocynthis.
in right thigh, extending to knee: Natrum mur.
in sciatic nerve down to knee, with difficult walking, and great exhaustion afterwards; tubercular diathesis, with dry, hacking cough: Plumbum.
on dorsum of right foot, when standing; better when sitting: Taraxacum.
pains or uneasiness causing him to move the parts: Mercurius.
piercing, tearing: Millefolium.
sense of internal heat of limb, surface being cool; better in open air: Mezereum.
pressive pains in arms and knees: Muriatic ac.
pains in left hip-joint, thigh being extended; when sitting: Arnica.
in legs, especially in ankles: Agaricus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Drawing, stinging, rheumatic pains in swollen, tense, pale, hot joints: Ledum.
stitches, and tension in the thigh: Manganum acet.
suddenly, from left hip to foot: Crotalus.
tearing, from toes to dorsum of foot: Anacardium.
in left hip-joint on moving: Aconitum.
in limbs at night and on alternate days; worse at rest: Lycopodium.
in limbs; especially at night: Sabina.
in limbs, paralytic: Magnesia mur.
in thighs and legs, knees and feet, worse in open air, better in warmth of bed: Causticum.
pains from left ischium to os calcis and the sole of the foot, with cramplike tension of the muscles: Chamomilla.
tensive pain in head of left femur: Asarum.
through all the limbs; paralytic: Sabadilla.
twitching, with dull throbbing in region of left hip, and in right loin: Colocynthis.
Drops, sensation as if, of cold water trickled down front of thighs: Aconitum.
Dropsy, of ankles and feet; gout: Eupatorium perf.
of knee-joints: Sulphur.
Dry, knee-joint feels as if, cracking when moving: Nux vom.
Dryness, feeling of, in the soles, with burning: Mancinella.
sense of, or cracking in knee-joints: Benzoicum ac.
Dull, aching pains in right-sided sciatica: Rhus tox.
boring pains in legs, worse at night: Mercurius iod. flav.
heavy feeling in limbs; also with dizziness: Zingiber.
heavy pains from knees to toes, moving suddenly from place to place: Lilium tig.
pains in side of knee, when walking or extending leg: Kali carb.
pains along tibia: Agaricus.
pressure in right hip: Asarum.
pricking, twitching drawing pains in joints; fingers, knees, elbows: Aloes.
Effusion about knee-joint, constant chilliness; synovitis: Ledum.
swelling of knees; rheumatic gout with: Calcarea carb.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Elongated, leg becomes, hip aches: Thuya.
Emaciated limbs, cold, bluish, paralyzed: Nux vom.
Emaciation of legs: Selenium.
Epidermis exfoliated from below knees; with profuse watery exudation; œdema of limbs: Graphites.
Epistaxis, after repeated and severe, great soreness and bruised feeling in the joints: Agaricus.
Erysipelas bullosum, large, red, painful spots on legs like: Calcarea carb.
of legs or arms, surface bluish, glossy, swelling, impending gangrene: Lachesis.
phlegmonous, of limbs: Rhus tox.
Erysipelatous inflammation and painfulness of foot: Arnica.
and swelling of left leg and foot, after violent dancing, with tearing, tension and burning in it; increase of burning pain when touched; on pressure redness disappears for a moment: Borax.
of tendo-achillis, worse from touching heel to ground and from wine: Zincum.
of the feet; skin peels off; itching: Dulcamara.
Eruption between nates, itchlike: Oleander.
on insteps, soon becoming thick, dirty, scaly; suppurating; painful and itching at times, keeping him awake: Psorinum.
on legs, oozing, covered with scales or scabs, easily detached: Petroleum.
Evening, acute, crampy, tearing pains in posterior muscles, especially of the calf; are worse in: Valeriana.
arthritic pains in foot, worse towards, fears passers may strike it; big toe-joint red, feels sprained: Arnica.
burning in legs to knees, till next morning: Natrum sulph.
in soles in: Magnesia mur.
coldness of feet in bed: Ammonium mur.
of legs and feet, especially in bed in, when feet get warm the hands get cold: Sepia.
cramps in soles in, after lying down: Carbo veg.
drawing in hamstrings in, when lying in bed: Asarum.
great weariness of lower limbs, staggers when walking, and must sit down: Alumina.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Evening, heat in feet and hands: Ledum.
insupportable pain and aching in legs towards, better on moving: Mercurius iod. rub.
itching around ankle in: Selenium.
in soles of right foot: Ammonium mur.
of toes after lying down in, violent; sweat between toes: Clematis.
legs go asleep in, when sitting: Calcarea carb.
swollen and fatigued towards: Agnus cast.
pain in feet as if sprained in, tense and swollen: Bryonia.
in right knee in, so that he can scarcely walk, must keep leg very quiet; inner side of knee very painful to touch: Bryonia.
piercing pain in right great toe in: Cistus can.
redness, swelling and pain in great toe in, particularly in bed: Ammonium carb.
restless legs in, tremendously so, with numb and torpid feeling when sitting; worse: Platinum.
limbs in: Nitric ac.
rheumatic pains are aggravated till midnight: Ledum.
sore and lame limbs in, go asleep easily: Silicea.
stitches in big toe of right foot in: Lycopodium.
in knee-joint when sitting in: Ammonium carb.
sweating of feet in: Podophyllum.
swelling of feet every: Crotalus.
of feet in: Phosphorus, Rhus tox.
of left leg and foot in, with violent burning pain; limb externally cold; worse until 12 P.M.: Sanguinaria.
tearing in knees in: Cistus can.
throbbing pain in left knee, when lying, in, as if forced asunder; cracks on, and impedes walking: Caladium.
uneasiness of limbs in, intolerable: Causticum.
violent pains in hip-joint, worse, till 12 P.M.; can hardly put foot to ground, but pain lessens while walking: Ferrum.
Exanthema, pustular and ichorous, on the feet: Jacea.
Excesses, sexual, cause paralysis of lower limbs: Nux vom.
Excited or nervous states, aggravated cold, clammy condition of limbs: Lilium tig.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Excoriation between the legs: Graphites.
Excruciating pain in bunion (externally): Hypericum.
pains in left big toe, worse at night and from touch, must change his position: Manganum acet.
Exertion causes hurting of legs; and bruised feeling in tarsal joints; even the least: Natrum mur.
causes twitching of muscles in legs; even slight: Manganum acet.
Exhaustion, great, follows walking; early in sciatica: Plumbum.
in the lower limbs: Guaiacum.
Exostosis on upper part of right tibia, with bluish-red spots; suppurating lumps: Dulcamara.
Extending leg causes dull pains in side of knee: Kali carb.
Extends from abdomen to left leg, drawing, laming pains: Carbo veg.
above downward, pain: Capsicum.
acetabulum to knee, shooting pains: Natrum ars.
ankles, aching pain: Mercurius iod. rub.
back of trochanter down thigh posteriorly, to knee anteriorly, down tibia to ankle, pain: Arsenicum.
below external malleolus of right foot to tendo-achillis; tearing pain: Bismuthum.
head of femur to knee, along anterior surface of right thigh, great pain: Bryonia.
heel into calves, cramplike intermittent drawing: Anacardium.
hip to feet, tearing pains: Kalmia.
hip to knee and foot, tearing shooting pain: Capsicum.
hip to knee, drawing pressive pains in sciatic nerve: Plumbum.
hip to knee, pressive, drawing pains: Plumbum.
hip to knees, heavy, dragging pains: Phytolacca.
hip to knees, tearing pain: Cantharides.
hip, left, to foot, sudden drawing: Crotalus.
hip-joint to knee, jerking pain: Pulsatilla.
hip-joint to knee, shooting pains: Natrum ars.
hip-joint to knee, twitching pain: Mezereum.
hips to feet, rheumatic pains: Mephitis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Extends from knees down, agreeable thrilling: Cannabis ind.
knee to heel, bubbling sensation: Rheum.
knee to toes, drawing in flexors: Cyclamen.
knee to toes, tearing pain: Alumina.
left hip to sacrum, tearing pain: Carbo veg.
middle of thigh or leg to knee, pain: Guaiacum.
right tarsus to knee, drawing, tearing, lancinating pain: Guaiacum.
thigh, right, to knee, drawing pain: Colocynthis.
toes to dorsum of foot, cramplike, drawing, tearing pains: Anacardium.
toes to hip, darting pains: Nux vom.
Exudation from œdematous limbs, profuse, watery, from below knees, where epidermis is exfoliated: Graphites.
Fall, after a, gouty inflammation and abscess at knee, with violent pain and loss of sleep: Guaiacum.
Falling, easy, and unsteady walking, of little children: Causticum.
Fatigue, in legs, sensation of, even while sitting: Magnesia mur.
in thighs, sensation of: Rheum.
pain as from, in region of right hip-joint: Agaricus.
in knee, as from: Conium.
Fatigued, legs, and swollen towards evening: Agnus cast.
Fearful pain in knees, sharp, could hardly touch them: Hypericum.
Feels as if her lower limps were severed from the body and belonged to some one else: Opium.
Feet ache as if pounded: Lilium tig.
and ankles dropsical; gout: Eupatorium perf.
œdematous: Apocynum can., Mercurius.
pain; feet puffed; soles burn: Phytolacca.
hands bloated and blue: Sambucus.
burn worse at night: Sanguinaria.
cold: Hyoscyamus, Ipecacuanha, Stramonium.
cold; paralytic weakness of extremities, especially of right side; sweat wanting: Plumbum.
crawling in, as if numb: Hypericum.
feel heavy, better by motion: Niccolum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Feet and hands sweat, after fever: Silicea.
trembl e: Psorinum, Sarsaparilla.
and knees pain as if heavy stones were tied to parts, must move about for relief: Veratrum alb.
and legs cold after suppressed foot-sweat: Silicea.
cold, especially evening in bed, when feet get warm the hands get cold: Sepia.
cold, œdematous swelling of: Colchicum.
convulsive twitchings of: Ipecacuanha.
cramp, must walk about: Rhus tox.
drawing pains in: Magnesia carb.
go asleep: Mezereum.
heaviness of, with tension in, when sitting or walking: Natrum carb.
itch intolerably at night; old rash: Rhus tox.
rheumatic pains in: Nitri ac.
swelling of, morning on rising; better from walking: Aurum.
waxy pale, swollen, œdematous: Apis.
and limbs swollen, worse when sitting or standing, better when walking: Sepia.
and lower legs dropsical: Rhododendron.
feel as if asleep: Rhododendron.
and thighs, painful weariness of: Calcarea carb.
and toes, sensation as if too large; swollen and stiff; also at night on removing boots: Apis.
tearing, rending in, worse on walking: Agnus cast.
ankles, metatarsus, toes, especially at border of foot and sole, as if gouty: Lithium carb.
are tense and swollen in evening; pain in feet, as if sprained: Bryonia.
around ankle, swollen, with difficult breathing: Hepar.
asleep, feel as if: Ammonium mur.
becoming warm, hands get cold: Sepia.
blue: Muriatic ac.
bones of, pain, cannot step heavily thereon: Ruta.
boring in dorsum of, ankles and tibiæ: Aurum.
burning and tingling of: Crocus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Feet, burning in : Lachnanthes, Secale.
of, at night : Sepia.
of, or coldness : Natrum mur.
pain in, sharp, could not keep her shoes on : Eupatorium perf.
stinging, tingling in : Zingiber.
chilly, covered with cold sweat : Drosera.
cold : Ambra, Antimonium tart., Benzoicum ac., Capsicum, Cistus can., Cocculus, Ferrum, Hepar, Kali carb., Podophyllum, Sabadilla, Muriatic ac., Natrum carb., Rumex.
afternoon : Sanguinaria.
and clammy up to knees : Laurocerasus.
and damp : Calcarea carb.
as if in cold water ; with anguish and pain in the legs : Gelsemium.
at night : Zincum.
at night in bed : Paris.
constantly : Oleander.
evenings in bed : Ammonium mur.
feeling in, as if frozen, with burning, stitches, itching and smarting : Berberis.
icy ; Cuprum met., Mercurius corr., Phosphorus, Veratrum alb.
icy, before going to bed : Sarsaparilla.
icy ; body warm, face hot : Sambucus.
in morning ; Anacardium.
numb, stiff : Ferrum.
sweaty : Lycopodium, Mercurius.
swelling of : Kreosotum.
swollen : Sulphur ac.
when going to bed : Ammonium carb.
with nausea and palpitation : Glonoinum.
with red, burning toes : Apis.
coldness, especially of knees and : Arsenicum.
cracked skin of : Hepar.
cramps and cutting pain in : Natrum carb.
in : Causticum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Feet, cramps in, during night: Lachnanthes.
in, internal burning: Nux mosch.
crawling in: Æthusa.
distention of veins of: Natrum mur., Sulphur ac.
drag when walking, legs tremble, gait unsteady: Nux vom.
dragged along, shuffling gait: Secale.
drawing, crampy pain on dorsum of, especially when moving them: Camphora.
in knees, ankles, toes and: Caulophyllum.
pain in: Cannabis sat.
pain in legs, thighs, hips and, more right side: Chelidonium.
tearing pains in thighs, knees, legs and, worse in open air, better in warmth of bed: Causticum.
emaciated: Natrum mur.
erysipelas of, skin peels off; itching: Dulcamara.
feel as if dead or asleep: Lycopodium.
pithy, as if pricked with needles: Hypericum.
sprained: Kalmia.
fidgety, with varices: Zincum.
from slight exposure of, he catches cold: Conium.
give way when walking: Silicea.
go asleep: Psorinum.
go asleep alternately with the hands: Cocculus.
go asleep immediately after sitting down: Antimonium tart.
go asleep when crossing legs or sitting: Laurocerasus.
gout, worse in, nodosities on joints, fine tearing in toes: Ledum.
heat of hands and, evenings: Ledum.
of, veins distended: Spongia.
heaviness of: Ignatia, Natrum mur., Sabadilla.
and swelling of: Opium.
heavy and stiff: Kali carb.
hot: Millefolium.
arthritic swelling of: China.
burn much: Fluoricum ac.
itching, swelling of: Cocculus.
itching intense on dorsa, also ankles; worse after scratching, much worse in warmth of bed: Ledum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Feet, itching of dorsum of: Causticum.
of thighs and, intolerable: Arsenicum.
lame feeling in: Mercurius iod. flav.
laming pain in: Paris.
must constantly change position of, or walk about for relief, cannot lie still at night: Arsenicum.
numb: Aconitum.
clumsy: Phosphorus.
insensible; knee-joints suddenly bend when standing: Arnica.
tingling: Nitr.
tired feeling in, only when sitting: Platinum.
numbness in feet, going off by motion, only felt when sitting still: Helonias.
of, with pricking as if asleep: Colchicum.
œdema, of: Argentum m., Argentum nit., Arsenicum, Lycopodium, Natrum sul.
of, extending to legs: Sambucus.
œdematous, white, swelling of both: Kreosotum.
of, with paralysis of lower limb, after a cold: Cocculus.
pain in toes and, worse at night: Caulophyllum.
when walking on pavement in soles of: Aloes.
paralyzed, from suppression of foot-sweat, by getting wet: Zincum.
pricking in, as of needles: Kobaltum.
in balls of, as if toes would be drawn down, on putting feet to ground: Staphisagria.
puffed: Phytolacca.
pustular and ichorous exanthema on: Jacea.
raw and sore spots on, from friction: Cepa.
rheumatic pains in, at night: Sarsaparilla.
rheumatism of both, insteps puffy, sour sweat: Ruta.
sensitive: Rumex.
sore: Carbo an.
as if ulcerated, when stepping: Argentum met.
sore from foot-sweat: Calcarea carb.
stiffness of, after rising from a seat: Laurocerasus.
of knees and, alternating with tearing pains: Arsenicum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Feet, stinging as from pins in, beginning of chill: Eupatorium perf.
stitches in: Jacea, Kalmia, Mephitis.
subsultus tendinum of: Iodium.
sweat, cold: Benzoicum ac.
of hands and, long-lasting and warm: Ledum.
of, of unbearable odor, making toes sore: Sepia.
profusely: Sepia.
sweats of, local, transient; cold limbs: Silicea.
swell: Theridion.
are painful on walking, feel every pebble: Sabadilla.
in evening: Rhus tox.
suddenly: Veratrum alb.
swelling and caries of the bones of: Asafœtida.
and painfulness of: Digitalis.
of: Hyoscyamus.
of, every evening: Crotalus.
of dorsa: Lycopodium.
of, œdematous: Iodium.
of, painful: Zingiber.
of, to ankles; feet cold: Kali carb.
of, worse from walking: Lachesis.
swollen: Plumbum.
and stiff: Sticta.
and sweaty; blisters on balls of toes: Phosphoricum ac.
and up to knees: Ledum.
cold: Petroleum, Sulphuricum ac.
in evening: Phosphorus.
inflamed, red: Pulsatilla.
sore to touch, worse around ankles; tearing in soles; after washing floor: Mercurius iod. rub.
stinging pain in, when walking or stepping: Natrum carb.
with black spots: Secale.
with sensation as if asleep: Sepia.
tearing, boring, screwing pressure in bones of: Bismuth.
crampy, pain on dorsum of, extending up outer side of the calves to the thighs: Camphora.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Feet, tearing in all parts: Argentum m.
in ankles and bones of, ceases when warm in bed: Ammonium carb.
in, at night, during pregnancy: Phosphorus.
in balls of, painful to step theron: Berberis.
pain in, after severe chill; must lie down and keep quiet; pain in ankle, worse from motion: Chamomilla.
tender and bathed in foul moisture: Petroleum.
tingle, lying in bed: Hypericum.
tingling in: Dulcamara.
tired or inflamed after a walk: Arnica.
to, from hips, rheumatic pains; arthritic pains in heels: Mephitis.
trembling of: Ammonium carb.
of, constant: Stramonium.
tremor and disabling weakness of: Tabacum.
of, when standing: Baryta carb.
turn inward when walking, steps improperly on soles: Cicuta.
turn under easily when walking on stone pavement: Agnus cast.
twitching of: Phosphorus.
ulcers on, callous: Graphites.
on previously inflamed: Kali bich.
on soles and toes: Arsenicum.
warm, hands cold: Phosphoricum ac.
weakness and numbness of: Arsenicum.
weakness of, cannot walk: Graphites.
weariness of: Antimonium tart.
Femoral region, anterior, and posterior tibial, creeping feeling in: Secale.
vessels in middle of thigh, sore: Hamamelis.
Femur, drawing, tensive pain in head of left: Asarum.
external condyle of right, drawing in: Colocynthis.
head of, great pain begins in the, and extends along the anterior surface of right thigh to knee: Bryonia.
right, sore pain in, muscles of thighs sore as if bruised: Hamamelis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Femur, sensation in, as if dislocated, on sitting down: Ipecacuanha.
Festering, heel hurts when standing or walking much, as if: Ammonium carb.
pain in muscles of buttocks, leg and soles: Pulsatilla.
Fetid, foot-sweat: Baryta carb., Plumbum.
profuse foot-sweat: Kali carb.
with burning of soles: Lycopodium.
sweat on feet, toes sore: Zincum.
on toes: Thuya.
Fibula, after a sprain, pain as if splinter of bone was sticking in right fibula, just above outer malleolus: Asafœtida.
Fidgety feet with varices: Zincum.
Fissures between and under toes, horizontal: Sabadilla.
Fistulous openings from knee, in gonocace, edges hard, pus greenish yellow: Silicea.
ulcers on the ankle: Calcarea phos.
Flexed upon thigh, right leg, swollen, contracted, and stiff, immovable: Guaiacum.
Flying pains about rump and limbs after getting wet in the rain: Calcarea phos.
in arms and legs, remain only few minutes in any one place: Caulophyllum.
in hips: Colchicum.
in joints: Veratrum v.
Flushes of heat along the legs: Kobaltum.
Foot and hip-joints, boring and stinging in: Helleborus.
and knee, tearing-shooting from hip to, especially when coughing: Capsicum.
and toes, tingling, prickling pain in, with numbness of left leg: Ailanthus.
arthritic pains in, worse towards evening; fears passers may strike it, big toe-joint red, inflamed, feels sprained: Arnica.
bottom of, as if sprained, more at heel: Cyclamen.
dorsum of, tensive pain on, even when sitting: Bryonia.
feels as if paralyzed, cannot step properly on it; with pain in hip-joint and middle of thigh when stepping: Asarum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Foot, from toes to dorsum of, cramplike, drawing, tearing pain: Anacardium.
hot erysipelatous inflammation and painfulness of: Arnica.
in sole of right, evenings: Ammonium mur.
itching on inner border of sole of right, not relieved by scratching: Ambra.
left, and leg, swollen in evening, with violent burning pain, did not know where to lay the limb; limb externally cold; worse after 12 P.M.: Sanguinaria.
drawing, aching in: Colocynthis.
drawing suddenly from left hip to: Crotalus.
feels as if sprained when stepping on it: Anacardium.
first, then right, goes asleep: Millefolium.
goes asleep: Colocynthis.
leg and, erysipelatous inflammation and swelling of, from violent dancing, with tearing, burning and tension in it; burning worse from touch: Borax.
numb, prickling: Baptisia.
sensation as if, was strained or dislocated: Hypericum.
severe pain in; tension while walking: Ailanthus.
shooting pain in joint of toes of, worse in great toe: Cannabis ind.
shooting-tearing pain in hip, thigh, groin, and: Arsenicum.
spasmodic pain in: Mephitis.
tearing in tips of toes of, and under nails, when walking: Camphora.
œdematous swelling of, even years after sprain: Bovista.
one hot, other cold, or cold sweaty feet: Lycopodium.
plantar surface, cramp in: Natrum ars.
right, cramplike, stitching pain in: Natrum mur.
drawing pain on dorsum of, when standing, better when sitting: Taraxacum.
especially, right hip, both knees (worse right) and first joint of great toe, shifting pains in: Iris.
feels as if tendon was drawing from sole of, through bone of leg, during and after walking: Crotalus.
heaviness of, as from a weight: Agnus cast.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Foot, right, throbbing in : Eupatorium perf.
violent stitches in outer malleolus of, painfulness of the inner : Bovista.
sprain of : Spigelia.
stitches in dorsum of : Anacardium.
-sweat : Benzoicum ac., Magnesia mur.
acrid, corrosive : Iodium.
after fever : Silicea.
cold : Squilla, Mercurius.
evenings : Podophyllum.
fetid : Baryta carb., Plumbum.
fetid, toes sore : Zincum.
foul smelling : Nitri ac., Petroleum, Sepia.
makes feet sore : Calcarea carb.
mostly between toes, smelling sour or like sole-leather : Kobaltum.
offensive, with rawness between toes : Silicea.
of unbearable odor, causing soreness of toes : Sepia.
profuse : Sepia.
profuse, fetid : Kali carb.
profuse, fetid ; with burning of soles : Lycopodium.
suppressed : Cuprum m., Natrum mur., Thuya.
suppressed by getting wet, causing paralysis of feet : Zincum.
suppressed, cold feet and legs from : Silicea.
swollen feet, blisters on balls of toes : Phosphoricum ac.
tearing in nates hip, knee, leg, ankle and : Ambra.
pain below external malleolus of right, ending at tendo-achillis : Bismuthum.
toes drawn up towards dorsum of : Secale.
top of, œdematous swelling of : Fluoricum ac.
swollen : Pulsatilla.
turning or moving of the, causes bruised pain on outer side of left calf ; numb feeling there during rest : Bryonia.
turns under when walking, as from weak ankle : Carbo an.
ulcer with black base on : Ipecacuanha.
Formication and numbness, with dull, aching pains ; sciatica of right side : Rhus tox.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Formication in calves : Zincum.
in left leg, from knee to toes : Tabacum.
in limbs : Phosphoricum ac., Rhododendron.
prickling, tingling, numbness : Secale.
lame feeling ; must often change position, bed or chair seems so hard ; after exertion, long marches : Arnica.
with paralysis of lower limbs, jerks and tension of muscles : Nux vom. (See " Crawling.")
Foul-smelling, foot-sweat : Nitri ac., Petroleum, Sepia.
Friction, chilblains worse from : Zincum.
raw and sore spots on feet from : Cepa.
Fright, limbs tremble after : Opium.
Frost-bites, inflamed, burning : Carbo an.
bitten, toes, burning heat and redness of, during slight cold, as if : Borax.
toes itch and burn, red and swollen : Agaricus m.
toes red, swollen, stinging as if : Carbo veg. (See " Chilblains.")
Frozen, feet feel cold as if, with smarting, burning, itching and stitches : Berberis v.
little toes pain as if : Asarum.
toes burn and itch as if : Nux vom.
Furuncle on buttock, pained severely when sitting : Caladium.
Gait shuffling, as if feet were dragged along : Secale.
unsteady, when walking ; legs tremble : Nux vom.
Gangrene impending, in erysipelas ; surface bluish, glossy : Lachesis.
of toes : Secale.
Gangrenous ulcers on the legs and toes : Lachesis.
Genito-crural neuralgia : Xanthoxylum.
Gluteal muscles, cramplike pain in, with tension on bending body forward : Belladonna.
dull pressure, like from a plug in left : Anacardium.
rheumatic drawing in left, near spine, while sitting ; ceases when standing : Cyclamen.
twitching of : Agaricus m.
violent pain in left hip, under : Agaricus m.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Gluteus, left, small pimples around, which discharge a watery fluid when scratched open: Lachnanthes. (See "Nates.")

Gnawing and fine shooting along bones, with tearing in joints: Belladonna.

stitching pains in the bones, especially at the joints; less during motion: Drosera.

boring and stinging in legs, especially violent in great toe: Ranunculus scel.

or tearing in spongy, doughy, swollen knee: Kali iod.

in hip-bones; darting in left hip at every step, forcing him to limp: Kali iod.

pain in bone when sitting; left hip: Ammonium mur.

Gonitis, chronic: Psorinum.

Gonocace. (See "White Swelling.")

Gout, commences in right great toe during the night: Benzoicum ac.

going from left to right: Benzoicum ac.

in big toe; first left, then right: Dulcamara.

in toes and fingers: Ranunculus scel.

in whole foot: Lithium carb.

of knee, swollen, rheumatic, with effusion: Calcarea carb.

worse in feet: Ledum.

Gouty complaints, with or without swelling: Sulphur.

inflammation and abscess at knee, repeated after a fall, with violent pain and loss of sleep: Guaiacum.

limb, numbness of: Aconitum.

nodosities on joints; fine tearing in toes: Ledum.

pain in ball of great toe: Ambra.

pains in big toes: Graphites.

swelling of left big toe; ankles and feet dropsical: Eupatorium perf.

tearing in toes: Graphites.

Grasping pain in the knees: Lilium tig.

pinching pain in left hamstrings, worse at night, with night-sweat and frequent urination: Ledum.

Gressus gallinaceous: Arsenicum, Ignatia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Gressus vaccinus: Cicuta.
Groin, shooting, tearing pain in hip, groin, thigh and left foot: Arsenicum.
Gurgling sensation in patella: Asarum.
Hammering pain in both thighs, tearing; increased by motion: Secale.
Hamstrings contracted, after a popliteal abscess: Lachesis.
contraction of, painful: Natrum mur.
drawing in, evenings when lying in bed: Asarum.
feel shortened and weak; knees give way when going up or down-stairs: Ruta.
feel shortened; rheumatism of left knee: Phytolacca.
sciatica: Ruta.
feel too short, knees are flexed; attempting to stretch them causes pain in the thighs: Cimex.
painful when walking, as if too short: Ammonium mur.
pinching, grasping pain in left, worse at night; with night-sweat and frequent urination: Ledum.
tension in, when walking: Antimonium tart.
Hard, bed or chair seems too: Arnica.
Headache, limbs so weak cannot rise: Glonoinum.
thighs weak during, knees give way; left thigh numb: Glonoinum.
Heat along legs in flushes: Kobaltum.
in soles of feet in morning: Eupatorium perf.
in swollen joints: Actæa rac.
in feet at night: Sepia.
veins distended: Spongia.
of hands and feet, evenings: Ledum.
of joints, circumscribed redness; inflammatory rheumatism: Sticta.
of knees, with coldness of the nose: Ignatia.
of limb, internal; surface cool; drawing pain, better in open air: Mezereum.
of soles, itching: Psorinum.
redness and burning of toes during slight cold, as if frost-bitten: Borax.
Heaviness and lassitude of legs: Chamomilla.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Heaviness and paralytic feeling in hip-joint, worse commencing to walk after sitting; better after walking a little: Phosphoricum ac.
as if the bones were made of heavy wood: Crotalus.
in legs, coldness: Nux mosch.
drawing, weariness: Pulsatilla.
left and right ankle, stitches in: Kreosotum.
of feet: Ignatia, Kali carb., Natrum mur., Sabadilla.
swelling: Opium.
of foot, right, as from a weight: Agnus cast.
of legs: Agaricus, Ambra, Graphites, Kali bich., Magnesia mur.
aching and weakness in calves on walking or going up-stairs: Kali bich.
and feet, with tension in them when sitting or walking: Natrum carb.
of feet: Natrum mur.
of legs, tremulous: Belladonna.
of legs, with painfulness of thighs when walking: Sabina.
of limbs: Ailanthus, Carbo veg., Cimex.
can scarcely drag them, staggers, must sit down; evening: Alumina.
lassitude, trembling: Secale.
mornings; joints all feel as if beaten: Caladium.
pain as if beaten; can scarcely rise from seat: Berberis.
when walking: Sulphur.
of thigh and knee-joint; must sit down: Stannum.
weariness, and inability to move, with the pains: Colchicum.
weight; loss of voluntary motion; muscles will not obey the will; calves feel bruised; pain at night: Gelsemium.
Heavy and stiff legs, as after long walk: Podophyllum.
and tired legs: Secale.
dull feeling in limbs, also with dizziness: Zingiber.
feeling in hands and feet, better by motion: Niccolum.
laming pains in the calves, with pain in left knee-joint: Mercurius iod. flav.
limbs feel: Natrum ars.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Heavy pains from hips to knee, dragging, neuralgic; worse on outer part of thighs: Phytolacca.
pain in feet and knees, as if stones were tied to them; must move about for relief: Veratrum alb.
stiff feet: Kali carb.
Heel, arthritic pain in: Mephitis.
bruised pain in, when treading thereon: Belladonna.
drawing pain in left, and in lower left tibia and knees: Antimonium crud.
from, up into calves, cramplike, intermittent drawing: Anacardium.
hurts when standing or walking much, as if festering; sometimes suppuration: Ammonium carb.
lancinating from right, into sole: Æthusa.
numbness of, when stepping: Alumina.
pains: Ferrum.
as if sore from walking: Borax.
as if stabbed: Eupatorium perf.
phagadenic blisters and ulcers on: Causticum.
sciatica localizes in, becoming chronic: Sepia.
soreness in, when walking: Kali bich.
of, cannot bear weight on, rheumatism: Manganum acet.
sprained feeling in bottom of foot, more at: Cyclamen.
stitches in, when putting it down: Graphites.
under, from without inward: Mancinella.
swollen, painful and red; chilblains: Petroleum.
to, from bend of knee, bubbling sensation: Rheum.
ulcer on: Sepia.
ulcerated, arising from spreading blisters: Natrum carb.
black pustule on: Natrum carb.
ulcerative pain in, with tearing and stitches, relieved by rubbing; occurs also at night: Ammonium mur.
violent tearing, drawing pains from left ischium to, and sole, with cramplike tension of the muscles: Chamomilla.
ache, after long standing: Zingiber.
burning pain in, at night, when they come in contact they feel cold: Ignatia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Heels, burning sore pain in, when walking in open air, standing or sitting: Cyclamen.
cramplike pains in calf, toes and: Crotalus.
numb, sometimes painful; same in fingers: Stramonium.
pain: Carbo an.
as if ulcerated to bone, when awaking in morning: Ammonium carb.
as if ulcerated when standing: Berberis.
piercing pain in: Natrum sulph.
pricking in both: Hepar.
tearing in: Arsenicum.
in, also in toes, more left: Bismuthum.
ulcerative pain in: Kali iod.
pain in, lower part of: Laurocerasus.
Herpes in bend of knees: Natrum mur.
in bend of knees, dry: Psorinum.
on knees and ankles: Petroleum.
on thighs, scaly: Clematis.
Herpetic eruption on knee: Dulcamara.
Hip aches, leg becomes elongated: Thuya.
and thigh pain, intolerable when standing, as if thigh would break; ischias: Valerian.
bone, right, acute stitches in: Fluoricum ac.
tearing from right, later left, down to knee: Cantharides.
bones feel bruised: Ruta.
gnawing in, darting in left hip, at every step, forcing him to limp: Kali iod.
crampy pain in affected, as though the parts were screwed in a vise; lies on affected side, with knee drawn up: Colocynthis.
disease: Kali carb.
black, ichorous, offensive discharge; great weakness: Carbo veg.
in syphilitic children, or after abuse of mercury: Phytolacca.
involuntary limping; pains felt mostly in knee and worse from overexertion; worse at night: Rhus tox.
left side, also for violent pains when abscesses form: Stramonium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hip disease, violent jerks of limbs; child awakes cross or with a scream: Lycopodium.
with profuse suppuration, sweat, diarrhœa: China.
Hip-joint, aching in, as if dislocated: Causticum.
aching pain in nates while sitting, extending to, sacrum and small of back: Staphisagria.
and knee, crampy tearing in; bruised pain when moving and when sleeping; coxalgia: Kali carb.
and knee, tearing in, worse at night, or with pulsating pain: beginning suppuration: Mercurius.
beating in, as if it would burst: Ignatia.
caries and suppuration of: Silicea.
feels as if wrenched, sudden shooting pains causing lameness; extending to popliteal space; worse from moderate, better from violent motion; sciatica: Iris.
feels relaxed, when walking, leg feels as if made of wood: Thuya.
first right, then left, feels paralytic; walking difficult: Veratrum alb.
heaviness and paralytic feeling in, worse commencing to walk after sitting, better after walking a little: Phosphoricum ac.
in back of right, stitching pain; limping walk: Rumex.
jerking pain in, extending to knee: Pulsatilla.
lancinating, cutting pains in: Ignatia.
left, darting in, at every step, forcing him to limp: Kali iod.
drawing, pressive pain in, when sitting with thigh extended: Arnica.
drawing, tearing, on moving: Aconitum.
pain as after lying in bad position; difficult to sit down or get up; awakes him at night; can bear any one position only for a short time: Natrum sulph.
pains as if luxated, with sensation as if leg was too long when standing: Kreosotum.
pains as if sprained: Laurocerasus.
sore pain about, later weakness, unsteadiness, trembling in the joint: Apis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hip-joint, left, violent pains in when abscesses form: Stramonium.
or knee, pains as if sprained or dislocated: Ignatia.
pulsating in, as from beginning suppuration: Staphisagria.
right, and thigh, laming pain in, with pain in ankle as if sprained; when walking must limp: Drosera.
boring; soreness; stitches, or drawing in: Lilium tig.
feels sprained on walking: Mezereum.
lancinating pain in, worse during motion, better during rest: Agnus cast.
pain in region of, like from fatigue: Agaricus.
pain in, worse from stooping, rising from a seat, or moving in bed: Natrum sulph.
pressure in; worse from motion: Ledum.
severe pain in; worse during motion: Helonias.
stitches in: Mercurius cor.
severe pain in, and in middle of thigh when stepping; foot feels as if paralyzed, cannot step properly on it: Asarum.
tearing first in left, then in right: Ambra.
to knee, shooting pains, worse moving about: Natrum ars.
twitching pain: Mezereum.
violent cracking of, when stooping: Crocus.
pain in, when walking: Ammonium carb.
pain in, worse evenings till 12 P.M.; must get out of bed and walk about; can hardly put foot to the ground; but pain lessens while walking: Ferrum.
joints and knees, rheumatic pains on walking or moving; also with restlessness in diphtheria: Kali bich.
boring pain in, alternating with numbness and loss of sensation in whole thigh: Kreosotum.
numbness in whole thigh, alternating with boring pain in: Kreosotum.
pain as if dislocated; worse when walking: Psorinum.
painful drawing in: Anacardium.
sensation of soreness in: Bovista.
stiff, also knee-joints: Helleborus.
lame, pain in: Zingiber.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hip-joints, stinging in, in morning and when breathing: Sabina.
weariness about, feel bruised on hard pressure after walking: Argentum m.
Hip, knee and ankle-joints, cracking and creaking in: Camphora.
lancinating, stitching pains, must get out of bed for relief; pains worse from rising, but better from slow walking: Scpia.
left, as if tendons were too short; must limp when walking; when sitting, gnawing pain in bone: Ammonium mur.
knee and shoulder, rheumatism in; high fever, scanty, red urine: Veratrum alb.
lameness in: Fluoricum ac.
lancinating, drawing from, into thigh: Æthusa.
pain and weakness of, worse on going up-stairs: Podophyllum.
pain in left knee, toes and, thence to calf, then knee, and after leaving these parts it appears in right thigh and ankle: Benzoicum ac.
pains as if sprained, when walking in the open air: Hepar.
piercing pain in, belly and small of back, only during rest: Natrum sulph.
pricking in: Helleborus.
region of, and in right loin, drawing, twitching, with dull throbbing: Colocynthis.
rheumatic pains in, also inside of right thigh: Sanguinaria.
rheumatic tension in: Lycopodium.
rheumatism in; chronic: Phytolacca.
shooting, tearing pain in; thigh, groin and: Arsenicum.
stabbing pains in: Natrum sulph.
stitch suddenly in, when walking, unbearable; cannot walk: Natrum sulph.
stitches in when sitting: Carbo an.
tearing near and beneath, extending to sacrum: Carbo veg.
to foot, drawing suddenly from: Crotalus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hip, left, violent pain in, under gluteal muscles: Agaricus.
pain in, leg is shortened: Mezereum.
pains as if strained, with stitches: Natrum mur.
rheumatism about thighs, calves, and: Antimonium tart.
right, caries of, left leg atrophied and painful: Capsicum.
cramplike jerking, digging pain in: Cannabis sat.
cutting pains; drawing, leg drawn up, cannot touch floor; hip disease after mercury, or in syphilitic children: Phytolacca.
dull pressure in: Asarum.
itching, burning pain in small spot on, then on thigh, then on little toe; all on external aspect of limb; also internally on left thigh and knee: Lithium carb.
lameness in, and lower extremity; when walking: Eupatorium perf.
lancinating pain in: Veratrum vir.
pain in, extending down thigh: Lilium tig.
pain from, to knee, while walking; cannot stand or bear one's weight: Hydrastis.
pain in, extending to the knees: Kali bich.
shifting pain in, also knees, right foot, and first joint of great toe: Iris.
to knee; feeling of lameness: Spongia.
shocks in: Veratrum alb.
sprained feeling in, with limping: Nitri ac.
stitches in, when walking: Argentum m.
tearing and bruised pain in: Natrum carb.
in nates, knee, leg, ankle, foot and: Ambra.
to feet, tearing pain from: Kalmia.
to, from toes, darting pains, worse from motion or lifting, and at night: Nux vom.
to knee and foot, tearing, shooting, especially when coughing: Capsicum.
to knee, drawing pressive pains, in sciatic nerve; walking difficult and great exhaustion afterwards: Plumbum.
to knee, pain: Natrum sulph. (See "Trochanter.")

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hips, drawing in, and calves: Baptisia.
pain in thighs, legs, feet and, worse right side: Cheli-
donium.
flying pains in: Colochicum.
pain as if sprained: Arnica.
as if, were screwed together: Colocynthis.
gradually rises from ankles to, causing constant shifting
and motion of feet; is milder when walking:
Belladonna.
pains through, extending down right limb: Sanguinaria.
rheumatism of, severe stitching; worse during rest, better
from motion: Sabadilla.
shooting pains from sacrum, down outside both: Phyto-
lacca.
stabbing pain in: Bryonia.
stiffness in, in morning: Argentum m.
tearing in, and down legs: Niccolum.
to ankles, aching pain, as though she had walked many
miles, felt more in bones: Mercurius iod rub.
to feet, rheumatic pains from; arthritic pains in heels:
Mephitis.
to knees, heavy dragging, neuralgic pains, worse on outer
parts of thighs: Phytolacca.
twitching, tearing in: Magnesia mur.
violent pain to, through limb, from sole, when attempting to
walk, as if spikes penetrated and ran up, worse
right side: Cannabis ind.
weakness of: Cepa.
Hot and cold alternately, limbs; head hot: Veratrum alb.
arthritic swelling of the feet: China.
feet: Millefolium.
burn much: Fluoricum ac.
itching, swelling of the feet: Cocculus.
legs, burn to knees, evening and next morning: Natrum
sulph.
one foot, other cold, or cold sweaty feet: Lycopodium.
pricking in toes, they go to sleep when walking: Aconitum.
soles feel: Ferrum.

Digitized by
UNIVERSITY OF MICHIGAN
Original from
UNIVERSITY OF MICHIGAN

Humid, painless vesicles between the toes: Helleborus.
Hunger, sudden weakness of limbs, with canine: Zincum.
Hygroma patellæ: Arnica.
Ichorous and pustular exanthema on the feet: Jacea.
Ilium, bruised pain in crest of; stitches from same through the abdomen; pain in same and lumbar vertebræ in morning, as if tired: Kreosotum.
weary feeling from, down outer side of thighs to knees, as from too much exertion: Natrum ars.
Immovable, stiff, drawn close up to thigh, swollen and contracted, right leg: Guaiacum.
Inflamed, burning, frost-bites: Carbo an.
feet feel tired or, after walking: Arnica.
red, swollen: Pulsatilla.
ulcers appear on: Kali bich.
lower legs, swollen, red, and covered with ulcers: Natrum carb.
toe-nails, thick and crippled: Sabadilla.
Inflammation absent, in periodical wandering pains along bones: Kali bich.
and painfulness of foot; erysipelatous: Arnica.
and swelling of ankle, with stitches extending to lower leg: Manganum acet.
and swelling of left leg and foot: Borax.
of knee: Iodium.
of tibia, with burning: Sabadilla.
Insensibility, numbness and icy coldness of feet and hands: Aconitum.
Insensible and numb, feet: Arnica.
and numb limbs, on awaking, more lying than moving: Aurum.
Instep, feeling of heavy weight in each, and want of power in ankles: Arnica.
hot swelling of, with bruised pain when stretching out the foot: Bryonia.
left, pains as if bruised: Kali iod.
right, pricking, shooting in: Ferrum.
Insteps, eruption on, soon becoming thick, dirty, scaly; suppu-

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

rating; painful and itching at times, keeping him awake: Psorinum.
Insteps, puffy; rheumatism of both feet, and right wrist: Ruta.
Intense pains along larger nerves: Terebinthinæ.
Intermission, rhythmical, of painful, dull pointed pressure in thigh, at times: Anacardium.
Involuntary drawing upward of knees, when walking: Ignatia.
Ischias. (See Coxagra.)
Ischium, violent tearing, drawing from left, to os calcis and sole, with cramplike tension in muscles: Chamomilla.
Itching all over, intolerable, with ulcers on lower legs: Psorinum.
around ankle, in evening: Selenium.
burning in soles: Kreosotum.
pain in small spot on right hip, then on thigh, then on little toe, all on external aspect of limb; also internally on left thigh and knee: Lithium carb.
in sole of right foot, evenings: Ammonium mur.
of buttocks, with red spots after scratching: Magnesium carb.
of calves: Ipecacuanha.
of feet and thighs: Arsenicum.
of feet, as if frozen, stitches, pain and cold feeling, smarting, burning in: Berberis.
of feet, hot, swollen: Cocculus.
of feet, skin peels off; erysipelas: Dulcamara.
of leg, like fire, swollen, burning; eruption oozing, or scales and scabs, easily detached, purplish: Petroleum.
of legs and feet at night intolerable; old rash: Rhus tox.
of nates; burning; stinging on small spots; feel asleep; sore spots; oozing scurfs: Calcarea phos.
of nettle-rash around the knee, violent: Iodium.
of shins, bleeding when scratched; small scabs form: Nitric ac.
of soles: Aurum.
of soles, driving to despair: Silicea.
of soles, heat: Psorinum.
of thighs: Calcarea carb.
of thighs, smarting and burning, better from scratching: Alumina.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Itching of toes, burning, as if frost-bitten: Agaricus.
of toes, red, burning, as if frozen: Nux vom.
of toes, redness: Alumina.
of toes, violent, evenings after lying down; sweat between toes: Clematis.
of top of feet and of ankles, worse after scratching, much worse in warmth of bed: Ledum.
on calf, right, with swelling of bloodvessels: Cyclamen.
on dorsum of feet: Causticum.
on inner border of sole of right foot, not relieved by scratching: Ambra.
on insteps, from eruption; painful, keeps him awake: Psorinum.
on legs, in ulcers, nightly burning, tearing in: Lycopodium.
on nates, nodes: Theridion.
on tibia, red spots: Sulphuricum ac.
on toes, or between, after undressing: Natrum sulph.
tearing, stitching in old foot-sores: Abrotanum.
tetters in bend of knees: Arsenicum.
Itch-like eruption between nates: Oleander.
Jar aggravates pain in pale, tensive, swollen joints: Nux vom.
Jerking in hip-joint, painful, extending to knee: Pulsatilla.
in legs, and quivering, in attacks: Mancinella.
in legs, lacerating, rheumatic pain in, as soon as he falls asleep: Lachesis.
in limbs, and joints, painful, spasmodic, drawing: Platinum.
in limbs when going asleep: Kobaltum.
in limbs; worse in bed, must sit up and let legs hang out; must walk about: Veratrum alb.
in right calf, painful; ceases quickly when touched: Taraxacum.
in right hip, cramplike digging pain in: Cannabis sat.
of legs and arms, when at rest, twitching: Valeriana.
of limbs at night, painful: Secale.
of limbs, convulsive: Ignatia.
of limbs, especially when feet are touched: Kali carb.
of limbs, violent; child awakens cross or with a scream; coxalgia: Lycopodium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Jerking of muscles, tension, formication: Nux vom.
of tendons: Kali iod.
pain through left leg and foot, lacerating: Pulsatilla.
Joints all crack when walking or turning: Caulophyllum.
all feel as if beaten, limbs heavy in the morning: Caladium.
and limbs numb, cramplike pains: Platinum.
and limbs, spasmodic, jerking and drawing pains in: Platinum.
and limbs, stitches in: Thuya.
and muscles rigid and painful, with numbness: Lycopodium.
arthritic pains in: Sepia.
bends of, soreness in: Squilla.
bruised feeling in all: Muriaticum ac.
pain in: Crotalus
pain in, worse from motion and at night: Nux vom.
crack, are sore as if bruised: Chamomilla.
when limb is stretched: Thuya.
when moving them; stiff, swollen: Natrum mur.
cracking and creaking of: Cocculus.
cracks on; chilblains, thick and red: Sulphur.
erratic pains in, and on left side: Natrum ars.
exquisitely sensitive; inflammatory rheumatism: Chininum sul.
feel bruised, also muscles, ache on awaking: Ptelea tri.
feel stiff: Natrum ars.
gnawing and stitching pains in bones, especially the, less from motion: Drosera.
gouty nodosities on, fine tearing in toes: Ledum.
heat and circumscribed redness of; inflammatory rheumatism: Sticta.
lancinating pains in almost all, especially on motion: Hyoscyamus.
large, rheumatism of, pale, tensive swellings, numbness or twitching; worse from least jar or from cold: Nux vom.
of lower limbs, sensation in, particularly knees, as if they would give way, especially when walking, more marked when going down hill: Belladonna.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Joints pain after exposure to cold: Dulcamara.
as if beaten: Conium.
as if sprained, with swelling and redness; with arthritic nodosities: Rhododendron.
painful on motion: Paris.
stiffness of: Cocculus.
pains in: Veratrum vir.
red and swollen, with stinging pains: Pulsatilla.
rheumatic pains of: Secale.
smaller, rheumatism especially of: Carbo veg.
sore, as if bruised and tired out, no power in hands or feet: Chamomilla.
soreness and bruised feeling in, after repeated and severe epistaxis: Agaricus.
stiff, rheumatic, cracking when moved: Petroleum.
stiffness of: Sepia.
stitching or stinging in: Spigelia.
swollen: Actæa rac.
and bluish, after sprain: Lachesis.
and shining red; worse from touch or motion, or at night; rheumatism: Manganum acet.
pale or slightly red: Mercurius.
pale, tense, hot; with stinging, drawing pains; worse from warmth of bed, and bed-covering, motion and in evening before 12 P.M.: Ledum.
red and shining; stitches in, when touched: Rhus tox.
with spasmodic pains; rheumatism: Sanguinaria.
tearing in limbs, muscles and, from above downward: Sulphur.
violent nightly pains in; no swelling: Iodium.
tearing in, with fine shooting and gnawing in bones: Belladonna.
weak: Zingiber.
especially knees: Podophyllum, Sepia.
or stiff: Rhus tox.
weakness, cracking, swelling, of: Sulphur.
Knee and ankle-joints, tension in: Causticum.
and foot-joints, boring and stinging in: Helleborus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Knee and foot, shooting tearing from hip to, especially when coughing: Capsicum.
and hip-joint, crampy tearing in; bruised pain when moving and when sleeping; coxalgia: Kali carb.
and hip-joint, tearing in; worse at night; or with pulsating pain; beginning suppuration: Mercurius.
and right thigh, tearing in, awakens him at night, worse lying on affected side; sciatica: Kali iod.
and thigh, right, pains in, walking or sitting: Cistus can.
arthritic inflammation of, also with nodosities: Nux vom.
bend of, cramp in, when stretching out leg: Calcarea carb.
of, herpes: Natrum mur.
of, painful swelling in: Magnesia carb.
of, stiff feeling in, as if tendons were too short: Graphites.
of, stiffness and tensive pain in, when walking: Causticum.
of, stiffness of, with pain on motion: Rheum.
of, tension in, tendons feel as if too short: Berberis.
of, tension in, muscles are shortened: Natrum carb.
of, to, from trochanter, darting pains, worse from motion or lifting, and at night; Nux vom.
of, to heel, sensation of bubbling: Rheum.
blue spot above, with burning: Ammonium carb.
bruised pain in: Hepar.
pain in, while sitting: Argentum met.
bursitis about: Sticta.
cracking of, when moving: Cocculus.
of, when walking: Arsenicum, Causticum.
difficulty in, on going down stairs, still more on going up: Kali carb.
doughy, spongy, no fluctuation; skin red in spots and hot; gnawing, boring or tearing, worse at night, must often change position; white swelling: Kali iod.
drawing pain in: Crotalus.
pain in right thigh, down to: Colocynthis.
drawn up, lies on affected side with; crampy pain in affected hip, as if screwed in a vise: Colocynthis.
gouty inflammation and abscess at, with violent pain and loss of sleep: Guaiacum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Knee, great effusion around, rheumatism, urine muddy, looking like settlings of beer: Hypericum.
herpetic eruption on: Dulcamara.
hip and ankle-joints, cracking and creaking in: Camphora.
inflammatory swelling of, with transitory stinging pains: Cocculus.
joint and knee, stitches in: Staphisagria.
and thigh, weakness and heaviness of: Stannum.
burning, stinging in, worse at night: Belladonna.
cracking of: Conium, Sepia.
cracking of, when stooping, violent: Crocus.
cracks on bending it: Selenium.
feels dry, cracking when moved: Nux vom.
left, continuous pain in, impeding walking: Colocynthis.
left, pain in, with heavy laming pain in calves: Mercurius iod. flav.
or hip, pains, as if sprained or dislocated: Ignatia.
pains as if beaten: Arsenicum.
sensation as if it would suddenly give away: Kreosotum.
stitches in, evenings, when sitting: Ammonium mur.
stitchlike pain in, when standing: Rumex.
synovitis of, intense inflammation; sense of bubbling as from drops of water: Belladonna.
weakness of: Mercurius iod. rub., Podophyllum.
joints and ankles stiff: Sulphur.
and hip-joints stiff: Helleborus.
and wrists swell alternately, with sensation of numbness and rigidity of limbs: Kreosotum.
crack during motion: Podophyllum.
cracking in: Ranunculus bulb.
cracking or sense of dryness in: Benzoicum ac.
dropsy of: Sulphur.
suddenly bending when standing; feet numb, insensible: Arnica.
tearing in, with swelling: Colchicum.
lameness in: Cepa.
left, after being in right: Benzoicum ac.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Knee, left, and axilla, tearing in : Psorinum.
especially outer side of, violently itching nettle-rash : Iodium.
hip and shoulder, rheumatism, with high fever, and scanty, red urine : Veratrum v.
hip, toes and, pain in, thence to calf, then knee ; and after leaving these parts it appears in right thigh and ankle : Benzoicum ac.
outer part of, aches while sitting, worse while walking : Hydrastis.
pains as after a severe blow : Platinum.
paralytic pain in thigh, near to : Cina.
rheumatism of, hamstrings feel shortened : Phytolacca.
rheumatism of, worse from motion ; better from straightening limbs : Glonoinum.
sticking in : Laurocerasus.
stitches in : Natrum mur.
tearing in, when walking : Lachnanthes.
throbbing pain when lying, evenings ; as if being forced asunder ; cracks on stepping, and impedes walking : Caladium.
to toes, formication : Tabacum.
violent pain in, more outside and to the front : Apis.
pain as from a needle in, when touching : Arnica.
beginning back of trochanter, extends down thigh posteriorly, then to knee anteriorly, down tibia to ankle ; somewhat relieved by flexing knee : Arsenicum.
in, like from fatigue : Conium.
just below, as if it had been tied too tightly : Antimonium crud.
pains above : Calcarea phos.
felt in, mostly, involuntary limping, worse from overexertion and at night ; coxalgia : Rhus tox.
right, becomes weak from walking : Aurum.
cracking in, when rising in morning : Mezereum.
cramplike pain in, near patella towards outer side, when sitting : Belladonna.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Knee, right, drawing in, when walking or setting foot on floor : Aurum.
drawing pain from thigh to : Natrum mur.
hot swelling of, painful to slight touch : China.
inflammatory rheumatism in, swelling and extreme pain : Lobelia infl.
pain from hip to, when walking ; cannot stand or bear one's weight : Hydrastis.
pain in joint : Fluoricum ac.
pain in, so that in evening he could scarcely walk, and was obliged to keep the leg very quiet, inner side of knee very painful to touch : Bryonia.
pain in ; then in left : Benzoicum ac.
pain in, up to thigh, or down towards the leg ; pains worse from contact than from motion : China.
pain in, with burning and stiffness ; worse when moving : Chelidonium.
pains as if wrenched or sprained, on moving, especially going up-stairs : Nux mos.
swelling of, ulcerative pain in whole leg, with pains in kidneys : Benzoicum ac.
to hip, feeling of lameness : Spongia.
side of, dull pain in, when walking or extending leg : Kali carb.
skin of, red in spots and hot, with doughy, spongy swelling ; gnawing, boring or tearing pains : Kali iod.
stitches externally on : Kalmia.
swelling of : Hepar.
of, hot, bright red, with inflammation, pricking and burning ; aggravated by touch or pressure : Iodium.
swollen, soft painless : Sepia.
stiff and sweating ; white swelling : Lycopodium.
synovitis of, effusion ; constant chilliness : Ledum.
tensive pain in : Capsicum.
tired, bruised and lame feeling in : Berberis.
to, from acetabulum, shooting pains, worse moving about : Natrum ars.
from head of femur, along front of thigh, great pain : Bryonia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Knee, to, from hip, pain: Natrum sul.
from hip, pressive, drawing pain, sciatic; with difficult walking and great exhaustion afterwards: Plumbum.
from hip-joint, jerking pain: Pulsatilla.
from hip-joint, twitching pain: Mezereum.
from middle of thigh or leg, pain extends: Guaiacum.
from right tarsus, drawing, tearing, lancinating: Guaiacum.
toes, drawing pain in flexus of leg, from: Cyclamen.
toes, tearing from: Alumina.
white swelling in, with intolerable tearing pains, worse during rest and at night: Rhodendron.
white swelling of, pains stinging, lancinating; swelling, doughy; fistulous openings with hard edges; discharge greenish-yellow pus: Silicea.
Knees, aching hard in both: Apocynum can.
aching in, heavy: Lilium tig.
aching, weakness of: Hydrastis can.
and ankles feel as if sprained: Natrum mur.
and feet pain as if heavy stones were tied to them; must move about for relief: Veratrum alb.
and feet, stiffness of, alternating with tearing pains: Arsenicum.
and feet, thighs and legs, drawing and tearing pain in, worse in open air, better in warmth of bed: Causticum.
and hip-joints, rheumatic pains in, on walking or moving; also with restlessness in diphtheria: Kali bich.
and patellæ, tearing in: Alumina.
and thighs feel weak as if beaten: Platinum.
and thighs, weakness in: Sarsaparilla.
are involuntarily drawn up when walking: Ignatia.
bandaged, pain as if, when sitting: Aurum.
bend of, dry herpes in: Psorinum.
herpes in: Natrum mur.
itching tetters in: Arsenicum.
tension in; painful contraction in hamstrings: Natrum mur.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Knees, bend of, tetter in: Graphites.
boring and drawing pains in: Ammonium carb.
both, right hip, right foot especially, and first joint of great toe, shifting pains in: Iris.
bruised feeling in, legs restless as if becoming insensible: Mephitis.
bruised pain in: Graphites.
burning in legs, toes and: Taraxacum.
cold: Agnus cast.
cold, feel, as from cold wind: Cimex.
coldness, especially of feet and: Arsenicum.
cracking of: Ignatia.
drawing pain in toes, feet, ankles and: Caulophyllum.
pain in when sitting: Natrum mur.
pains in; in lower part left tibia, in left heel, and tearing pain through right great toe; gout: Antimonium crud.
fearful, sharp pains in, could hardly touch them: Hypericum.
feel paralyzed, with stiffness and great lassitude, is scarcely able to walk: Anacardium.
feel tired: Oxalicum.
from, down, agreeable thrilling: Cannabis ind.
give way: Crocus, Cuprum m.
give way, thighs weak during headache; left thigh numb: Glonoinum.
give way; tremble: Camphora.
grasping pain in: Lilium tig.
hamstrings feel too short, flexed, trying to stretch them causes pain in the thighs: Cimex.
heat of, with coldness of the nose: Ignatia.
herpes on, also ankles: Petroleum.
knock together when walking: Argentum m., Colchicum.
lassitude in: Asarum.
pain above: Cepa.
pain as if sprained, sore when walking: Calcarea phos.
painful, in walking; the feet, when lying in bed: Magnesia carb.
stiffness of: Antimonium crud.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Knees, painful uneasiness about, with sensation of stiffness as if bandaged or made tense; when sitting: Anacardium.
pressing pain in: Magnesia mur.
pressive drawing in arms and: Muriatic ac.
pricking, dull, drawing, twitching pains in: Aloes.
rheumatic, tearing, stitches in, during rest and motion: Asarum.
rheumatoid pains in, also legs and thighs, wandering to back; slight lameness and unsteady gait: Lycopus.
sensation in, as if they would give way, especially when walking, more marked going down hill: Belladonna.
shooting, tearing pains in: Aconitum.
start up at night, awaking him: Argentum nit.
stiff: Sanguinaria.
stiffness and stitches in, pain in patella, impeding walking: Nitri ac.
and tired aching in, almost entire paralysis of limbs: Cannabis ind.
of, painful, as after long march: Lobelia infl.
of, rheumatic, pains from knee to feet: Phosphorus.
stitching pains in: Bovista.
strike together, can hardly walk: Colchicum.
swelling and pain in: Arsenicum.
of, rheumatic gout and effusion: Calcarea carb.
of, soft, white, shining: Pulsatilla.
swollen, white or red: Sulphur.
tearing in: Manganum acet.
in; evenings: Cistus can.
in nates, hip, leg, ankle, foot and: Ambra.
stinging in, with swelling: Lachesis.
to ankle, tearing pain: Lachnanthes.
to, from ilium, down outer side of thighs, weary feeling, as from too much exertion: Natrum ars.
to, from right hip, pain: Kali bich.
to, from hips, heavy dragging, neuralgic pains; worse on outside of thighs: Phytolacca.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Knees, to, tearing from first right and later left hip-bone: Cantharides.
to toes, dull, heavy pain from, moving suddenly from place to place: Lilium tig.
totter and knock together when walking: Bryonia.
when ascending steps: Cantharides.
tottering, stiffness and paralytic feeling of: Aurum.
tremble when standing: Oleander.
trembling and unsteadiness of: Manganum acet.
of abdomen, back, hands and: Lilium tig.
tremor of, when sitting or walking: Ledum.
violent pains in: Cantharides.
weak, after seminal emissions: Dioscorea.
especially: Sepia.
especially when walking: China.
painfully: Staphisagria, Sulphur ac.
when walking in open air: Zincum.
with pain, worse going up-stairs: Lithium carb.
weakness of, ache: Hydrastis can.
of, afternoon: Hamamelis.
of, excessive: Kobaltum.
Lacerating, jerking pains through left leg and foot: Pulsatilla.
jerking, rheumatic pains in the legs, as soon as he falls asleep: Lachesis.
Lame and sore limbs, go asleep easily; evenings: Silica.
feeling; formication; must often change position, bed or chair seems too hard; after exertion, long marches: Arnica.
from right knee to right hip: Spongia.
in ankle-joint, while sitting or walking: Natrum mur.
in feet: Mercurius iod. flav.
tired and bruised, in knee: Berberis.
from stiffness and painfulness in hip-joints: Zingiber.
Lameness caused by pain in tendons of muscles of calf, as if stretched: Kali bich.
from rheumatoid pains in legs, thighs and knees: Lycopus.
sudden shooting in sciatica; pain and lameness extend-

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

ing to popliteal space; worse from moderate, better from violent motion: Iris.
Lameness in knee: Cepa.
in left hip: Fluoricum ac.
in middle of thighs; from which has to drag legs when going up-stairs: Baryta carb.
in right hip and lower extremity when walking: Eupatorium perf.
of limbs, with contraction of muscles: Cuprum met.
Laming ache in middle of right thigh, while sitting, better moving: Æthusa.
drawing pain, severe, from abdomen down left leg: Carbo veg.
pain in calves, with pain in left knee-joint: Mercurius iod. flav.
in feet: Paris.
in muscles, drawing, spasmodic: Stramonium.
in right hip-joint and thigh, with pain in the ankle, as if sprained; when walking must limp: Drosera.
Lancinating and drawing from left hip into thigh: Æthusa.
cutting pains in hip-joint: Ignatia.
from right heel into sole: Æthusa.
pain in joints, followed by contractions of limbs: Guaiacum.
pain in joints, almost all, especially on motion: Hyocyamus.
pain in knee, swelling doughy; fistulous openings, with hard edges, greenish discharge; gonocace: Silicea.
in leg, from right tarsus to knee: Guaiacum.
in right hip: Veratrum vir.
in right hip-joint, worse from motion, better from rest: Agnus cast.
in sole of foot when standing: Spigelia.
stitches in hip, must get out of bed for relief; worse from rising, but better from slow walking: Sepia.
Languor and weariness of lower limbs; Ammonium carb., Ammonium mur.
of legs: Agaricus.
when walking, with tension in thighs, as if muscles were too short; worse from touch; better from sitting: Guaiacum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Large, toes and whole feet feel, too, swollen and stiff: Apis.
Lassitude and heaviness in legs: Chamomilla.
heaviness and trembling of limbs: Secale.
in knees: Asarum.
of legs, with pain in calf of right leg, as from a blow: Arnica.
of lower limbs; with dizziness as from intoxication: Argentum nit.
Laughing aggravates sciatic pains from sacrum into right thigh: Tellurium.
Leg and foot, left, jerking, lacerating through, which become numb and œdematous; sensitive to touch; better from change of position: Pulsatilla.
and foot, whitish swelling of, with sensation of coldness: Calcarea carb.
coldness of whole right, sensation of: Sabina.
cramped, entire leg: Guaiacum.
drawing from sole of right foot through bone of, as from tendon, during and after walking: Crotalus.
drawn up, drawing and cutting pain in hip, cannot touch the floor; hip disease: Phytolacca.
elongated, hip aches: Thuya.
extending, dull pains in side of knee when: Kali carb.
feels as if made of wood, when walking, hip-joint feels relaxed: Thuya.
flexors of, drawing pain in, from hollow of knees, to tips of toes: Cyclamen.
goes asleep frequently, when sitting, standing or lying on it at night: Ammonium carb.
left, and arm, feel as if they would fall asleep: Niccolum.
atrophied and painful, with caries of right hip: Capsicum.
cramp in lower part of: Ammonium mur.
drawing, laming pain from abdomen down: Carbo veg.
drawing pain down entire: Baryta carb.
feels shorter than right, and so sounds when walking: Lycopus.
foot and, erysipelatous inflammation and swelling of, after dancing, with burning, tearing and tension in it; burning worse from touch: Borax.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Leg, left, formication in, from knee to toes: Sulphuricum ac.
goes asleep easily: Fluoricum ac.
lower, feels paralyzed: Carbo veg.
numb, cold, while sitting: Hypericum.
numbness of, with tingling, pricking pain in foot and toes: Ailanthus.
pressive bone pain in: Bromium.
swollen, ulcer thereon; skin copper-colored: Cistus can.
trembling of: Cicuta.
numbness of first one, then the other: Cantharides.
pains begin in middle of, and extend to knee: Guaiacum.
right, calf of, pain in, as from blow; lassitude of legs: Arnica.
cramp in, on getting awake in the morning: Arum triph.
must be kept quiet, because of pain in knee, in evening; inner side of knee very painful to touch: Bryonia.
pain in knee descends to, or ascends to thigh; worse from contact than from motion: China.
pain from point of exit of sciatic nerve, felt only when moving the limb, or when sitting up: Dioscorea.
swollen and contracted, stiff, immovable, drawn close up to thigh: Guaiacum.
shooting along entire sciatic nerve from pressure upon it: Kali bich.
shortened; pain in hip: Mezereum.
swollen from knee to ankle, purplish, oozing or covered with scales or scabs, which are easily detached; itching and burning like fire: Petroleum.
tearing, drawing lancinations in, from right tarsus to knee: Guaiacum.
tearing in nates, hip, knee, ankle, foot and: Ambra.
pain down, from hip to feet: Kalmia.
pressure in middle of inside of the leg; uninfluenced by motion or contact: Belladonna.
to, from swollen and inflamed ankle, stitches: Manganum acet.
too long, feels as if, when standing on it, with pain in left hip-joint as if luxated: Kreosotum.
ulcerative pain in whole, swelling of right knee; with pains in kidneys: Benzoicum ac.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Leg, ulcer on, burns at night; discharge offensive, skin around mottled, purple: Carbo veg.
ulcers on lower: Phosphoricum ac.
whole leg pains as if from an ulcer: Kreosotum.
Legs ache: Rumex.
ache anteriorly, until they become restless; an uneasy feeling is produced: Natrum ars.
ache; cannot keep them still; worse when giving up control of herself, as when trying to go asleep: Lilium tig.
aching and insupportable pain in, toward evening, better on moving: Mercurius, iod. rub.
aching, weakness of: Hydrastis.
almost powerless; with numbness after sitting: Aconitum.
and arms move normally, but jerk and twitch when at rest: Valeriana.
and arms twitch: Mercurius.
and back weak: Æsculus hip.
and feet cold, after suppressed foot-sweat: Silicea.
and feet cold and clammy: Laurocerasus.
and feet cold, especially evening in bed; when feet get warm, hands get cold: Sepia.
and feet, coldness and œdematous swelling of: Colchicum.
convulsive twitchings of: Ipecacuanha.
cramp, must walk about: Rhus tox.
drawing pains in: Magnesia carb.
go asleep: Mezereum.
heaviness of, with tension in them when sitting or walking: Natrum carb.
itch intolerably at night; old rash: Rhus tox.
rheumatic pains in: Nitri ac.
swelling of in morning on rising, better walking: Aurum.
swollen, up to knees: Ledum.
waxy, pale, swollen, œdematous: Apis.
and great toe, stinging, boring and gnawing in: Ranunculus scel.
thighs, bruised pains in, mornings in bed: Causticum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Legs and thighs, knees and feet, drawing and tearing pains in, worse in open air, better in warmth of bed: Causticum.
thighs, skin of, marbled: Causticum.
anguish and pain in, coldness of extremities, especially as if feet were in cold water: Gelsemium.
beaten, pain as if, also thighs: Belladonna.
blotches on: Natrum carb.
boring, dull pain in, worse at night: Mercurius iod. flav.
burning and stinging in: Kali carb.
in knees, toes and: Taraxacum.
cold and clammy, worse at night; child: Mercurius.
from knees down, icy: Tabacum.
powerless; angina pectoris: Oxalicum ac.
sweat on upper part of: Capsicum.
with hemorrhages: Trillium pend.
coldness and numbness of: Antimonium tart.
covered with small red pimples: Rumex.
cramps in: Ammonium carb.
and in calves, nearly every night: Ambra.
toes, fingers, etc.: Veratrum vir.
deep-seated muscular pains in, relieved by motion: Gelsemium.
dragged along, when going up-stairs, because of a lameness in middle of thighs: Baryta carb.
drawing, crampy pains in, from thighs into toes; worse on motion or walking: Gelsemium.
heaviness, weariness in: Pulsatilla.
pain in, when resting feet on floor, while sitting: Arsenicum.
pains in feet, hips, thighs and, more right side: Chelidonium.
drawn up, with every attempt to change position: Helleborus.
dropsical, with ulcers discharging serum: Rhus tox.
dull tearing in: Belladonna.
emaciated: Selenium.
erysipelas of, swelling, bluish, glossy; impending gangrene: Lachesis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Legs, excoriation between: Graphites.
fatigued and swollen towards evening: Agnus cast.
feel as after a long walk: China.
if asleep: Mercurius cor.
if paralyzed, especially the ankles: Natrum mur.
weak, paralytic, after a short walk: Nitrum.
weak, with fear of paralysis after typhus: Selenium.
festering pain in: Pulsatilla.
flying rheumatic pains in arms and, remain only a few minutes in any one place: Caulophyllum.
front of, weakening drawings; shooting pain as if in the periosteum: Hypericum.
go asleep and tingle, while sitting or when crossing them: Crotalus.
in evening when sitting: Calcarea carb.
when sitting quietly: Antimonium crud.
heat along, in flushes: Kobaltum.
heaviness and lassitude in: Chamomilla.
of: Agaricus m., Ambra, Graphites, Kali bich., Magnesia mur., Natrum mur.
of, aching and weakness of calves on walking or going up-stairs: Kali bich.
of, tremulous: Belladonna.
heavy and cold: Nux mosch.
and tired: Secale.
with painfulness of thighs when walking: Sabina.
hot, burn to knees, evening and next morning: Natrum sulph.
swollen, with tensive, burning pain: Pulsatilla.
lacerating, jerking rheumatic pains in, as soon as he falls asleep: Lachesis.
hurt after least exertion; tarsal joints feel bruised: Natrum mur.
languor of: Agaricus.
lassitude of: Arnica.
lower, and feet, dropsical swelling of: Rhododendron.
skin wrinkled on: Rhododendron.
swollen, inflamed, red and covered with ulcers: Natrum carb.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Legs, numb: Aconitum, Eupatorium perf.
numbness and deadness of: Nux vom.
œdema of, skin shining; dents remain a long time: Cactus.
œdematous: Helleborus.
extending to, from feet: Sambucus.
oozing of water from sore places in; ascites: Lycopodium.
pain as from weariness, pressing towards groins, diarrhœa; during menses: Niccolum.
at night, as after excessive dancing or walking: Baryta carb.
especially on tibia and soles, as from overexertion in walking; legs restless, better on rising: Psorinum.
painful when lying in bed, the knees when walking: Magnesia carb.
pains in, worse standing or sitting, better walking or moving: Agaricus.
paroxysmal pains in, from getting wet, especially when warm and sweaty: Rhus tox.
powerless, feel as if: Silicea.
quivering and jerking in, in attacks: Mancinella.
refuse to carry him and he staggers: Cicuta.
restless as if becoming insensible; knees feel bruised: Mephitis.
must be moved for relief, with tense feeling in thighs: Magnesia mur.
tremulous, with numb and torpid feeling when sitting; worse evenings: Platinum.
restlessness in, must move them constantly: Natrum mur.
of: Ammonium carb., Graphites, Magnesia carb.
of, cannot keep them still: Cactus.
rheumatic pains mostly in lower part of, are worse when going to sleep: Kalmia.
rheumatoid pains in, also knees and thighs, wandering to back, slight lameness and unsteady gait: Lycopus.
rush of blood to, at night: Mephitis.
sensation as if asleep, in both; step not firm: Ambra.
of great fatigue in, even while sitting: Magnesia mur.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Legs, sensation of stagnation of blood in: Zincum.
shooting tearing pains in: Aconitum.
so weak they will scarcely hold him: Bryonia.
spots, red, large and painful, on, like erysipelas bullosum: Calcarea carb.
stiff and heavy, as after a long walk: Podophyllum.
numb and weak: Oxalicum ac.
stiffness of: Spongia.
stitches in: Kobaltum.
in, especially from motion: Sarsaparilla.
swollen, bright red, with black, painful spots: Nux vom.
tearing down, from hips: Niccolum.
pains from abdomen into: Chamomilla.
tension and stiffness of: Manganum acet.
tingling in: Secale.
tired, as after a long journey, must move legs from place to place: Nux mosch.
tremble when walking, feet drag, unsteady gait: Nux vom.
trembling of: Mancinella.
of (especially); aching when sitting: Kobaltum.
of, with extreme nervousness: Silicea.
twitches and spasmodic movements of: Opium.
twitching of, convulsive: Squilla.
of muscles of: Asafœtida.
of muscles of, from least exertion: Manganum acet.
ulcerated, sloughing, spreading: Petroleum.
ulcers and nodes on: Phytolacca.
of, hard swelling around mercurio-syphilitic: Cistus can.
on, atonic: Hydrastis.
on, discharging profusely: Rhus tox.
on, dropsical, discharging serum: Rhus tox.
on, flat, with thin, offensive discharge and bluish areolæ: Lachesis.
on, gangrenous: Lachesis.
on lower, flat: Selenium.
on lower, with intolerable itching all over: Psorinum.
on, old, nightly burning, tearing, itching: Lycopodium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Legs, ulcers on, which bleed easily and become putrid, spongy and bluish: Mercurius.
uneasiness of, must move them or draw them up: China.
varices on: Lycopodium, Pulsatilla.
with fidgety feet: Zincum.
wavelike twitches in, here and there: Anacardium.
weak: Ferrum.
painfully, especially the knees: Staphisagria.
tired: Eupatorium perf.
weakness, numbness and paralysis of: Opium.
of, ache: Hydrastis.
of, knees give way: Cuprum m.
weariness of, tingling in: Mercurius iod. flav.
Lies on affected side with leg drawn up; crampy pain in affected hips as though screwed in a vise: Colocynthis.
Lifting aggravates darting pains, from toes to hip, or from trochanter to bend of knee: Nux vom.
Limb, left, and foot, swelled in evening with violent burning pain, did not know where to lay limb; limb externally cold; worse until 12 P.M.: Sanguinaria.
left, pain in as from a red-hot iron; worse after sleep: Lachesis.
lower, and right hip, lameness in, when walking: Eupatorium perf.
right, pains through hips extending down: Sanguinaria.
shooting pain, like lightning, down the whole: Colocynthis.
shortened, seems to be, sensation of contraction in right thigh: Ambra.
Limbs ache, worse at night: Podophyllum.
aching in, as if bones were broken: Eupatorium perf.
alternately hot and cold, head hot: Veratrum alb.
and feet swollen, worse when sitting or standing; better when walking: Sepia.
and joints numb; cramplike pains: Platinum.
joints, spasmodic drawing and jerking pains in: Platinum.
blood all seems to rush from head into lower, they feel as if paralyzed, she has to sit down: Aurum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Limbs, bruised pain in all: Kobaltum.
pain in, worse from motion and at night: Nux vom.
cold: Camphora, Dulcamara, Opium, Veratrum alb.
and blue: Agaricus.
bluish, emaciated: Nux vom.
clammy, more when excited or nervous: Lilium tig.
covered with cold sweat: Secale.
even purple: Mercurius cor.
icy: Phosphorus, Sepia.
transient, local sweats of feet and arm-pits: Silicea.
with oppressed breathing: Gelsemium.
coldness and trembling of, with cold sweat: Tabacum.
of, especially the feet, as if in cold water; anguish and pain in legs: Gelsemium.
of, skin of lower leg wrinkled: Rhododendron.
contractions of, following arthritic lancinations: Guaiacum.
convulsive jerking of: Ignatia.
cramp and tearing in: Tabacum.
cramps in entire, with painless watery stools: Podophyllum.
cramplike pains in, waken out of sleep; followed by cold sweat: Eupatorium perf.
darker colored: Muriaticum ac.
drawing pain in: Graphites.
twitching-tearing in: Phosphoricum ac.
dull, heavy feeling in, also with dizziness: Zingiber.
exhaustion in: Guaiacum.
feel as if bound or powerless: Taraxacum.
as if gone to sleep: Stramonium, Sulphur.
as if severed from her body, and as if they belonged to someone else: Opium.
heavy: Natrum ars.
tired during repose: Aconitum.
flying pains about rump and, after getting wet in the rain: Calcarea phos.
formication; pricking; tingling and numbness in: Secale.
go asleep: Ailanthus, Graphites, Guaiacum, Natrum mur., Stramonium, Sulphur.
also when lying down: Veratrum alb.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Limbs go asleep and become stiff: Petroleum.
cannot stand on them: Bovista.
easily, sore and lame; evenings: Silicea.
feel restless, anxious; has to move them: Calcarea phos.
from lying on them: Rheum.
numb, insensible, on awaking, more when lying than when moving: Aurum.
when walking: Sepia.
heaviness in, great, can scarcely drag them, staggers when walking, and must sit down; evening: Alumina.
of: Ailanthus, Carbo veg., Cimex.
of, mornings, joints all feel as if beaten: Caladium.
heavy; paralytic feeling, particularly when descending: Stannum.
when walking: Sulphur.
immovable as if paralyzed: Sarsaparilla.
jerk, especially when feet are touched: Kali carb.
painfully at night: Secale.
tension of muscles, formication: Nux vom.
violently during sleep: child awakes cross, or with a scream; coxalgia: Lycopodium.
when falling asleep: Kobaltum.
jerks in, electric, worse in bed, must sit up and let leg hang out; must walk about: Veratrum alb.
lameness of, with contraction of muscles: Cuprum m.
lassitude of, with dizziness as from intoxication: Argentum nit.
trembling and heaviness in: Secale.
lose power of voluntary motion; muscles will not obey the will; calves feel bruised and pain at night: Gelsemium.
numb and cold: Argentum nit.
numbness of, first one leg, then the other: Cantharides.
œdema of, very large; profuse watery exudation, from skin below the knees; epidermis exfoliated: Graphites.
œdematous swelling of, up to abdomen: Fluoricum ac.
swelling of, with stitching pains: Viola od.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Limbs, œdematous swelling of, with shooting pain: Muriaticum ac.
pain as if beaten: Kreosotum.
as if beaten; with heaviness; can scarcely rise from seat: Berberis.
painful feeling of stiffness in muscles of lower: Cicuta.
to touch, and improper position: Taraxacum.
pains in, worse at night, and relieved by rubbing: Plumbum.
paralysis of: Stramonium.
of, from psoas abscess: Cuprum met.
of, painless: Laurocerasus.
of, with œdema of feet, after a cold: Cocculus.
paralytic drawing of, in morning on awaking, or on getting cold: Aurum.
feeling in lower: Cocculus, Digitalis.
feeling in, painful: Veratrum alb.
weakness of: Causticum.
paralyzed, from overexertion, getting wet, sexual excesses, or after apoplexy: Nux vom.
putrid ulcers on, with burning around them: Muriaticum ac.
relaxed, motionless; in sunstroke: Glonoinum.
restless in the evening: Nitri ac.
restlessness of, insupportable: Stannum.
of, like overfatigue from long walk: Cimex.
rheumatic pains in lower: Clematis.
pains in, rarely in joints; worse during rest after previous exertion; better from movement: Valeriana.
rigidity and numbness of, alternating with swelling of knee-joints and wrists: Kreosotum.
sensation as if they would break down on going up-stairs: Arsenicum.
of running, as of a mouse, in: Sepia.
shooting, neuralgic pains in; numbness and weakness: Xanthrox.
spasmodic rigidity of: Stramonium.
twitching in, when stepping out: Rhus tox.
stiff in forenoon and while standing: Veratrum alb.
or curved after mercurialization: Lachesis.
stinging in, at night: Silicea.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Limbs, stinging pains in, worse from least motion: Guaiacum.
stitches in joints and: Thuya.
stitching pains in: Paris.
tearing and restlessness in: Squilla.
drawing in, at night and on alternate days; worse at rest: Lycopodium.
drawing in, paralytic: Magnesia mur.
erratic pains in: Rhododendron.
in: Graphites.
in, also muscles and joints; from above downward: Sulphur.
in, during rest: Rhus tox.
in, during rest, better from motion: Muriaticum ac.
in, only, worse during rest; typhus: Taraxacum.
stinging in: Laurocerasus.
tense as if wrapped tightly: Platinum.
tingling in: Ignatia..
or buzzing sensation in: Kreosotum.
tremble after fright: Opium.
from every exertion: Phosphorus.
trembling of: Spongia.
of, especially legs; aching when sitting: Kobaltum.
twitching of: Coffea.
of, day and night: Silicea.
of, drawing them backward: Cuprum m.
ulcers on, with acrid pus, dry skin and constipation: Graphites.
uneasiness in: Lachesis.
in, cannot lie still at night, has to change position of feet constantly, or walk about for relief: Arsenicum.
of, intolerable in the evening: Causticum.
violent pains in: Agaricus.
wasting of: Berberis.
weak, cannot get out of bed: Caladium.
cannot rise; headache, worse when covered: Glonoinum.
especially knees, after seminal emissions: Dioscorea.
tremble, sweat: Theridion.
vascillating when walking: Baptisia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Limbs, weakness and debility of, all afternoon, with sick feeling and dread of work: Argentum nit.
of, excessive: Xanthrox.
of, sudden, with canine hunger: Zincum.
of, with feeling in soles as if asleep, when walking: Oleander.
weariness and languor of lower: Ammonium carb., Ammonium mur.
Limp, caused by darting pains in left hip-joint at every step: Kali iod.
when walking; because of pain in left hip as if tendons were too short: Ammonium mur.
from sprained feeling in hip: Nitricum ac.
stitching in back of right hip: Rumex.
owing to laming pain in right hip-joint and thigh, and pain as if sprained in ankle: Drosera.
Liver, shooting from, into thigh: Kobaltum.
Local, transient sweats of feet and arm-pits; cold limbs: Silicea.
Lying down, boring in big toe, after: Nux mosch.
evenings, after, cramps in soles: Carbo veg.
evenings, after, violent itching of toes: Clematis.
evenings, throbbing pain in left knee as if forced asunder, cracks when stepping and impedes walking: Caladium.
in bed, cramps in calves when: Lachnanthes.
feet pain; when walking, the knees: Magnesia carb.
feet tingle: Hypericum.
limbs go asleep when: Veratrum alb.
on affected side aggravates sciatic pains, from sacrum into right thigh: Tellurium.
on affected side aggravates tearing pain in right thigh and knee; sciatica: Kali iod.
on either great trochanter causes pain in it: Veratrum vir.
on left side prevented by drawing pain from upper part of left calf to popliteal space: Ledum.
on leg at night, frequently causes it to go asleep: Ammonium carb.
on limbs, they go asleep when; bruised, numb: Carbo veg.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Lying on thigh at night impossible, owing to pressing pain in posterior muscles of thigh: Drosera.
relieves cramps in calves, which come on when walking or rising from seat: Anacardium.
relieves tension as if tendons were too short: Baryta carb.
Malleoli, redness and swelling around: Chamomilla.
Malleolus, tearing pain below external, of right foot, terminating in tendo-achillis: Bismuthum.
ulcers on right, edges callous; ichor putrid: Calcarea phos.
violent stitches in outer, of right foot, painfulness of inner: Bovista.
Marbled skin of sole, nets of veins: Thuya.
of thighs and legs: Causticum.
Menses, during, burning in soles and palms: Carbo veg.
Mercurialization, limbs stiff or curved, after: Lachesis.
Mercury, pains after abuse of: Guaiacum.
bone pains after abuse of: Sarsaparilla.
Metatarsal bones and phalanges, rheumatic pains in, worse from motion and contact: China.
joints of right great toe, tearing and stitches in: Benzoicum ac.
Morning, 3 A.M., about, cramp in calves; also in hollow of knee when stretching out leg; in sole; in toes: Calcarea carb.
3 to 5 A.M., sciatic pain, veins swollen; better during pregnancy: Sepia.
acute, crampy, tearing pains in posterior muscles, especially of the calf, better in: Valeriana.
calves cramp about 3 A.M.: Calcarea carb.
cramp in, muscles feel too short: Bovista.
feet and legs swollen in, on arising, better from walking: Aurum.
cold in: Anacardium.
heels pain as if ulcerated to bone, on awaking in: Ammonium carb.
hip-joints, stitching pains in, or on breathing: Sabina.
hips stiff in: Argentum m.
in bed, bruised pains in thighs and legs: Causticum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Morning in bed, cramp in calf: Causticum.
joints all feel as if bruised in; heaviness of limbs: Caladium.
limbs stiff in forenoon and while standing: Veratrum alb.
paralytic drawing in of limbs in morning, on awaking or becoming cold: Aurum.
right knee cracks when rising in: Mezereum.
leg cramps on getting awake in: Arum triph.
soles of feet, heat in, in: Eupatorium perf.
Motion aggravates bruised feeling along left crural nerve: Natrum ars.
bruised pain in limbs and joints: Nux vom.
darting pains from toes to hip, or from trochanter to hollow of knee: Nux vom.
deep twinging or pricking, in rheumatic left knee: Glonoinum.
drawing, crampy pains in legs, from thighs to toes: Gelsemium.
hammering, tearing pains in both thighs: Secale.
lancinating pain in right hip-joint: Agnus cast.
pain in ankle, or tearing pain in feet, coming on after a severe chill: Chamomilla.
pressure in right hip-joint: Ledum.
rheumatoid pains at first, if continued it relieves: Rhus tox.
rheumatic pains in metatarsal bones and phalanges: China.
severe pain in right hip-joint: Helonias.
stinging, drawing and rheumatic pains in pale, swollen, tense and hot joints: Ledum.
stinging pains in limbs: Guaiacum.
when moderate; violent relieves; sciatica: Iris.
causes cracking of joints: Podophyllum.
pain in all joints: Paris.
pain in bend of knee, stiffness of: Rheum.
shooting from back down outside of left thigh, when first moving: Ruta.
stitches in legs: Sarsaparilla.
tension in ankle: Bryonia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Motion, continued, relieves heavy, paralytic feeling in hip-joint, although it at first aggravates: Phosphoricum ac.
relieves rheumatoid pains in joints: Rhus tox.
first aggravates; continued relieves pain in hip-joint: Phosphoricum ac.
impossible, weariness and heaviness, with the pains: Colchicum.
lancinating pains in almost all joints, especially on motion: Hyoscyamus.
loss of voluntary; heaviness, weight; muscles will not obey the will; calves feel bruised; pain at night: Gelsemium.
of calves causes cramps in them: Baptisia.
or contact fails to effect tearing pressure in middle of inside of leg: Belladonna.
prevented by pain in red spots on the calves, which turn yellow or green as from contusion: Conium.
relieves deep-seated muscular pains in legs: Gelsemium.
dull, aching, sciatic pains of right side: Rhus tox.
gnawing and stitching pains in bones, especially the joints: Drosera.
heavy feeling of feet and hands: Niccolum.
lacerating, jerking pains in numb, œdematous left leg and foot: Pulsatilla.
neuralgia with throbbing; at night; worse from rest: Ferrum.
numbness of feet entirely, only felt when sitting still: Helonias.
pain in course of left sciatic nerve, from behind great trochanter to calf: Kali bich.
rheumatic pain: Valeriana.
rheumatic pain; parts as if beaten: Dulcamara.
rheumatic pains in hips: Sabadilla.
tearing, drawing in periosteum: Rdododendron.
tearing pains which come in limbs when sitting: Muriaticum ac.

Moving about aggravates shooting pains from acetabulum to knee: Natrum ars.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Moving about relieves pain in feet and knees as if heavy stones were tied to them: Veratrum alb.
aggravates pain in right hip-joint, in bed: Natrum sulph.
pain in right knee, with burning and stiffness: Chelidonium.
pains in hip-joints; rheumatic: Kali bich.
rheumatic pains at night: Thuya.
ameliorates insupportable pain and aching in legs towards evening: Mercurius iod. rub.
laming ache in middle of right thigh; worse when sitting: Æthusa cyn.
pains in legs: Agaricus.
drawing up of limb on, or changing position: Helleborus.
excites bruised pain in hip-joint and knee; crampy tearing in; coxalgia: Kali carb.
crural neuralgia, pains stinging, stitching: Staphisagria.
feet, drawing, crampy pain on dorsum of, especially when: Camphora.
first aggravates, continued it relieves, heavy and paralytic feeling in hip-joint: Phosphoricum ac.
foot or turning it, also touch, cause bruised pain on outer side of left calf; numb sensation there during rest: Bryonia.
knees crack when, them: Cocculus.
limb or sitting up excites pain in right leg from point of exit of sciatic nerve: Dioscorea.
parts imperative, because of uneasiness or drawing pains: Mercurius.
right knee pains as if wrenched or sprained when: Nux mosch.
thighs or arms painful, they are so sore: Mercurius.
Mouse running, sensation of, in lower limbs: Sepia.
Muscle, psoas, contracted after an abscess: Lachesis.
Muscles and joints feel bruised and ache, on awaking: Ptelea trif.
and joints rigid, painful, with numbness: Lycopodium.
atrophy of; sciatica: Plumbum.
bruised pain in, anterior of thighs: Hepar.
pain in, of thighs: Hamamelis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Muscles, contraction of: Cuprum m.
cramp, feel too short, in morning; calves: Bovista.
drawing, laming, spasmodic pains in: Stramonium.
feel relaxed, in thigh and calf: Mercurius cor.
flag, as if falling off bone, left thigh: Eupatorium perf.
heaviness, weight of, will not obey will; calves feel bruised, pain at night: Gelsemium.
jerking, tension, formication in limbs: Nux vom.
posterior, acute, crampy, tearing pains in, especially of the calf; better morning and rubbing, worse towards evening and when quiet: Valeriana.
sore, very; rheumatism: Hamamelis.
stiffness of, painful, limbs: Cicuta.
tearing in limbs, joints and, from above downward: Sulphur.
tearing pains in: Colchicum.
twitching of gluteal: Agaricus.
of, from least exertion; legs: Manganum ac.
of, in legs: Asafœtida.
Muscular pains in legs, deep-seated, relieved by motion: Gelsemium.
Nails brittle or soft: Thuya.
tearing in tips of toes of left foot, and under the, when walking: Camphora.
Nates ache, sharply defined, in sacro-sciatic foramen; with tenderness on pressure: Podophyllum.
ache when sitting; pain extends to small of back, sacrum and hip-joint: Staphisagria.
buttock and posterior thighs painful when sitting: Hepar.
festering pain in: Pulsatilla.
flying pains about rump and limbs, after getting wet in rain: Calcarea phos.
furuncle on, pains greatly when sitting: Caladium.
go asleep; stinging on small spots; itching; burning; sore spots; oozing scurfs: Calcarea phos.
when sitting: Alumina.
itching and nodes on: Theridion.
itching of, with red spots after scratching: Manganum carb.
itchlike eruption between: Oleander.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Nates, pain across both buttocks: Nitri ac.
pricking in, as if sitting on needles: Guaiacum.
tearing from above downward in right, periodically increasing and decreasing: Baryta carb.
tearing in hip, knee, leg, ankle, foot and: Ambra.
to hip-joint, aching pain extends, while sitting: Staphisagria.
to sacrum, aching pain extends, when sitting: Staphisagria.
Nausea and palpitation, with cold feet: Glonoinum.
Needles. (See "Pricking.")
Nerves, intense pain along larger: Terebinthinæ.
Nettlerash on the thighs: Cepa.
particularly around the knee, on outer side of left knee especially; itches violently: Iodium.
Neuralgia, crural. (See "Crural.")
of genito-crural nerves: Xanthrox.
throbbing at night; worse rest; better moving: Ferrum.
Neuralgic pains from hips to knees, heavy dragging; all worse on outer side of thighs: Phytolacca.
Night, aching in limbs worse at: Podophyllum.
and afternoon, rending, shooting, crural or sciatic neuralgia, in attacks, worse: Coffea.
bone pains from mercury or checked gonorrhœa, worse at: Sarsaparilla.
boring, tearing or gnawing, in doughy, spongy, swollen knee, worse at: Kali iod.
bruised feeling in soles at, better on rising and walking: Baryta carb.
pain in calves at, muscles will not obey the will, heaviness, weight: Gelsemium.
pain in limbs and joints, worse at: Nux vom.
burning in feet and hands, worse at: Sanguinaria.
in heels at, when in contact, however, they feel cold: Ignatia.
in palms and soles at: Lachesis.
in soles at: Chamomilla, Phosphoricum ac.
in ulcer on leg at: Carbo veg.
or heat of feet at: Sepia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Night, cold and clammy legs, worse at: Chelidonium, Mercurius.
cold feet at: Zincum.
feet at: in bed: Paris.
cramp in tendo-achillis at, sudden: Causticum.
cramps, in calf at, violent, also when walking after sitting: Nitri ac.
in calves and legs nearly every: Ambra.
in calves at: Magnesia carb., Magnesia mur., Sulphur.
in calves, worse at rest, especially at: Ferrum.
in feet during: Lachnanthes.
in legs at, about 3 A.M., also in hollow of knee, when stretching out leg; in sole, in toes: Calcarea carb.
in soles at: Agaricus.
in thighs at: Ipecacuanha.
darting pains from toes to hip, or from trochanter to bend of knee, worse at: Nux vom.
drawing, tearing in limbs at, and on alternate days; worse at rest: Lycopodium.
tearing pains in limbs, especially at: Sabina.
dull aching sciatic pains of right side, worse at: Rhus tox.
boring pains in, worse at: Mercurius iod. flav.
enlarged sensation in toes and whole foot, on removing boots at, swollen and stiff: Apis.
excruciating pains in left big toe, worse at: Manganum acet.
gout during, commences in right great toe: Benzoicum ac.
itching of legs and feet intolerable; old rash: Rhus tox.
jerking of limbs at, painful: Secale.
moving after 12 P.M., aggravates rheumatic pains: Thuya.
pains in calves torment him all: Argentum nit.
in legs at, as after excessive walking or dancing: Baryta carb.
in tibia at: Phosphoricum ac.
of coxalgia worse at, and from overexertion; pains felt mostly in knee: Rhus tox.
worse after 12 P.M.: Rhus tox.
worse at, erratic, jerking, tearing, drawing: Pulsatilla.
worse at, relieved by rubbing: Plumbum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Night, periosteum of long bones painful, worse at, and then the least touch is intolerable; worse in damp weather; syphilis: Mezereum.
pinching, grasping pain in left hamstrings, worse at; with night-sweat and frequent urination: Ledum.
pressive pain in posterior muscles of thigh, could not lie thereon at night: Drosera.
restless, cannot lie still at, has to change position of feet constantly; uneasiness in lower limbs: Arsenicum.
rheumatic pains in feet at: Sarsaparilla.
rush of blood to legs at: Mephitis.
smarting in bones of limbs at: Phosphoricum ac.
starting up of knees at, awaking him: Argentum nit.
stinging in limbs at: Silicea.
sweat on thighs only at: Carbo an.
tearing and stitching, violent pain, with ulcerative pain in heels at, relieved by rubbing, at times: Ammonium mur.
drawing in periosteum; mostly of arms and lower legs: Rhod.
or pulsating pain in hip-joint and knee, worse at night; beginning suppuration: Mercurius.
pains in knee at, worse at rest; white swelling: Rhododendron.
until 12 P.M., rheumatic pains are aggravated: Ledum.
12 P.M., violent burning in left leg and foot, worse, limb externally cold; swollen: Sanguinaria.
violent pains in joints at, no swelling: Iodium.
wandering pains, worse at: Sanguinaria.
Nightly burning, tearing and itching in old ulcers on legs: Lycopodium.
pains in periosteum of tibiæ: Phytolacca.
rheumatic pains: Kali carb.
tearing in feet during pregnancy: Phosphorus.
Nodes on joints: Benzoicum ac.
on joints, knees: Nux vom.
on joints, swelling, redness and sensation as if sprained: Rhododendron.
on legs, ulcers also: Phytolacca.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Nodes, on nates, itching: Theridion.
on toes: Spigelia.
Numb calf, sensation as if, on outer side of left, when resting Bryonia.
feeling with rheumatism: Thuya.
feet and hands, crawling in: Hypericum.
cold, stiff: Ferrum.
only when sitting; tired: Platinum.
foot, left, pricking in: Baptisia.
leg and foot, left side, œdematous, with lacerating, jerking pain through: Pulsatilla.
left, and cold while sitting: Hypericum.
legs and feet, with tingling commencing in feet and spreading upward: Aconitum.
and torpid, when sitting, worse evenings, with tremulous restlessness of legs: Platinum.
on awaking, insensible: Aurum.
toes, pain as after a cramp: Crotalus.
Numbness in sciatica, alternating with intense pain along course of nerve: Gnaphalium.
of feet: Arsenicum.
feet and hands, icy cold and insensible: Aconitum.
feet and hands, with pricking as if asleep: Colchicum.
feet, clumsy: Phosphorus.
feet, going off by motion, only felt when sitting still: Helonias.
feet, insensible: Arnica.
feet, tingling: Nitr.
gouty limb: Aconitum.
heels and fingers, sometimes painful: Stramonium.
heel when stepping: Alumina.
leg, left, with tingling, pricking pain in foot and toes: Ailanthus.
legs: Eupatorium purp.
legs after sitting, almost powerless: Aconitum.
legs, coldness: Antimonium tart.
legs, deadness: Nux vom.
legs, stiff and weak: Oxalicum ac.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Numbness of legs, weakness, paralysis: Opium.
limbs: Argentum m.
limbs and joints; cramplike pains: Platinum.
limbs, bruised feeling, go asleep when laid upon: Carbo veg.
limbs, coldness: Argentum nit.
limbs, first of one leg, then the other: Cantharides.
limbs, rigidity, accompanying alternate swelling of knee and wrist-joints: Kreosotum.
limbs, tingling, prickling formication: Secale.
limbs, weakness; with shooting, neuralgic pains: Xanthrox.
muscles and joints, with rigidity: Lycopodium.
parts affected, and formication, with sciatica of right side; pains dull and aching: Rhus tox.
thigh, left, weak knees and thighs; during headache: Glonoinum.
thigh, whole, alternating with boring pain in hip-joints: Kreosotum.
thighs: Ferrum, Graphites.
thighs, cold, with fever: Spongia.
toes, go asleep when walking: Aconitum.
with rheumatoid pains, tingling: Rhus tox.
Œdematous swelling of feet: Argentum m., Argentum nit., Arsenicum, Iodium, Lycopodium, Natrum sulph.
of feet after a cold, with paralysis of limbs: Cocculus.
of feet and ankles: Apocynum can., Mercurius.
of feet and legs, cold: Colchicum.
of feet and legs, waxy pale: Apis.
of feet, both; white: Kreosotum.
of feet, extending to legs: Sambucus.
of foot, right, even years after a sprain: Bovista.
of foot, top of: Fluoricum ac.
of leg and foot, left, numb, with lacerating jerking pain: Pulsatilla.
of legs: Helleborus.
of legs, lower, and feet: Rhododendron.
of legs, oozing of water from sore places in: Lycopodium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Œdematous swelling of legs, skin shining; dents remain long time: Cactus grandi.
of legs, with ulcers on, discharging serum: Rhus tox.
of limbs, up to abdomen: Fluoricum ac.
limbs, very large, with profuse, watery exudation, from skin below knees; epidermis exfoliated: Graphites.
of limbs, with shooting pains: Muriaticum ac.
of limbs, with stitching pains: Viola od.
with diarrhœa: Aceticum ac.
Oozing blisters on legs, from small pustules, increasing in size, with tearing pains: Psorinum.
of water from sore places in œdematous legs; ascites: Lycopodium.
scurfs, sore spots; stinging in small spots, itching, burning, and feel as if asleep; nates: Calcarea phos.
Overexertion aggravates pains of coxalgia; pains felt mostly in knee; worse at night: Rhus tox.
causes paralysis of lower limbs: Nux vom.
Pain about condyles, especially: Veratrum vir.
above knee: Calcarea phos.
along larger nerves, intense: Terebinthinæ.
from calves to sacrum: Mercurius iod. rub.
from hip to knee: Natrum sulph.
in bones, particularly tibia: Calcarea phos.
in feet and knees as if heavy stones were tied to the parts; must move about for relief: Veratrum alb.
in foot, sole of, on stepping, as if too soft and swollen: Alumina.
in hip and thigh, intolerable when standing, as if thigh would break; ischias: Valeriana.
in hip-joint and middle of thigh: Asarum.
right, worse from stooping, rising from a seat, or moving in bed: Natrum sulph.
in legs, worse when standing or sitting, better walking or motion: Agaricus.
in limbs, worse at night, and relieved by rubbing: Plumbum.
through ankles and feet; feet puffed; soles burn: Phytolacca.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Pain through hips, extending down right limb: Sanguinaria.
through limbs fearful, as growing pains: Actæa rac.
Painfulness of buttocks and posterior thighs, when sitting: Hepar.
feet, swelling: Digitalis.
Pains, accompanied by weariness, heaviness and inability to move: Colchicum.
Pale, joints hot, swollen, tense and, with stinging, drawing pains: Ledum.
swelling of knees: Sulphur.
waxy, swollen œdematous feet and legs: Apis.
Palpitation and nausea with cold feet: Glonoinum.
Paralysis of feet from suppressed foot-sweat by getting wet: Zincum.
of legs, numbness, weakness: Opium.
of limbs, almost entire, so is unable to walk up-stairs, with stiffness and tired aching in knees: Cannabis ind.
of limbs: from overexertion, getting wet, sexual excesses, or after apoplexy; limbs cold, bluish, emaciated; jerks, tension of muscles, formication: Nux vom.
from psoas abscess: Cuprum m.
loss of speech; staring: Stramonium.
painless: Laurocerasus.
with œdema of feet, after a cold: Cocculus.
of lower and upper extremities: Mercurius cor.
sensation of, feeling as of a painful stripe down inside of thigh: Nux vom.
Paralytic drawing all through limbs: Sabadilla.
drawing and tearing in the limbs: Magnesia mur.
in of limbs, morning on awaking, or becoming cold: Aurum.
feeling and heaviness in hip-joint, worse commencing to walk after sitting; better after walking a little: Phosphoricum ac.
in hip-joint, first right, then left, walking difficult: Veratrum alb.
in lower limbs: Cocculus, Digitalis.
heaviness of limbs, particularly when descending: Stannum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Paralytic pain in left thigh, near the knee: Cina.
weakness in extremities, especially on right side; hands and feet cold; total want of sweat: Plumbum.
of legs after a short walk: Nitr.
of limbs: Causticum.
Paralyzed, feet feel as if, cannot step properly thereon: Asarum.
knees feel, with stiffness and great lassitude, is scarcely able to walk: Anacardium.
knees feel, with stiffness and tottering, they feel as if bandaged when sitting: Aurum.
leg, left lower, feels: Carbo veg.
legs feel as if, especially ankles: Natrum mur.
limbs feel, and as if all the blood rushed from head into lower limbs: Aurum.
Paroxysmal pains in legs from getting wet, especially when warm and sweaty: Rhus tox.
Paroxysms of shooting pains: Gelsemium.
tearing in, through upper and lower limbs at same time: Anacardium.
Patella, cramplike pain in right knee near, towards outer side, when sitting: Belladonna.
drawing, bruised pain in right thigh, and on inner side near and below the: Camphora.
gurgling sensation in: Asarum.
pains, impeding walking; stiffness and stitches in knee: Nitri ac.
sensation when walking as if partially luxated: Gelsemium.
stitches in: Jacea.
Patellæ and knee, tearing in: Alumina.
hygroma: Arnica.
tearing pains in: Colchicum.
Periosteum feels as if being scraped with a knife; after injuries: Phosphoricum ac.
of long bones pain, especially tibiæ, worse at night in bed, and then the least touch is intolerable; worse in damp weather; syphilis: Mezereum.
of tibia, soreness of: Nitri ac.
nightly pains in: Phytolacca.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Periosteum, shooting pain as if in; weakening drawing over front of legs: Hypericum.
tearing, darting pains in: Kali iod.
tearing, drawing in, worse at night: in wet stormy weather, and at rest; better in motion; mostly in arms and lower legs: Rhododendron.
Periodically increasing and decreasing tearing pain from above downward, in right buttock: Baryta carb.
Phalanges and metatarsal bones, rheumatic pains in, worse from motion and contact: China.
Phagadenic blisters and ulcers on heel: Causticum.
Pithy, feet feel as if, pricked with needles: Hypericum.
Piercing pain, drawing, tearing: Millefolium.
pain in left hip, belly and small of back, only during rest: Natrum sulph.
pain in right great toe, evenings: Cistus can.
in soles and heels: Natrum sulph.
Pimples around left gluteus, discharging a watery fluid when scratched open: Lachnanthes.
legs covered with small red: Rumex.
Pinched off, great toe pains as if: Mephitis.
Pinching grasping pain in the left hamstring; worse at night, with night-sweat and frequent urination: Ledum.
tearing in the right calf: Bryonia.
Plug, dull pressure as from a, in left glutei muscles: Anacardium.
Popliteal space, drawing pain from upper part of calf to, cannot lie on left side: Ledum.
painful swelling in bend of knee: Magnesia carb. (See "Knee, bend of.")
sudden shooting, causing lameness; pain as if left hip-joint was wrenched; extending to, worse from moderate, better from violent motion; sciatica: Iris.
Powerless, legs: Sabadilla.
almost, with numbness after sitting: Aconitum.
cold and; angina pectoris: Oxalicum ac.
feel as if: Silicea.
limbs, as if paralyzed: Sarsaparilla.
feel as if bound or: Taraxacum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Pregnancy, feet swollen during; worse during walking: Lachesis.
tearing in feet nightly during: Phosphorus.
Pressing pain in knees: Magnesia mur.
in posterior muscles of thigh, worse from pressure and stooping; could not lie thereon at night, passes off after rising: Drosera.
in small spots; wandering, lasting but a short time; soon returning: Nux mosch.
Pressive pains in ball of great toe, severe crawling burning; burning stitches: Causticum.
in calf, left: Taraxacum.
in hip-joint, left, thigh being extended, when sitting: Arnica.
in knee and arms, drawing: Muriaticum ac.
in leg, bone of left: Bromium.
in legs, drawing, especially in ankles: Agaricus.
in sciatic nerve, down to knee; walking difficult, with great exhaustion afterwards: Plumbum.
in tibia, boring or burrowing: Clematis.
Pressure aggravates pressing pain in posterior part of thigh; which prevents lying thereon at night; passes off after rising: Drosera.
causes redness to disappear momentarily from erysipelatous inflammation and swelling of left leg and foot; tearing, tension and burning in it; burning worse from touch: Borax.
on sciatic nerve causes shooting along its entire length: Kali bich.
or touch aggravates pricking and burning in inflamed knee: Iodium.
relieves, rending, shooting, sciatic or crural neuralgia, coming in attacks: Coffea.
in calves, cramplike, externally: Anacardium.
in feet, bones of, tearing, screwing and boring: Bismuthum.
in hip-joint, right, worse from motion: Ledum.
in hip-joints, hard, causes bruised feeling; weariness about hip-joints, worse after walking: Argentum met.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Pressure in hip, right, dull: Asarum.
in leg, middle of inside of, tearing, uninfluenced by motion or contact: Belladonna.
in nates, left gluteal muscles, dull as from a plug: Anacardium.
in thigh, painful dull pointed, at times in rhythmic intermission: Anacardium.
Pricking in balls of feet, as if toes would be drawn down, when putting them to the ground: Staphisagria.
feet and hands, numb as if asleep: Colchicum.
feet, as of needles: Kobaltum.
feet, as of needles, feel pithy: Hypericum.
heels, both: Hepar..
hip, left: Helleborus.
instep, right; shooting pain: Ferrum.
joints, dull, twitching, pricking, drawing pains: Aloes.
knee, inflammatory swelling of, with burning; aggravated by touch or pressure: Iodium.
knee, left, deep twinging pain, worse from motion; better from straightening limb; rheumatism: Glonoinum.
nates, as if sitting on needles: Guaiacum.
soles, stinging or bruised pain: Arum triph.
Prickling, foot numb and, left: Baptisia.
in foot and toes, with numbness of left leg: Ailanthus.
in limbs, tingling, numbness, formication: Secale.
in soles, like from pins and needles, when walking: Bryonia.
in toes, hot; go asleep when walking: Aconitum.
Psoitis, if suppuration seems impending: Asafœtida.
Puffed feet, soles burn; severe pain through ankles and feet: Phytolacca.
Pulsating pain in hip-joint and knee, worse at night; beginning suppuration: Mercurius.
in hip-joint, as from beginning suppuration: Staphisagria.
Purple color of extremities, from coldness: Mercurius cor.
of swollen leg, oozing, or covered with scales or scabs: Petroleum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Pus from ulcers on limbs, acrid, with dry skin and constipation: Graphites.
ulcers on limbs, thin, offensive: Lachesis.
greenish-yellow, from fistulous opening in knee; gonocace: Silicea.
Pustule on heel, black, ulcerated: Natrum carb.
Pustules, small, oozing blisters from, increasing in size, with tearing pains: Psorinum.
Pustulous and ichorous exanthema on feet: Jacea.
Putrid, ulcers on legs become, bleed easily: Mercurius.
on limbs, with burning around them: Muriaticum ac.
Raw sore spots on the feet from friction: Cepa.
Rawness between toes: Manganum acet.
toes, from offensive foot-sweat: Silicea.
Recur every day, pains: Caulophyllum.
Red scar on tibia, painful: Sulphuricum ac.
soles, when walking, sore: Squilla.
spots on calves: Sarsaparilla.
on tibia, itching: Sulphuricum ac.
on feet, inflamed: Pulsatilla.
swelling of joints, bright, shining: Aconitum.
of joints, shining: Rhus tox.
of joints, shining, worse from touch or motion, or at night; rheumatism: Manganum acet.
of knees: Sulphur.
of legs, lower, inflamed, covered with ulcers: Natrum carb.
of toe, great, painful, particularly in bed, evenings: Ammonium carb.
of toes; frost-bitten: Agaricus.
of toes, stinging, as if frost-bitten: Carbo veg.
of toes: Aurum.
Redness about malleoli, swollen: Chamomilla.
inside of right thigh, swollen: Stramonium.
of joints, circumscribed, heat; inflammatory rheumatism: Sticta.
joints, with stinging pains, swollen: Pulsatilla.
joints, with swelling and sensation of sprain, arthritic nodosities: Rhododendron.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Redness of soles, swollen: Kali carb.
toe, great, swelling, stitches; gout: Sabina.
toe, great, with tearing and stinging, on walking or standing: Natrum mur.
toe, burning and; feet cold: Apis.
toes, burning, itching, as if frozen: Nux vom.
toes, during slight cold, as if frost-bitten, heat, burning and: Borax.
toes, itching and: Alumina.
toes, tips of, swelling, burning and: Muriaticum ac.
toes, tips of, swollen: Thuya.
Relaxed feeling in hip-joint; when walking, leg feels as if made of wood: Thuya.
Rending in ankle-joint, tearing and shooting: Calcarea phos.
attacks; crural or sciatic neuralgia, shooting, worse afternoon and night, or by walking, relieved by pressure: Coffea.
calves, shooting, warm feeling, with crampy pain: Calcarea phos.
feet and toes, tearing; worse walking: Agnus cast.
Repose, tired feeling in limbs during: Aconitum.
Rest, after previous exertion, aggravates rheumatic pains: Valeriana.
aggravates, acute, crampy, tearing pain in posterior muscles, especially those of the calf: Valeriana.
cramps in calves, especially at night: Ferrum.
drawing tearing in limbs, at night and on alternate days: Lycopodium.
neuralgia with throbbing; at night; better moving: Ferrum.
pains: Kreosotum.
rheumatic, drawing pain in periosteum: Rhododendron.
rheumatic pains in hips: Sabadilla.
tearing pains in knee, worse at night: Rhododendron.
tearing pains in lower limbs only; typhus: Taraxacum.
ameliorates lancinating pain in right hip-joint: Agnus cast.
during, jerking and twitching in legs and arms: Valeriana.
numb sensation on outside of left calf: Bryonia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Rest, during, only, piercing pain in left hip, belly and small of back: Natrum sulph.
rheumatic pains; relieved by moving about; parts as if beaten: Dulcamara.
tearing pains in limbs: Rhus tox.
tearing pains in limbs, better from motion: Muriaticum ac. (See "Repose.")
Restlessness of feet, must constantly change position of, or walk about for relief: Arsenicum.
feet, with varices: Zincum.
legs: Ammonium carb., Graphites, Magnesia carb., Psorinum.
legs, as if becoming insensible; knees feel bruised: Mephitis.
legs, cannot keep them still: Cactus grand.
legs, cannot keep them still, ache: Lilium tig.
legs, from aching, anteriorly down thighs: Natrum ars.
legs, must move them constantly: Natrum mur.
legs, must move them from place to place; tired: Nux mosch.
legs, pain in, as from overexertion from walking, especially in soles and tibia; better on rising: Psorinum.
legs, tremulous, numb torpid feeling when sitting; worse evenings: Platinum.
limbs, all, insupportable: Stannum.
limbs, as from overfatigue, after long walk: Cimex.
limbs, in evening: Nitri ac.
limbs, tearing in: Squilla.
limbs, they go asleep, has to move them: Calcarea phos.
thighs, must move legs for relief, tense feeling: Magnesia mur. (See also "Uneasiness.")
Rhagades of the toes: Lachesis.
Rheumatic drawing in left gluteus maximus near the spine, while sitting; ceases when standing: Cyclamen.
pain: Nitr.
at night, in feet: Sarsaparilla.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Rheumatic pains from hips to feet; arthritic pain in heel: Mephitis.
going from below upward, joints pale, swollen, tense, hot; with stinging, drawing pains; worse from warmth of bed and bed-covering, from motion and in evening before 12 P.M.: Ledum.
in hip-joints and knees, on walking or moving; also with restlessness; in diphtheria: Kali bich.
in joints: Secale.
in left hip, also inside of right thigh: Sanguinaria.
in left hip, with weakness there, worse on going up-stairs: Podophyllum.
in legs and feet: Nitri ac.
in legs, lacerating jerking, as soon as he falls asleep: Lachesis.
mostly in upper arms and lower parts of legs, and are worse when going to sleep: Kalmia.
nightly: Kali carb.
now here, now there: Mercurius iod. rub.
shift suddenly: Kalmia.
worse in those places least covered with flesh, but not in joints; on touching the painful parts, pain vanishes and appears on some other part: Sanguinaria.
stiffness of joints, with cracking when moved: Petroleum.
of knees; pains from knees to feet: Phosphorus.
tension in left hip: Lycopodium.
tearing stitches in knees, during rest and motion: Asarum.
Rheumatism about hip, thighs and calves: Antimonium tart.
after acute eruptions: Dulcamara.
every cold; during cold season; better in warm: Calcarea phos.
exposure to wet; parts as if beaten; pains when remaining in one position, subside only when he moves about: Dulcamara.
getting wet, especially the feet; from protracted wet weather: Pulsatilla.
alternating with diarrhœa: Dulcamara.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Rheumatism bone pains, after mercury or checked gonorrhœa; pains worse at night, in damp weather or after taking cold in the water: Sarsaparilla.
especially in left shoulder, hip and knee; high fever, scanty red urine: Veratrum vir.
in feet, both, and right wrist; instep puffy, sour sweat: Ruta.
cannot bear weight on heel: Manganum acet.
in hip, left; chronic: Phytolacca.
in hips, severe stitching; worse during rest, better from motion: Sabadilla.
in joints, all, with swelling and spasmodic pain: Sanguinaria.
circumscribed redness and heat: Sticta.
especially smaller: Caulophyllum.
pale and swollen, pain from least jar or cold: Nux vom.
red, shining and swollen, worse from touch or motion, or at night: Manganum acet.
worse evening and night: Aconitum.
in knee, left, deep twinging, pricking; worse from motion; better from straightening limb: Glonoinum.
left, hamstrings feel shortened: Phytolacca.
right, inflammatory swelling and extreme pain: Lobelia.
in knees, with great effusion around joint, with muddy urine, looking like settlings of beer: Hypericum.
in limbs: Clematis.
at night and on alternate days; drawing, tearing, worse at rest; muscles and joints rigid, painful and numb; swelling of dorsa of feet; worse in wet weather, better in warmth: Lycopodium.
electric jerks, worse in bed, must sit up and let leg hang out; must walk about: Veratrum alba.
rarely in joints, worse during rest after previous exertion; better from movement: Valeriana.
in metatarsal bones and phalanges, worse from motion and contact: China.
shifts from joint to joint, generally crosswise: Manganum ac.
with great soreness of the muscles: Hamamelis.
numb feeling; worse in warmth, from moving at night, after 12 P.M.; better from cold and after sweating: Thuya.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Rheumatism, with or without swelling: Sulphur.
Rheumatoid pains in knees, legs and thighs, wandering to back, slight lameness and unsteady gait: Lycopus.
pains in limbs, with numbness and tingling; joints stiff or weak; or red, shining swelling of joints; stitches when touched; worse on beginning to move, better from continued motion; worse after 12 P.M., and in wet, damp places or weather: Rhus tox.
Rigidity and numbness of limbs accompanying alternate swelling of knee and wrist-joints: Kreosotum.
of joints and muscles, with numbness: Lycopodium.
of limbs, spasmodic: Stramonium. (See "Stiffness.")
Rise from bed, must, because of lancinating stitches in hip; worse from rising, but relief from slow walking: Sepia.
Rising aggravates pain in hip (coxagra), but is necessary from severity of pain; slow walking relieves: Sepia.
causes, momentarily, shooting pain from back down outside left thigh: Ruta.
difficult, limbs heavy, pain as if beaten: Berberis.
sitting down same, from pain in left hip-joint: Natrum sulph.
from a seat, aggravates pain in right hip-joint: Natrum sulph.
a seat, cramps in calves when walking or, better lying: Anacardium.
impossible because of weakness in limbs; headache, worse when covered: Glonoinum.
relieves feeling in left thigh as if broken, which comes on while sitting: Illicium.
pain in legs as from walking too much: Psorinum.
pressive pain in posterior muscles of the thigh: Drosera.
Rubbing relieves acute, crampy, tearing pains in posterior muscles, especially of calf: Valeriana.
pains of sciatica; dull aching; right side: Rhus tox.
pains, worse at night: Plumbum.
sometimes relieves violent tearing and stitches, with ulcerative pain in heels; occurs also at night: Ammonium m.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Rump. (See "Nates.")
Rush of blood to legs at night: Mephitis.
Sacrum, aching pain in nates when sitting, extending to, small of back and hip-joint: Staphisagria.
from calves to, pains: Mercurius iod. rub.
pain in, passing into right thigh down sciatic nerve, worse when pressing at stool, coughing, laughing, also when lying on affected side; sciatica: Tellurium.
shooting pains from, down outside both hips: Phytolacca.
tearing pains extending to, from left hip: Carbo veg.
Scaly herpes on thighs: Clematis.
Scar on tibia, blood-red, painful: Sulphur ac.
Sciatic neuralgia, in attacks; rending, shooting increased by walking; relieved by pressure, worse afternoon and night; restless and sleepless at night: Coffea.
pains as from a hot iron, left-sided; worse after sleep: Lachesis.
caused by working in water: Calcarea carb.
in course of nerve on left side from behind the great trochanter to the calf; better from motion; pressure on nerve causes shooting along whole leg: Kali bich.
in nerve down to knee; drawing pressive pains, with difficult walking and great exhaustion afterwards: Plumbum.
in nerve intense; occasionally numbness takes its place: Gnaphalium.
in right limb, from point of exit of nerve, felt only when moving limb or sitting up: Dioscorea.
sudden shooting, causing lameness; feels as if (left) hip-joint was wrenched; pain and lameness extend to popliteal space; worse from moderate, better from violent motion: Iris.
tension down to knees when walking: Psorinum.
tearing in right thigh and knee, awakens him at night; worse when lying on affected side or back: Kali iod.
Sciatica becomes chronic, localizing in heel: Sepia.
better during pregnancy; pains 3 to 5 A.M., veins swollen: Sepia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sciatica in rheumatic patients, urinary symptoms agreeing: Terebinthinæ.
pain in sacrum, passing into right thigh, down sciatic nerve, worse when pressing at stool, coughing, laughing; also when lying on affected side: Tellurium.
right side, dull aching pain, worse at night, in cold or damp weather; relieved by rubbing, heat, and when warmed by exercise; numbness and formication: Rhus tox.
when there is marked consecutive muscular atrophy; or earlier when walking causes great exhaustion: Plumbum.
Scratching aggravates chilblains: Zincum.
intense itching of top of feet and ankles: Ledum.
does not relieve itching on inner border of sole of right foot: Ambra.
relieves burning, smarting and itching of thighs: Alumina.
Screwed together, hips pain as if: Colocynthis.
Screwing, boring, tearing pressure in bones of feet: Bismuthum.
pain as if in a vise, crampy pain in affected hip; lies on affected side, with knee drawn up: Colocynthis.
Scrofula; swelling of calves: Dulcamara.
Scurfs, oozing sore or stinging spots; burning itching, and feeling as if asleep on nates: Calcarea phos.
Sensation, loss of, and numbness in whole thigh, alternating with boring pain in hip-joints: Kreosotum.
Sensibility lessened: Aceticum ac..
Sensitive feet: Rumex.
joints, exquisitely; inflammatory rheumatism: Chelidonium.
soles, stiff tendons; ball of great toe swollen, painful: Ledum.
when walking: Antimonium crud., Lilium tig., Ledum.
to least contact, bright red, swollen joints: Aconitum.
toes, tips of, burning in: Sarsaparilla.
veins, and dilated: Hamamelis.
Serum discharging from ulcers or dropsical legs: Rhus tox.
Sharp, deep stitches in tibia: Sambucus.
pains in knees; could hardly touch them: Hypericum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sharp pains in right ankle and great toe-joint: Sanguinaria.
Shifting from joint to joint, generally crosswise: Manganum acet.
now here, now there; rheumatic pains: Mercurius iod. rub.
of itching-burning pain in small spot, from right hip to thigh, then to little toe; all on external aspect of limb; also internally on left thigh and knee: Lithium carb.
pains in right hip, both knees (worse right), and in right foot especially, and first joint of great toe: Iris.
jerking, tearing, drawing; rapidly: Pulsatilla.
vanishing from painful part on touch, and reappearing on some other part: Sanguinaria.
worse in joints and on left side: Natrum ars.
rheumatic pains, sudden: Kalmia.
suddenly from place to place, dull heavy pains from knee to toes: Lilium tig.
Shin-bones, aching in: Lachesis.
Shins, itching of, bleeding when scratched; small scabs form: Nitri ac.
Shining bright red, intense swelling of joints (rheumatic), sensitive to least contact: Aconitum.
Shocks in right hip: Veratrum alb.
Shooting all along sciatic nerve from pressure on nerve: Kali bich.
along bones, fine, with gnawing; tearing in the joints: Belladonna.
crural or sciatic neuralgia, rending, in attacks, increased by walking and in afternoon and night, relieved by pressure; restless and sleepless at night: Coffea.
down whole limb, pain like lightning: Colocynthis.
from acetabulum to knee, worse moving about: Natrum ars.
back down outside of left thigh on first moving or rising; hamstrings feel shortened: Ruta.
hip to knee and foot, tearing and, especially when coughing: Capsicum.
liver into thigh: Kobaltum.
sacrum down outside both hips: Phytolacca.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Shooting in ankle-joint, rending and tearing: Calcarea phos.
in ankle, pain: Aconitum.
in calves, rending, warm feeling and cramp-pain: Calcarea phos.
in hip, thigh, groin and left foot, tearing pain and: Arsenicum.
in instep, right, pricking: Ferrum.
in joints of toes of left foot, worse in great toe: Cannabis ind.
in knees, pain: Aconitum.
in legs, pain: Aconitum.
in limbs, boring and: Æthusa.
in limbs, neuralgic pains; numbness and weakness: Xanthroxylum.
in soles, digging or boring and: Belladonna.
in toes, pain: Aconitum.
pain as if in periosteum, with weakening drawing over front of legs: Hypericum.
through whole body, down into tips of fingers and toes: Lobelia infl.
with œdematous swelling of lower limbs: Muriaticum ac.
pains in paroxysms: Gelsemium.
sudden, causing lameness; pain and lameness extend to popliteal space; worse from moderate, better from violent motion: Iris.
Short, muscles of calves feel too, cramp in morning: Bovista.
Shortened, calves feel as if, on going down-stairs: Argentum m.
feel as if, and weak, knees give way when going up or down-stairs: Ruta.
hamstrings feel; rheumatism of left knee: Phytolacca.
feel; sciatica: Ruta.
pain when walking as if: Ammonium mur.
leg is; pain in hip: Mezereum.
limb seems to be, sensation of contraction in right thigh: Ambra.
muscles are, tension in bend of knee: Natrum carb.
Shuffling gait as if the feet were dragged along: Secale.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sitting aggravates pains in legs, standing or, walking or motion relieves: Agaricus.
ankle-joint feels lame when walking or: Natrum mur.
bone has gnawing pain in when, when walking must limp because of pain in left hip as if tendons were too short: Ammonium mur.
buttock and posterior thigh painful, when: Hepar.
calf, right, fine cutting stitches in, when, passing off when walking: Drosera.
down, femur feels as if it were dislocated on: Ipecacuanha.
or rising difficult from pain in left hip-joint, pain awakes him at night; can bear any one position only for a short time: Natrum sul.
drawing pain in dorsum of right foot, when standing, better when: Taraxacum.
feet and limbs swollen, worse when, better when walking: Sepia.
feet go asleep immediately after: Antimonium tart.
go asleep when, or crossing legs: Laurocerasus.
in constant motion, shifting of, while, from pain in limbs which gradually ascends from ankles to hips; milder when walking: Belladonna.
numb, tired feeling in, only while: Platinum.
foot, tensive pain on dorsum of, even when: Bryonia.
gluteus maximus, left, rheumatic drawing in, when; ceases when standing: Cyclamen.
heels, burning sore pain in, when standing or, or when walking in the open air: Cyclamen.
hip-joint, left, drawing, pressive pains in when, with thigh extended: Arnica.
hip, left, stitches in, when: Carbo an.
knee, left, outer part of, aches while; worse when walking: Hydrastis.
pains as if bruised, while: Argentum m.
right, cramplike pain in, near patella, outer side, when: Belladonna.
knees, drawing pain in, when: Natrum mur.
pain as if firmly bandaged, when: Aurum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sitting, knees, painful uneasiness about, when, with sensation as if stiff, bandaged, or made tense: Anacardium.
tremble when walking or: Ledum.
leg goes asleep frequently when standing, lying on it at night, or: Ammonium carb.
left, cold and numb while: Hypericum.
legs and feet, tension in, when: Natrum carb.
drawing pain in, when resting feet on floor, while: Arsenicum.
feel greatly fatigued, even while: Magnesia mur.
go asleep and tingle while, or when crossing them: Crotalus.
go asleep in evening when: Calcarea carb.
go asleep when: Antimonium crud.
numb after, almost powerless: Aconitum.
tremulously restless, with numb torpid feeling when, worse evenings: Platinum.
limbs ache when, with trembling: Kobaltum.
nates ache while, pains extend to small of back, sacrum and hip-joint: Staphisagria.
go asleep when: Alumina.
relieves tension in thigh, especially the right, as if muscles were too short: Guaiacum.
soles burn when: Anacardium.
still, feet numb, only felt when; passes off by motion: Helonias.
thigh, left, feels as if broken in middle when, ceases on rising: Illicium.
middle of right, laming ache in, when: Æthusa.
or knee, pains in, when, or walking: Cistus can.
right, cutting stitches in outer muscles of, just above knee, only when: Belladonna.
thighs, anterior portion of, sore, awhile after: Baptisia.
tearing in when: Ammonium mur.
too long causes ankles to swell; feet swell evenings: Rhus tox.
up, or motion of limb causes pain from point of exit of sciatic nerve: Dioscorea.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Skin around ulcer on leg mottled, purple; burning in ulcer at night, discharge offensive: Carbo veg.
dry, constipation, with ulcers on limbs, having acrid pus: Graphites.
of extremities dry and rough: Kreosotum.
of feet cracked: Hepar.
of inside of thighs burns: Eupatorium perf.
of left leg, copper-colored, swollen; ulcer thereon: Cistus can.
of lower leg wrinkled; sensation of coldness of lower leg: Rhododendron.
of sole, hard, painful when walking: Baryta carb.
of thighs and legs marbled: Causticum.
peels off, erysipelas of feet; itching: Dulcamara.
shining, of œdematous legs: Cactus.
Sleep, awakened from, by tearing in right big toe: Lachnanthes.
from, by tearing pain in right thigh and knee; worse lying on affected side or back; sciatica: Kali iod.
burning pain as from hot iron in left limb, worse after; sciatica: Lachesis.
during, limbs jerk violently; child awakens from, cross or with a scream; coxalgia: Lycopodium.
or on moving, bruised pain; crampy tearing in hip-joint and knee; coxalgia: Kali carb.
legs ache, cannot keep them still, worse when trying to: Lilium tig.
loss of, from violent pain, with gouty inflammation and abscess of knee: Guaiacum.
prevented by itching and painfulness of eruption on instep: Psorinum.
prevented by swelling, tearing and soreness in great toes: Natrum carb.
rheumatic pains in lower part of legs, worse when going to sleep: Kalmia.
Sloughing ulceration of legs, spreading: Petroleum.
Slowly, stitches in toes, come and go: Ammonium mur.
Smarting and soreness between the toes: Natrum carb.
at night in bones of limbs: Phosphoricum ac.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Smarting, itching and burning of thighs, better from scratching: Alumina.
itching and burning stitches, pain and cold feeling in feet as if frozen: Berberis.
of corns, sensitive, itching: Ranunculus bulb.
Soft and swollen, pain in sole on stepping as if too: Alumina.
or brittle nails: Thuya.
Sole aches, of left foot, no relief from change of position: Hydrastis.
drawing tearing pain from left ischium to os calcis and, with cramplike tension of muscles: Chamomilla.
itching in, of right foot, evenings: Ammonium mur.
itching on inner border of right foot, not relieved by scratching: Ambra.
lancinating from right heel into: Æthusa.
pain in, when standing: Spigelia.
pain in, on stepping, as if too soft and swollen: Alumina.
painful when walking, from hard skin on it: Baryta carb.
sore pain in: Crotalus.
sprained feeling in, more at heel: Cyclamen.
stitching pains in right, fine: Taraxacum.
stitches in: Asarum, Borax.
ulcers on, and toes: Arsenicum.
Soles, aching of, when standing: Crocus.
asleep, with weakness of limbs, when walking: Oleander.
boring, shooting, or digging pains in: Belladonna.
bruised or stinging sensation in: Ignatia.
bruised pain in: Phosphorus.
pain in, when walking: Antimonium crud., Ledum, Lilium tig.
burn; feet puffed, severe pains through ankles and feet: Phytolacca.
burning and dry feeling in: Mancinella.
beginning in palms and, thence spreading over body; worse in bed, constant desire to find cool place: Lilium tig.
in: Calcarea carb., Cuprum m., Manganum acet., Petroleum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Soles, burning in at night: Chamomilla, Phosphoricum ac.
in, evenings: Magnesia mur.
in palms and: Lachnanthes, Lilium tig.
in palms and, at night: Lachesis.
in palms and, during menses: Carbo veg.
in, wants them uncovered: Sulphur.
in, when sitting: Anacardium.
in, with profuse, fetid foot-sweat: Lycopodium.
in, worse at night: Sanguinaria.
itching in: Kreosotum.
stitches in: Fluoricum ac.
cold and sweating: Sulphur.
corns on, and toes: Antimonium crud.
cramp at every step: Sulphur.
cramps in: Ferrum, Hepar, Zingiber.
in, at night: Agaricus, Calcarea carb.
in, at night; must stretch foot: Nux vom.
in calves and: Selenium, Silicea.
in evening after lying down: Carbo veg.
crawling in both, as from something alive: Causticum.
desquamation of, at end of fever: Mancinella.
feel bruised, at night, keeping one awake, better after rising and walking: Baryta carb.
festering pain in: Pulsatilla.
heat in, in morning: Eupatorium perf.
horny places on, close to toes: Antimonium crud.
hot feeling in: Ferrum.
itching of: Aurum.
of, driving to despair: Silicea.
large vesicles, especially on: Mancinella.
pain as if tired from too much walking, also tibia; legs restless; better on rising: Psorinum.
when walking on pavement: Aloes.
piercing in: Natrum sulph.
prickling sensation in, as from pins and needles, preventing walking: Bryonia.
red and sore when walking: Squilla.
sensitive, tendons stiff, and ball of great toe painful and swollen: Ledum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Soles, sensitive when walking: Antimonium crud.
stinging, pricking or bruised pain in: Arum triph.
stitches in: Kalmia.
swelling and redness of: Kali carb.
swollen, hot, burning: Petroleum.
swollen, inflamed, red: Pulsatilla.
pain when walking: Lycopodium.
stinging in, when walking or stepping: Natrum carb.
ulcerative pain in: Kreosotum.
pain in, could not step: Cantharides.
veins netted on, as if marbled: Thuya.
violent pain as if spikes penetrated, and ran up limb to hip when attempting to walk, worse right limb: Cannabis ind.
tearing in; feet swollen, sore to touch, worse around ankles; after washing the floor: Mercurius iod. rub.
Sore calf, pain in: Crotalus.
feet: Carbo an.
feel as if ulcerated, when stepping: Argentum m.
from foot-sweat: Calcarea carb.
raw and, in spots from friction: Cepa.
to touch, feet swollen, worse around the ankles; violent tearing in soles; after washing the floor: Mercurius iod. rub.
femur, right, muscles of thigh, as if bruised: Hamamelis.
foot, sole of: Crotalus.
heel, as from walking: Borax.
heels, burning in, when walking in open air; when standing or sitting: Cyclamen.
hip-joint, left; later weakness, unsteadiness, trembling in the joint: Apis.
joints, as if bruised, no power in hands or feet: Chamomilla.
knees, when walking; pain as if sprained: Calcarea phos.
limbs, lame and, go asleep easily; evenings: Silicea.
soles, red and, when walking: Squilla.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sore spots; burning; itching; stinging in small spots; oozing scurfs; feeling as if asleep; of nates: Calcarea phos.
thigh, muscles of, as if bruised: Hamamelis.
thighs and arms, to touch, can hardly move them: Mercurius.
thighs painful, with aching in the sacral bones: Calcarea phos.
toes, ball of, while walking, as if chafed: Arsenicum.
Soreness about toes, from fetid foot-sweat: Zincum.
along periosteum of tibia: Nitri ac.
between thighs, high up: Causticum.
toes: Fluoricum ac.
toes, smarting: Natrum carb.
in anterior portion of thighs, worse after sitting awhile: Baptisia.
in bends of joints: Squilla.
in femoral vessels in middle of thigh: Hamamelis.
in heels when walking: Kali bich.
in hip-joints, sensation of: Bovista.
in right hip-joint: Lilium tig.
in soles, when walking: Antimonium crud., Ledum, Lilium tig.
of all corns: Fluoricum ac.
of great toes, tearing and swelling in, preventing sleep: Natrum carb.
of limbs; painful to touch or improper position: Taraxacum.
of muscles, great; rheumatism: Hamamelis.
of toes, effects of foot-sweat, profuse and of unendurable odor: Sepia.
Sores, old foot-sores: Abrotanum.
Spasmodic drawing backward or forward of thighs: Spigelia.
movements of legs, twitches: Opium.
pain in left foot: Mephitis.
pains in all joints, with swelling; rheumatism: Sanguinaria.
in limbs and joints, jerking and drawing: Platinum.
in muscles, drawing, laming: Stramonium.
rigidity of lower limbs: Stramonium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Spasmodic twitching in limbs when stepping out: Rhus tox.
Spikes, violent pain when attempting to walk as if spikes penetrated soles and ran up through limbs to hip; worse in right limb: Cannabis ind.
Splinter, sensation as if a, of bone was sticking in right fibula, just above outer malleolus; after a sprain: Asafœtida.
Spongoid state of the tibia: Guaiacum.
Spongy ulcers on legs, bluish, putrid, bleed easily: Mercurius.
Spot, blue, above knee, with great burning: Ammonium carb.
burning-itching in small, on right hip, then thigh, then on little toe; all on external aspect of limb; also internally on left thigh and knee: Lithium carb.
on tibia: Magnesia carb.
Spots black and painful, on bright red swollen legs: Nux vom.
black on swollen feet: Secale.
bluish-red; exostosis on upper part of right tibia: Dulcamara.
large, red and painful on the legs, like erysipelas bullosum: Calcarea carb.
pain confined to small, lasting but a short time; soon returning; wandering: Nux mosch.
raw and sore, on feet from friction: Cepa.
red, itching, on tibia: Sulphuricum ac.
on buttocks after scratching; itching: Magnesia carb.
on calves: Sarsaparilla.
on calves, turning yellow or green, as from contusion, preventing movement: Conium.
stinging in small spots on nates, which feel asleep; also itching; burning; sore spots; oozing scurfs: Calcarea phos.
Sprain, after, pain as if splinter of bone was sticking in right fibula, above outer malleolus: Asafœtida.
ankle swollen, after: Agnus cast.
ankles, pain after: Ruta.
joints blue and swollen after a: Lachesis.
stiff and swollen from: Rhus tox.
of foot: Spigelia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sprain, right foot œdematously swollen even years after a: Bovista.
Sprained, ankle easily, or dislocated, so weak that it gives way: Natrum carb.
ankle feels as if, when stepping on left foot: Anacardium.
pains as if, with laming pain in right hip-joint and thigh; when walking must limp: Drosera.
pains as if, with tearing pain, only when walking: Drosera.
big toe-joint red, feels; arthritic pains in foot, worse towards evening: Arnica.
feet feel: Kalmia.
pain as if, are tense and swollen, in the evening: Bryonia.
great toe feels as if: Aloe.
hip and knee-joints pain as if, or dislocated: Ignatia.
hip feels as if, with limping: Nitri ac.
hip-joint, left, pains as if: Laurocerasus.
right, feels, on walking: Mezereum.
hip, left, pains as if, when walking in open air: Hepar.
pains as if, with stitches: Natrum mur.
hips pain as if: Arnica.
joints pain as if, with swelling and redness; arthritic nodosities: Rhododendron.
knee, right, pains as if, when moving; especially going upstairs: Nux mosch.
knees and ankles feel as if: Natrum mur.
pain as if; sore when walking: Calcarea phos.
sole of foot pains as if, more at heel: Cyclamen.
tarsal joint pains as if: Arnica.
Spreading ulceration on leg; sloughing: Petroleum.
Stabbing pain in heel: Eupatorium perf.
pain in hips: Bryonia.
in left hip: Natrum mur.
Staggers when walking, from weariness of limbs, can scarcely drag them, must sit down; evenings: Alumina.
when walking, legs are weak and refuse to carry him: Cicuta.
Stairs. (See "Ascending" or "Descending.")
Stand, or bear one's weight, cannot, pain from right hip to knee, while walking: Hydrastis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stand, unable to, limbs go to sleep: Bovista.
Standing aggravates pains in legs, also sitting; better from walking or motion: Agaricus.
aggravates tension as if tendons were too short: Baryta carb.
calf, cramps in, particularly when: Euph.
feet and limbs swollen, worse when, better when walking: Sepia.
tremble while: Baryta carb.
festering pain in heel when walking much or: Ammonium carb.
foot, dorsum of right, drawing pain on when, better when sitting: Taraxacum.
heels ache after long: Zingiber.
pain as if ulcerated when: Berberis.
sore, burning pain in, when sitting, walking or, in open air: Cyclamen.
hip and thigh pain intolerably when, as if thigh would break; ischias: Valeriana.
knee-joints, stitchlike pain in, when: Rumex.
suddenly bend, when; feet numb, insensible: Arnica.
knees tremble when: Oleander.
leg goes asleep when, or sitting, or lying on it: Ammonium carb.
left, feels too long when, with pain in hip-joint as if luxated: Kreosotum.
limbs stiff while, in forenoon: Veratrum alb.
muscles of posterior thigh burn when, better when walking: Phosphoricum ac.
relieves rheumatic drawing in left gluteus maximus, near spine, returns when sitting: Cyclamen.
sole, lancinating pain in when: Spigelia.
soles ache when: Crocus.
stitches between metatarsal bones, as from a nail, when: Berberis.
toe, great, tearing and stinging in, with redness, when: Natrum mur.
Start up, knees, at night, awaking him: Argentum nit.
Step, could not, because soles pain as from an ulcer: Cantharides.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Step, not firm; both legs feel as if asleep: Ambra.
stitches in heel when putting it down: Graphites.
Stepping heavily on feet aggravates pain in bones of feet: Ruta.
on heel aggravates pain in tendo-achillis; erysipelas: Zincum.
when, calves pain, also when walking: Calcarea carb.
feet and soles sting; swollen: Natrum carb.
feet, balls of, tearing pain in: Berberis.
feet feel sore as if ulcerated: Argentum met.
heel numb: Alumina.
knee, left, cracks, impeding walking; throbbing pain in knee when lying, evenings: Caladium.
painful sensation, as of spikes penetrating soles and running up through limb to hip, worse right side: Cannabis ind.
sole pains, as if too soft and swollen: Alumina.
Steps improperly, when walking, and feet tilt inward: Cicuta.
(See "Ascending or Descending.")
Sticking and stitching in corns on left little toe: Caladium.
in left knee: Laurocerasus.
sensation on the ball of the great toe when putting foot to ground: Asafœtida.
Stiff all over: Kali bich.
feet, cold, numb: Ferrum.
heavy: Kali carb.
hip and knee-joints: Helleborus.
joints: Natrum ars.
knees: Sanguinaria.
knee, bend of, feels as if tendons were too short: Graphites.
leg, right, immovable, drawn close up to thigh, swollen and contracted: Guaiacum.
legs, and heavy, as after long walk: Podophyllum.
numb and weak: Oxalicum ac.
limbs become, and go asleep: Petroleum.
or curved, after mercurialization: Lachesis.
sensation in toes and whole feet as if too large, swollen and stiff: Apis.
tendons, soles sensitive; ball of great toe swollen and painful: Ledum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stiffness of ankles: Chel., Drosera.
of feet, after rising from a seat: Laurocerasus.
of feet, swollen: Sticta.
of hip-joints, lame, painful: Zingiber.
of hips in morning: Argentum met.
of joints: Sepia.
of joints, crack when moving them, swollen: Natrum mur.
of joints, painful: Cocculus.
of joints, rheumatic, with cracking when moved: Petroleum.
of joints, swelling; from sprains: Rhus tox.
of joints, weak: Rhus tox.
of knee and ankle-joints: Sulphur.
of knee, bend of, with pain on motion: Rheum.
of knee, hollow of, tensive pain, when walking: Causticum.
of knee, painful: Antimonium crud.
of knee, rheumatic pains from knee to feet: Phosphorus.
of knee, right, with burning and pain, worse when moving: Chel.
of knee, stitches; pain in patella, impeding walking: Nitri ac.
of knee, swollen, sweating, white swelling: Lycopodium.
of knee, tired, aching, limbs almost paralyzed: Cannabis ind.
of knees, also paralytic feeling and tottering in; they feel as if bandaged when sitting: Aurum.
of knees and feet, alternating with tearing pains: Arsenicum.
of knees, great lassitude, is scarcely able to walk: Anacardium.
of knees, painful, as after long walk: Lobelia infl.
of legs: Spongia.
of legs, with tension: Manganum acet.
of limbs in forenoon and while standing: Veratrum alb.
of muscles of lower limbs, painful feeling of: Cicuta.
of toes, with contraction: Graphites.
sensation of, about knees, with painful uneasiness, and as if bandaged or made tense, when sitting: Anacardium.
Stinging in corns: Rumex, Sulphur.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stinging in corns, boring and drawing: Natrum carb.
in crural neuralgia, and stitching pains when moving: Staphisagria.
in feet, as from pins; beginning of chill: Eupatorium perf.
in feet, burning, tingling: Zingiber.
in feet, swollen: Phosphorus.
in hip-joints, in morning and when breathing: Sabina.
in joints, drawing rheumatic pains; joints pale, swollen, tense and hot: Ledum.
in joints, red, swollen: Pulsatilla.
in joints, stitching: Spigelia.
in knee and foot-joints, boring: Helleborus.
in knee, transitory; red, swollen: Cocculus.
in knee-joint, burning, worse at night: Belladonna.
in knees, with tearing; swollen: Lachesis.
in legs and big toe, boring, gnawing: Ranunculus scel.
in legs, burning: Kali carb.
in limbs at night: Silicea.
in limbs, tearing: Guaiacum, Laurocerasus.
in limbs, worse from least motion: Guaiacum.
in nates, on small spots; they go asleep; itch and burn; sore spots; oozing scurfs: Calcarea phos.
in soles and feet, when walking or stepping; swollen: Natrum carb.
in soles, bruised sensation or: Ignatia.
in soles, pricking or bruised pain: Arum triph.
in toe, great, with redness and tearing; on walking or standing: Natrum mur.
in toes, burning: Hepar.
in toes, red, swollen, as if frosted: Carbo veg.
Stitches between metatarsal bones, as from a nail, when standing: Berberis.
from bruised pain in crest of ilium through abdomen: Kreosotum.
outside of right calf down to ankle: Guaiacum.
swollen and inflamed ankle, to lower leg: Manganum acet.
in ankle, right, and left heel: Kreosotum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stitches in corns, painful and sensitive: Kali carb.
in feet: Mephitis.
in feet, itching, smarting, burning pain and cold feeling, as if frozen: Berberis.
in foot, dorsum of: Anacardium.
in heel, from without inward: Mancinella.
in heel, when putting it down: Graphites.
in heels, with ulcerative pain and tearing, relieved by rubbing: Ammonium mur.
in hip-bone, right, acute: Fluoricum ac.
in hip-joint, right: Lilium tig., Mercurius cor.
in hip, lancinating, must rise from bed for relief; worse from rising, but better from slow motion: Sepia.
in hip, left, when sitting: Carbo an.
in hip, pains as if sprained: Natrum mur.
in hip, when walking: Argentum m.
in joints when touched; red, swollen and shining joints: Rhus tox.
in knee and knee-joint: Staphisagria.
in knee, externally; in feet, soles, toes, left big toe: Kalmia.
in knee-joint, evening, when sitting: Ammonium mur.
in knee, left: Natrum mur.
in knee, stiffness; pain in patella, impeding walking: Nitri ac.
in knees, rheumatic tearing, during rest and motion: Asarum.
in legs: Kobaltum.
in legs, especially from motion: Sarsaparilla.
in limbs and joints: Thuya.
in metatarsal joints of right great toe, with tearing: Benzoicum ac.
in patella, tibia and feet: Jacea.
in sole of foot: Asarum, Borax.
in soles, burning: Fluoricum ac.
in thigh, and tension: Manganum acet.
in thigh, middle of left, anteriorly, occasional single: Drosera.
in thigh, outer muscles of right, cutting, just above knee, only when sitting: Belladonna.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stitches in thighs, muscles of: Sabadilla.
in tibia, sharp, deep: Sambucus.
in toe, ball of great: Berberis.
in toe, ball of great, burning, crawling burning; severe pressive pain: Causticum.
in toe, great, of right foot, evening: Lycopodium.
in toe, great, redness, swelling: Sabina.
in toes, joints of: Berberis.
in toes of right foot: Mezereum.
Stitch, fine, cutting, in right calf, coming on when sitting, passing off when walking: Drosera.
in knee-joint, when standing: Rumex.
in left hip, suddenly comes when walking, unendurable: Natrum sulph.
like from a needle, when touching the knee: Arnica.
Stitching in bones and joints, gnawing and, less when walking: Drosera.
in corns: Natrum mur., Sulphuricum ac.
in corns on left little toe, sticking and: Caladium.
in crural neuralgia, and stinging pains when moving: Staphisagria.
in foot, right, cramplike pain and: Natrum mur.
in gonocace, doughy swelling, fistulous openings: Silicea.
in hip, back of right, limping walk: Rumex.
in hips, with rheumatism of, worse from rest, better from motion: Sabadilla.
in joints, stinging: Spigelia.
in knees: Bovista.
in limbs: Paris.
in limbs; œdematous: Viola od.
in old foot-sores, itching, tearing: Abrotanum.
in outer malleolus of right foot, painfulness of inner: Bovista.
in sole, right, fine: Taraxacum.
in thigh, left: Taraxacum.
in thighs, severe: Baryta carb.
in toe, ball of left great, aching and: Cannabis ind.
in toes, coming slowly and going slowly: Ammonium mur.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stool, at, darting pains from toes to hip, or from trochanter to bend of knee, are worse at: Nux vom.
pressing at, aggravates sciatic pains, from sacrum into right thigh: Tellurium.
Stooping aggravates pain in right hip-joint: Natrum sulph.
aggravates pressing pain in posterior muscles of thigh: Drosera.
violent cracking of hip or knee-joint when: Crocus.
Straightening limb relieves pain in left knee (rheumatism), which motion aggravates: Glonoinum.
Strained, or dislocated, sensation as if left foot was: Hypericum.
Stretched, sensation in tendons of muscles of calf, causing lameness; as if: Kali bich.
Stripe down inside of thigh, painful, feeling as of; sensation of paralysis: Nux vom.
Subsultus tendinum of feet and hands: Iodum.
Suddenly come and as suddenly go, pains: Eupatorium perf.
developing, unendurable stitch in left hip, when walking, then cannot walk: Natrum sulph.
shifting pains: Lilium tig.
Summer, ischias, better in, worse in winter: Ignatia.
Sunstroke, limbs relaxed and motionless in: Glonoinum.
Suppressed foot-sweat: Cuprum m., Natrum mur., Thuya.
by getting wet, causes paralysis of feet: Zincum.
Suppurating, heel hurts when standing or walking much, as if festering; sometimes: Ammonium carb.
lumps, from exostosis of upper part of right tibia; bluish red spots: Dulcamara.
Suppuration beginning in hip-joint and knee, with pulsating pain, worse at night: Mercurius.
of hip-joint; caries: Silicea.
of hip-joint, left, violent pains: Stramonium.
of hip-joint, pulsating pain in, as from: Staphisagria.
profuse in hip-joint disease: China.
seems impending, in psoitis: Asafœtida.
Synovitis of knee-joint, effusion; constant chilliness: Ledum.
of knee-joint, intense inflammation; sense of bubbling, as from drops of water: Belladonna.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sweat, absence of, with paralytic weakness of extremities, especially on right side; hands and feet cold: Plumbum.
between toes, with violent itching of toes; evenings after lying down: Clematis.
cold, follows severe cramplike pains: Eupatorium perf.
diarrhœa, and profuse suppuration with hip disease: China.
night, with grasping, pinching pain in left hamstring: Ledum.
of feet: Magnesia mur.
of feet, acrid, corrosive: Iodium.
of feet and hands, after fever: Silicea.
of feet and hands, long-lasting and warm: Ledum.
of feet, cold: Benzoicum ac., Mercurius, Squilla.
of feet, cold, chilly: Drosera.
of feet, evening: Podophyllum.
of feet, fetid: Baryta carb., Plumbum.
of feet, fetid, toes sore: Zincum.
of feet, foul smelling: Nitri ac., Petroleum.
of feet, makes them sore: Calcarea carb.
of feet, mostly between toes, smelling sour, or like sole leather: Kobaltum.
of feet of unbearable odor, causing soreness of toes: Sepia.
of feet, offensive, with rawness between toes: Silicea.
of feet, profuse: Sepia.
of feet, profuse, fetid: Kali carb.
of feet, profuse, fetid; with burning of soles: Lycopodium.
of feet, sour; rheumatism of feet and right wrist: Ruta.
of feet, suppressed: Cuprum m., Natrum mur., Thuya.
of feet, suppressed by getting wet, causing paralysis of feet: Zincum.
of feet, suppressed, cold legs and feet from: Silicea.
of feet, swollen feet; blisters on balls of toes: Phosphoricum ac.
of legs, upper part of; cold: Capsicum.
of limbs, cold: Secale.
of limbs, cold, trembling of limbs: Tabacum.
of limbs, weak, tremble: Theridion.
of soles, cold: Sulphur.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sweat of thighs only, at night: Carbo an.
of toes, fetid: Thuya.
of toes only: Squilla.
Sweating, after, pains of rheumatism are relieved: Thuya.
Sweats, local, transient, of feet and arm-pits; cold limbs: Silicea.
Sweaty, soles and toes cold and: Aconitum.
Swelling about ankles after sitting too long; feet swell evening: Rhus tox.
around ankle; cannot use foot: Asafœtida.
malleoli, redness: Chamomilla.
intense, bright red, shining, sensitive to least contact; rheumatism: Aconitum.
œdematous, with diarrhœa: Aceticum ac.
ankles after sprain: Agnus cast.
ankles, evenings: Stannum.
of ankle, inflammatory, with stitches to lower leg: Manganum acet.
of bones of feet; caries: Asafœtida.
of calf; scrofula: Dulcamara.
of calves, aching in: Pulsatilla.
of feet: Hyoscyamus, Plumbum, Theridion.
of feet and legs, œdematous, waxy, pale: Apis.
of feet and limbs, worse when sitting or standing, better when walking: Sepia.
of feet and up to knees: Ledum.
of feet and soles, with stinging in, when walking or stepping: Natrum carb.
of feet around the ankles, with difficult breathing: Hepar.
of feet, cold: Kreosotum, Petroleum, Sulphuricum ac.
of feet, dorsa of: Lycopodium, Pulsatilla.
of feet, evenings: Phosphorus.
of feet, evenings, tense, pain in feet as if sprained: Bryonia.
of feet every evening: Crotalus.
of feet, feel as if asleep: Sepia.
of feet, heaviness: Opium.
of feet, hot, arthritic: China.
of feet, hot, itching: Cocculus.
of feet, œdematous: Arsenicum, Iodium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Swelling of feet, œdematous; white: Kreosotum.
of feet, œdematous, with stitching pains: Viola od.
of feet, painful: Digitalis, Zingiber.
of feet, painful on walking, feel every pebble: Sabadilla.
of feet, red, inflamed: Pulsatilla.
of feet, sore to touch, worse around the ankles; violent tearing in soles; after washing floor: Mercurius iod. rub.
of feet; stiffness: Sticta.
of feet, sudden: Veratrum alb.
of feet, sweaty, blisters on balls of toes: Phosphoricum ac.
of feet, to ankles: Kali carb.
of feet, with black spots: Secale.
of feet, worse after walking: Lachesis.
of foot, right, œdematous, even years after a sprain: Bovista.
of heel, red, painful; chilblains: Petroleum.
of instep, hot, with bruised pain on stretching out foot: Bryonia.
of joints, cracking, weakness: Sulphur.
of joints, heat in them: Actæa rac.
of joints, pale or slightly red: Mercurius.
of joints, red and shining, stitches when touched: Rhus tox.
of joints, red, shining, worse from touch or motion, or at night; rheumatism: Manganum acet.
of joints, redness and, with stinging pains: Pulsatilla.
of joints, stiffness, from sprains: Rhus tox.
of joints, tense, hot and pale, with stinging, drawing pain: Ledum.
of joints, with pain as if sprained, and redness; arthritic nodes: Rhododendron.
of joints, with spasmodic pains; rheumatism: Sanguinaria.
of knee: Hepar.
of knee, bend of, painful: Magnesia carb.
of knee, doughy, pains stinging, lancinating; fistulous openings, with hard edges; gonocace: Silicea.
of knee doughy, spongy; skin red in spots and hot; gnawing, boring or tearing, worse at night, must often change position; white swelling: Kali iod.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Swelling of knee, hot, bright red, with inflammation, pricking and burning; aggravated by touch or pressure: Iodium.
of knee, inflammatory, with transitory stinging pains: Cocculus.
of knee-joints and wrists alternately, with sensation of numbness and rigidity of limbs: Kreosotum.
of knee-joints with tearing pain: Colchicum.
of knee, right, hot, painful to slight touch: China.
of knee, right, ulcerative pain in whole leg; with pain in kidneys: Benzoicum ac.
of knee, right, with extreme pain; inflammatory rheumatism: Lobelia infl.
of knee, soft, painless: Sepia.
of knee, with stinging-tearing pains: Lachesis.
of knees, pain: Arsenicum.
of knees; rheumatic gout with effusion: Calcarea carb.
of knees, soft, white, shining: Pulsatilla.
of knees, stiff, sweating; white swelling: Lycopodium.
of knees, white or red: Sulphur.
of leg and foot, left, with erysipelatous inflammation; from violent dancing; burning, tearing and tension in it; burning worse from touch: Borax.
of leg and foot, with sensation of coldness; whitish: Calcarea carb.
of leg, left, and foot, in evening, with violent burning pain, did not know where to lay the limb; limb externally cold; worse after 12 P.M.: Sanguinaria.
of leg, left, ulcer thereon; skin copper-colored: Cistus can.
of leg, purplish, oozing, or covered with scales or scabs, easily detached; itching and burning like fire: Petroleum.
of leg, right, contracted, stiff, immovable, drawn close up to thigh: Guaiacum.
of legs and feet in morning on rising, better after walking: Aurum.
of legs, bright red, with black, painful spots: Nux vom.
of legs, fatigued, towards evening: Agnus cast.
of legs, hot, with tensive burning pains: Pulsatilla.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Swelling of legs, lower, are inflamed, red, and covered with ulcers: Natrum carb.
of soles; they pain when walking: Lycopodium.
of soles, with burning, hot: Petroleum.
of soles, with redness: Kali carb.
of tendo-achillis, tension in: Sepia.
of thigh, inside, right, redness of: Stramonium.
of tibia: Phosphorus.
of toe, great, ball of, aching, lymphatic: Baryta carb.
of toe, great, ball of, painful; soles very sensitive, tendons stiff: Ledum.
of toe, great, joint of, beating, burning: Phosphoricum ac.
of toe, great, left, gouty; ankle and feet dropsical: Eupatorium perf.
of toe, great, red and painful, particularly evenings in bed: Ammonium carb.
of toe, great, redness, stitches; gout: Sabina.
of toe, great, tearing, soreness and, preventing sleep: Natrum carb.
of toes, stinging red, as if frosted: Carbo veg.
of toes, tips of, redness: Thuya.
of toes, tips of, redness and burning: Muriaticum ac.
of toes, with redness, itching and burning, as if frost-bitten: Agaricus.
Swollen, pain in sole on stepping, as if too soft and: Alumina.
sensation in toes and whole feet as if too large, stiff and: Apis.
Tarsal joints feel bruised, legs hurt, after least exertion: Natrum mur.
pain as if sprained: Arnica.
right, tension in, while walking in open air: Belladonna.
Tarsus, right, tearing, drawing, lancinations, from right, to knee: Guaiacum.
Tearing below external malleolus of right foot, terminating at tendo-achillis: Bismuthum.
first in left, then in right hip-joint: Ambra.
from abdomen down into legs: Chamomilla.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tearing from above downward in right buttock, periodically increasing and decreasing: Baryta carb.
from dorsum of feet, up outer side of calves to thighs, crampy pain and: Camphora.
from hip down leg to feet: Kalmia.
from hip to knee and foot, especially when coughing; shooting and: Capsicum.
from knee to toes: Alumina.
from knees to ankles: Lachnanthes.
from left ischium to os calcis and sole of foot, with cramp-like tension of muscles, drawing and: Chamomilla.
from right, later left, hip-bone, down to knees: Cantharides.
from toes to dorsum of foot, drawing, cramplike pains and: Anacardium.
in ankle and bones of feet; ceases when warm in bed: Ammonium carb.
in ankle-joint, rending, shooting and: Calcarea phos.
in ankle, right, as if sprained, only when walking: Drosera.
in ankles: Aconitum.
in bones of feet, screwing, boring, pressure and: Bismuthum.
in calf, right, pinching: Bryonia.
in feet after severe chill, must lie down and keep quiet; pain in ankle, worse from any motion: Chamomilla.
in feet and toes, worse on walking, rending and: Agnus cast.
in feet, at night, during pregnancy: Phosphorus.
in feet, at times in soles, dorsa, heels or toes, in bones: Argentum m.
in feet, balls of, painful to step thereon: Berberis.
in heels: Arsenicum.
in heels, relieved by rubbing, stitches and, with ulcerative pain: Ammonium mur.
in hip-joint and knee, crampy pain and; bruised pain when moving and sleeping; coxalgia: Kali carb.
in hip-joint and knee, worse at night; or with pulsating pain; beginning suppuration: Mercurius.
in hip-joint, left, on moving, drawing and: Aconitum.
in hip, right, bruised pain and: Natrum carb.
in hip, thigh, groin and left foot, shooting pain and: Arsenicum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tearing in hips and down the legs: Niccolum.
in hips, twitching and: Magnesia mur.
in joints with gnawing and fine shooting in bones: Belladonna.
in knee, doughy, spongy, swollen; boring; gnawing or: Kali iod.
in knee, intolerable, worse during rest and at night; white swelling: Rhododendron.
in knee-joints with swelling: Colchicum.
in knee, left, and axilla: Psorinum.
in knee, left, when walking: Lachnanthes.
in knees: Aconitum, Aluminum, Manganum acet.
in knees and feet, alternating with stiffness: Arsenicum.
in knees during rest and motion, stitches and: Asarum.
in knees, evening: Cistus can.
in knees, with swelling, stinging and: Lachesis.
in leg and foot, left, erysipelatous inflammation with tension, burning and; from violent dancing; increased by touch: Borax.
in leg, from right tarsus to knee: Guaiacum.
in leg, middle of inside of, uninfluenced by motion or contact, pressure and: Belladonna.
in legs: Aconitum.
in legs, dull: Belladonna.
in limbs: Graphites.
in limbs at night, and alternate days, worse at rest, drawing and: Lycopodium.
in limbs during rest: Rhus tox.
in limbs, during rest, better from motion: Muriaticum ac.
in limbs, entire: Colchicum.
in limbs, erratic pains: Rhododendron.
in limbs, especially at night, drawing and: Sabina.
in limbs, muscles and joints, from above downward: Sulphur.
in limbs only, worse during rest; typhus: Taraxacum.
in limbs, restlessness: Squilla.
in limbs, stinging and: Guaiacum, Laurocerasus.
in limbs, with cramp: Tabacum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tearing in muscles: Colchicum.
in nates, hip, knee, leg, ankle and foot: Ambra.
in old foot sores, stitching, itching and: Abrotanum.
in paroxysms, through upper and lower limbs at same time: Anacardium.
in patella: Colchicum.
in patellæ: Alumina.
in periosteum, drawing, worse at night; in wet, stormy weather; and at rest; better in motion; mostly in forearms and lower legs: Rhododendron.
in posterior muscles, especially of calf, acute crampy pains and, better in morning and when rubbing, worse towards evening and when quiet: Valeriana.
soles, violent; feet swollen, sore to touch, worse around ankles; after washing the floor: Mercurius iod. rub.
in thigh and knee, right, awakes him at night, worse lying on affected side or back; sciatica: Kali iod.
in thighs: Colchicum, Graphites.
in thighs, boring and: Sabadilla.
in thighs, both, hammering increased by motion: Secale.
in thighs, legs, knees and feet, worse in open air, better in warmth of bed, drawing and: Causticum.
in thighs, when sitting: Ammonium mur.
in tibia: Berberis.
in tibia, right: Lachnanthes.
in tibiæ, calves, ankles, toes and tendo-achillis: Colchicum.
in toe, right great: Antimonium crud.
in toe, right great, awakening from sleep: Lachnanthes.
in toe, right great, metatarsal joints of, stitches and: Benzoicum ac.
in toes: Aconitum.
in toes, fine; gouty nodosities on joints: Ledum.
in toes; gouty: Graphites.
in toes, great, red, stinging, on walking or standing: Natrum mur.
in toes, great, swelling and soreness, preventing sleep: Natrum carb.
in toes, in heels, more left: Bismuthum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tearing in toes of left foot, tips, and under nails when walking: Camphora.
in ulcers on legs, nightly, burning, itching and: Lycopodium.
near and beneath left hip, extending to sacrum: Carbo veg.
pains, piercing, drawing: Millefolium.
Tender feet, bathed in a foul moisture: Petroleum.
Tendo-achillis, erysipelas of, worse from touching heel to ground, and from wine: Zincum.
pain in right, later in left: Benzoicum ac.
painful contraction of: Carbo an.
right, pain as after a blow or sprain: Millefoleum.
sudden cramp in, at night: Causticum.
tearing in, also in tibiæ, calves, ankles and toes: Colchicum.
pain ending at, coming from below external malleolus of right foot: Bismuthum.
tension in, or swelling of: Sepia.
Tendons, drawing in, as if shortened: Manganum acet.
feel as if too short, stiffness in hollow of knee: Graphites.
feel as if too short, tension in bend of knee: Berberis.
in left hip pain as if too short, must limp when walking; when sitting, gnawing pain in bone: Ammonium mur.
jerking of: Kali iod.
of muscles of calf, as if stretched, causing lameness: Kali bich.
stiff, soles very sensitive, and ball of great toe painful and swollen: Ledum.
tension as if they were too short; less lying, worse standing: Baryta carb.
Tense and swollen feet in evening; pain in feet, as if sprained: Bryonia.
feeling and restlessness in thighs, must move legs for relief: Manganum mur.
joints pale, swollen, hot and, with stinging drawing pains: Ledum.
sensation as if knees were stiff, bandaged or made, with painful uneasiness in, when sitting: Anacardium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tension as if tendons were too short, less lying, worse standing: Baryta carb.
from hip to knee while walking, sciatic pains: Psorinum.
in ankles, on motion: Bryonia.
in calves: Natrum mur.
in calves when walking, painful: Carbo an.
in feet and legs when sitting or walking; heaviness of: Natrum carb.
in foot, left, while walking; severe pain: Ailanthus.
in hamstrings on walking: Antimonium tart.
in knee and ankle-joints: Causticum.
in knee, bend of, as if tendons were too short: Berberis.
in knee, bend of, muscles are shortened: Natrum carb.
in knee, bend of, painful contraction of hamstrings: Natrum mur.
in leg and foot, left, tearing, burning and, with erysipelatous inflammation and swelling, after violent dancing; burning worse when touched: Borax.
in leg, left, cramplike, with violent drawing, tearing pains from left ischium to os calcis and sole of foot: Chamomilla.
in legs, stiffness and: Manganum acet.
in limbs as if wrapped tightly: Platinum.
in tarsal joint, right, while walking in open air: Belladonna.
in tendo-achillis, swelling: Sepia.
in thigh, drawing stitches and: Manganum acet.
in thighs, especially right, as if muscles were too short, with languor when walking; worse from touch; better when sitting: Guaiacum.
on bending body forward; with cramplike pain in gluteal muscles: Belladonna.
Tensive, burning pains, in hot, swollen legs: Pulsatilla.
drawing pains in head of left femur: Asarum.
and stiffness in the hollow of knee when walking: Causticum.
pain in knee: Capsicum.
on dorsum of feet, even when sitting: Bryonia.
Tetters in bend of knees, itching: Arsenicum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tetters in hollow of knee: Graphites.
Thick and crippled toe-nails: Graphites.
crippled toe-nails, inflamed: Sabadilla.
Thigh, bruised feeling in, alternating with burning and pressure in chest: Sanguinaria.
burning in posterior muscles of, when standing, better when walking: Phosphoricum ac.
cramps in anterior part of: Hyoscyamus.
feeling as of painful stripe down inside of, sensation of paralysis: Nux vom.
intolerable pain in hip and, when standing, as if thigh would break: Valeriana.
laming ache in middle of: Æthusa.
pain in right hip-joint and, with pain in ankle as if sprained; when walking, must limp: Drosera.
lancinating and drawing from left hip into: Æthusa.
left, drawing in inner side of, afternoons: Colocynthis.
feels as if broken in the middle, when sitting, ceases on rising: Illicium an.
muscles of thigh, flag, as if falling off bone: Eupatorium perf.
numb, thighs weak during headache; knees give way: Glonoinum.
occasional single stitches in middle of, anteriorly: Drosera.
paralytic pain in, near knee: Cina.
shooting pain from back down outside of, on first moving or rising; sciatica: Ruta.
stitching pain in: Taraxacum.
numbness and loss of sensation in whole, alternating with boring pain in hip-joints: Kreosotum.
pain extending down, posteriorly, from back of great trochanter to knee, anteriorly, down tibia to ankle; relieved somewhat by flexion of knee: Arsenicum.
painful, dull-pointed pressure in, at times in rhythmical intermission: Anacardium.
pains begin in middle of, and extend to knee: Guaiacum.
pressing pain in posterior muscles of, worse from pressure

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

and stooping; could not lie thereon at night, passes off after rising: Drosera.

Thigh, relaxed feeling of muscles of calf and: Mercurius cor.

right, and ankle, pain comes into after leaving left limb: Benzoicum ac.

cramplike pain on, above popliteal space: Cyclamen.

cutting stitches in outer muscles of, just above knee, only when sitting: Belladonna.

drawing bruised pain in, and on inner side near and below patella: Camphora.

drawing, pain in, down to knee: Colocynthis.

drawing pain in, extending to knee: Natrum mur.

great painfulness of; pain comes from head of femur, extends along anterior surface of thigh to knee: Bryonia.

pain extends down, from hip: Ledum.

pain extends to, from knee, or descends to leg; worse from contact than motion: China.

pain in knee and, walking or sitting: Cistus can.

pain of sciatica, from sacrum, passing into, down sciatic nerve; worse from pressing at stool, coughing, laughing, or lying on affected side: Tellurium.

pain in, only when walking, as if psoas magnus were too short: Colocynthis.

pain in, with itching in anus: Muriaticum ac.

red, swollen, inside of: Stramonium.

rheumatic pains inside of, also in left hip: Sanguinaria.

sensation of weakness in, even to trembling, while walking: Conium.

tearing in knee and, awakes him at night, worse lying on affected side, or on back; sciatica: Kali iod.

sensation as if drops of cold water trickled down front of: Aconitum.

of contraction of right, limb seems to be shortened: Ambra.

severe pain in middle of, and in hip-joint, when stepping; foot feels as if paralyzed, cannot step properly on it: Asarum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Thigh, shooting into, from liver: Kobaltum.
shooting-tearing pain in hip, thigh, groin and left foot: Arsenicum.
smarting-itching and burning of, better from scratching: Alumina.
soreness in femoral vessels in middle of: Hamamelis.
tension, drawing stitches in: Manganum acet.
in, while walking; sciatic pains: Psorinum.
twitching of muscles: Natrum mur.
ulcers on outer part of: Natrum sulph.
varices from groin down: Berberis.
varicose veins inside of, first right and then left: Ferrum.
weakness and heaviness of knee-joint and, must sit down: Stannum.

Thighs, boring, tearing in: Sabadilla.
bruised feeling on anterior aspect, painful to touch: Ruta.
pain in: Graphites.
pain in anterior muscles of: Hepar.
pain in legs and, morning in bed: Causticum.
soreness in muscles of: Hamamelis.
burning in skin on inside of: Eupatorium perf.
cramps in, at night: Ipecacuanha.
crampy pains in: Argentum m.
darting pains in joints, toes and: Sticta.
drawing and tearing in feet, legs, knees and; worse in open air, better in warmth of bed: Causticum.
crampy pains from, to toes; worse from motion or walking: Gelsemium.
pain in, extending downward: Ranunculus bulb.
pain in feet, legs, hips and, worse right side: Chelidonium.
drawn spasmodically forward or backward: Spongia.
fatigue, sensation of, in: Rheum.
hammering, tearing in both, increased by motion: Secale.
heavy, dragging, neuralgic pains worse on outer side of, extend from hips to knees: Phytolacca.
itching of: Calcarea carb.
of feet and; intolerable: Arsenicum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Thighs, lameness in middle of, has to drag legs when going upstairs: Baryta carb.
marbled skin of legs and: Causticum.
nettle-rash on: Cepa.
numb, cold, with fever: Spongia.
numbness of: Ferrum, Graphites.
pain as if beaten: Cocculus.
as if beaten, legs and: Belladonna.
in buttocks and posterior, when sitting: Hepar.
in, when walking, as from a blow: Arnica.
in, worse from changes of weather, mostly before heavy winds: Berberis.
on attempting to extend leg; hamstrings feel too short; knees flexed: Cimex.
when walking, with heaviness of legs: Sabina.
painful weariness of feet and: Calcarea carb.
restlessness and tense feeling in; must move legs for relief: Magnesia mur.
rheumatic pains about hip, calves and: Antimonium tart.
rheumatoid pains in, also knees and legs, wandering to back; slight lameness and unsteady gait: Lycopus.
scaly herpes on: Clematis.
sore pain in, with aching in sacrum: Calcarea phos.
to touch, also arms, can harly move them: Mercurius.
soreness high up, between: Causticum.
in anterior portion of, worse after sitting awhile: Baptisia.
stitches in muscles of: Sabadilla.
stitching on, severe: Baryta carb.
sweat on, at night only: Carbo an.
tearing, crampy pain, extending from dorsum of feet, along outer side of calves to: Camphora.
in: Colchicum, Graphites.
in, when sitting: Ammonium mur.
tension in, right especially, as if muscles were too short, with languor when walking; worse from touch; better when sitting: Guaiacum.
twitching of muscles of: Rheum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Thighs weak during headache; left thigh numb, knees weak: Glonoinum.
feeling as if beaten in knees and: Platinum.
weakness in knees and: Sarsaparilla.
of, wavering gait: Muriaticum ac.
weariness in, great, worse going up steps: Bryonia.
weary feeling from ilium down outer side of, to knees, as from too much exertion: Natrum ars.
Thrilling, agreeable, from the knees down: Cannabis ind.
Throbbing at night in neuralgia; worse rest; better moving: Ferrum.
dull, with drawing and twitching in region of left hip, and in right loin: Colocynthis.
in right foot: Eupatorium perf.
pain in left knee when lying, evenings; as if being forced asunder; cracks when stepping and impedes walking: Caladium.
Tibia, bruised feeling in left: Asarum.
burning and inflammation of: Ruta.
spot on: Magnesia carb.
caries of: Asafœtida, Lachesis.
drawing in: Anacardium, Crotalus.
in lower part of left, with same in knees, left heel, and tearing through right great toe: Antimonium crud.
or dull pain along: Agaricus.
exostosis on upper part of right, with bluish-red spots; suppurating lumps: Dulcamara.
pain in: Calcarea phos.
pains as from overexertion, soles and; legs restless: Psorinum.
at night: Phosphoricum ac.
scar on, blood-red, painful: Sulphuricum ac.
sharp, deep stitches in: Sambucus.
soreness along periosteum of: Nitri ac.
spongoid state of: Guaiacum.
spots on, red, itching: Sulphuricum ac.
stitches in: Jacea.
swelling of: Phosphorus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tibia, tearing in right: Lachnanthes.
pain in: Berberis.
ulcers on, with lardaceous base: Sabina.
Tibiæ, aching pains in shin-bones: Lachesis.
boring, burrowing or pressive pains on: Clematis.
in ankles, dorsum of feet and: Aurum.
pains in one or both: Bromium.
periosteum of, nightly pains in: Phytolacca.
of, painful, worse at night in bed, and then the least touch is intolerable; worse in damp weather; syphilis: Mezereum.
tearing in, also calves, ankle, toes and tendo-achillis: Colchicum.
Tibial region, posterior, and anterior femoral region, creeping feeling in: Secale.
Tied too tightly, pain just below knee as if it had been: Antimonium crud.
Tingling and numbness with rheumatoid pains: Rhus tox.
commencing in feet and spreading upward, with numb feet and legs: Aconitum.
in feet: Dulcamara.
in feet, burning and: Crocus.
in feet, burning and stinging: Zingiber.
in feet, numbness: Nitrum.
in feet, when lying in bed: Hypericum.
in legs: Secale.
in legs, go asleep when sitting or crossing them: Crotalus.
in legs, weariness: Mercurius iod. rub.
in limbs: Ignatia.
in limbs, or buzzing sensation: Kreosotum.
in toes: Colchicum, Hepar, Lachesis, Secale.
in toes, tips of Natrum mur.
pain in foot and toes, with numbness of left leg: Ailanthus.
Tired feeling in feet after walking; inflamed: Arnica.
in feet, numb, only while sitting: Platinum.
in knee, bruised and lame: Berberis.
in knees: Oxalicum ac.
in legs as after a long journey, must move them from place to place: Nux mosc.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tired feeling in legs as after a long walk: China.
in legs, heavy: Secale.
in legs, pain as if he had walked too far, especially on tibia and soles; legs restless: Psorinum.
in limbs during repose: Aconitum. (See "Fatigue" or "Weariness.")

Toe, great, aching and stitching pain in ball of left: Cannabis ind.
aching lymphatic swelling on ball of: Baryta carb.
ball of, painful: Ammonium carb.
beating, swelling and burning in: Phosphoricum ac.
becomes red, swollen and painful; particularly in bed, evenings: Ammonium carb.
boring in, after lying down: Nux mosch.
crawling burning, severe pressive pain in ball of, burning stitches: Causticum.
feels as if sprained: Aloes.
first joint, right foot, especially; both knees, worse right, and right hip; shifting pains in: Iris.
gout in, first left, then right: Dulcamara.
gouty pain in ball of: Ambra.
gouty pains in: Gnaphalium.
joint, and ankle, of right side, sharp pain in: Sanguinaria.
joint red, feels sprained; arthritic pains in foot, worse towards evening: Arnica.
left, excruciating pains in, worse at night and from touch, must change position: Manganum acet.
left, gouty swelling of; ankles and feet dropsical: Eupatorium perf.
left, stitches in: Kalmia.
painful, swollen ball of; soles very sensitive; tendons stiff: Ledum.
pains as if pinched off: Mephitis.
red, with tearing and stinging, on walking or standing: Natrum mur.
right, during night gout commences in: Benzoicum ac.
right, ingrowing nail in, with ulceration; better moving: Marum ver.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Toe, great right, metatarsal joints of, tearing and stitches in: Benzoicum ac.
right, piercing pain in, evenings: Cistus can.
right, stitches in, evenings: Lycopodium.
right, tearing in, awakening from sleep: Lachnanthes.
right, tearing through; drawing pains in knees, lower part of left tibia and left heel: Antimonium crud.
shooting pains in joints of, also other toes, left foot: Cannabis ind.
sticking sensation on ball of, when putting foot to ground: Asafœtida.
stinging, boring and gnawing in, and leg: Ranunculus scel.
stitches in ball of: Berberis.
swelling, redness and stitches in: Sabina.
little, stitching and sticking in corns on left: Caladium.
Toe-nails, ingrowing, offensive discharge: Silicea.
ingrowing, with ulceration; better moving: Marum ver.
thick and crippled: Graphites.
crippled and inflamed: Sabadilla.
Toes and whole foot, sensation as if too large, swollen and stiff, also at night on removing boots: Apis.
balls of, blisters on, feet swollen and sweaty: Phosphoricum ac.
of, sore pain in, when walking, as if chafed: Arsenicum.
between, or on, itching, after undressing: Natrum sulph.
or under, horizontal fissures: Sabadilla.
rawness: Manganum acet.
rawness, from offensive foot-sweat: Silicea.
smarting and soreness: Natrum carb.
soreness: Fluoricum ac.
sweat, smelling sour or like sole-leather: Kobaltum.
sweat, with violent itching of: Clematis.
vesicles, humid, painless: Hellebore.
blisters on: Selenium.
burn and itch as if frozen, red: Nux vom.
burning, heat and redness of, during slight cold, as if frost-bitten: Borax.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Toes, burning in knees, legs and: Taraxacum.
in, with redness; feet cold: Apis.
stinging pains in: Hep.
chilblains on: Crocus, Nitri ac.
contracted: Ferrum, Nitrum.
corns on: Antimonium crud.
cramps in: Calcarea carb., Ferrum, Hepar.
in legs, fingers and: Veratrum vir.
cramplike drawing and tearing pains from, to dorsum of foot: Anacardium.
pains in calf, heels and: Crotalus.
cramps in, contracting pain in calves, when walking: Lycopodium.
of hands and: Secale.
darting pains in thighs and: Sticta.
drawing, crampy pain in legs, from thighs into, worse on motion or walking: Gelsemium.
in knees, ankles, feet and: Caulophyllum.
drawn downward: Arsenicum.
up towards dorsum of foot: Secale.
dull, heavy pains from knee to, moving suddenly from place to place: Lilium tig.
ends enlarged, knob-like: Laurocerasus.
feel as if they would be drawn down, from pricking in balls of feet, on putting foot to ground: Staphisagria.
feel dead, after walking: Cyclamen.
formication from knee to, left side: Tabacum.
gangrene of: Secale.
gangrenous ulcers on: Lachesis.
go asleep, when walking: Aconitum.
gout in: Ranunculus scel.
gouty tearing in: Graphites.
great, gouty pains in: Gnaphalium.
pain in: Cepa.
hot pricking in: Aconitum.
itch and burn as if frost-bitten: Agaricus.
itching of, violent, evenings after lying down; sweat between toes: Clematis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Toes, knee and hip, left, pain in, thence in calf, then knee, after leaving these parts it appears in right thigh and ankle: Benzoicum ac.
little, pain as if frozen: Asarum.
nodes on: Spigelia.
numb pain as if from cramp in: Crotalus.
of right foot, stitches in: Mezereum.
pain in feet and, worse at night: Caulophyllum.
red: Aurum.
swollen, stinging, as if frosted: Carbo veg.
redness and itching of: Alumina.
rhagades of: Lachesis.
shooting pains in joints of, of left foot; worse in great toe: Cannabis ind.
tearing pains in: Aconitum.
sore, from fetid foot-sweat: Zincum.
from foot-sweat, profuse and of unendurable odor: Sepia.
spasmodically contracted in walking, or going up-stairs: Hyoscyamus.
spreading blisters on: Graphites.
stiffness and contraction of: Graphites.
stinging, burning pains in: Hepar.
stitches in: Kalmia.
in joints of: Berberis.
in, of right foot: Mezereum.
stitching in, coming and going slowly: Ammonium mur.
sweat: Squilla.
between, with violent itching of: Clematis.
on, fetid: Thuya.
tearing in, also in heels, more left: Bismuthum.
in, also in tendo-achillis, ankles, tibiæ and calves: Colchicum.
in, fine; gouty nodosities on joints: Ledum.
from knee to: Alumina.
rending in feet and, worse on walking: Agnus cast.
tingling in: Colchicum, Hepar, Lachesis, Secale.
tips of, blisters on, as if scalded: Natrum carb.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Toes, tips of, burning in, sensitive to pressure: Sarsaparilla.
of, red and swollen: Thuya.
of, swelling, redness and burning in: Muriaticum ac.
of, tearing in, of left foot; and under nails, when walking: Camphora.
of, tingling in: Natrum mur.
of, ulcerated: Carbo veg.
to hip, darting pains, worse from motion or lifting, and at night: Nux vom.
ulcerative pains in: Kali iod.
ulcers on: Graphites, Platinum.
on, originating in blisters: Petroleum.
on soles of feet and: Arsenicum.
Torpid, numb feeling, tremulous restlessness, of legs, when sitting; worse evenings: Platinum.
Tottering of knees, knock together when walking: Bryonia.
of knees, stiffness, paralytic feeling, they pain as if firmly bandaged, when sitting: Aurum.
of knees when ascending steps: Cantharides.
Touch aggravates burning in erysipelatous inflammation of left leg and foot; with tearing, tension and burning: Borax.
pricking and burning in inflammation of knee, pressure or: Iodium.
soreness of feet, which are swollen; worse around ankles: Mercurius iod. rub.
tension in thighs, especially the right, as if muscles were too short: Guaiacum.
causes bruised pain on outer side of left calf, as does turning or moving of foot; numb feeling there when resting: Bryonia.
stitches in red-shining swelling of joints: Rhus tox.
excruciating pains in left big toe, worse from: Manganum acet.
inner side of right knee very painful to, knee painful, can scarcely walk; leg must be kept quiet, evenings: Bryonia.
intolerable, periosteum of long bones, especially tibiæ, is so

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

painful; worse night in bed, and in damp weather; syphilis: Mezereum.

Touch, left leg and foot numb and œdematous, with lacerating jerking pains, worse from: Pulsatilla.

limbs painful to, and improper position: Taraxacum.

of feet, causes jerks of the limbs: Kali carb.

pain, like from a needle, when touching knee: Arnica.

scarcely tolerated about knees, fearful sharp pains in: Hypericum.

slight, hot swelling of right knee, painful to: China.

Touching heel to ground aggravates pain in erysipelatous tendo-achillis; worse from wine: Zincum.

painful part causes pain to vanish; jerking pain in right calf: Taraxacum.

part causes pain to vanish, it then appears on some other part: Sanguinaria.

Transient local sweats on feet and arm-pits; limbs cold: Silicea.

Transitory stinging pains in inflammatory swelling of knee: Cocculus.

Treading thereon causes pain in heel, as if bruised: Belladonna.

Tremble, knees give way and: Camphora.

Trembling of feet: Ammonium carb., Apis.

of feet and hands: Psorinum, Sarsaparilla.

of feet, constant: Stramonium.

of hip-joint, left, weakness, unsteadiness, after sore pain there: Apis.

of knees, abdomen, back and hands: Lilium tig.

of knees, unsteadiness and: Manganum acet.

of knees, when standing: Oleander.

of leg, left: Cicuta.

of legs: Mancinella.

of legs, when walking: Nux vom.

of legs, with extreme nervousness: Silicea.

of limbs: Spongia.

of limbs after fright: Opium.

of limbs, especially legs, aching when sitting: Kobaltum.

of limbs from every exertion: Phosphorus.

of limbs, lassitude, heaviness: Secale.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Trembling of limbs, they are sweaty and weak: Theridion.
thigh, right, while walking, from weakness: Conium.
Tremor of feet, and disabling weakness: Tabacum.
of feet while standing, must hold on to something to steady himself: Baryta carb.
of knees when sitting or walking: Ledum.
Tremulous heaviness of legs: Belladonna.
restlessness in legs, with numb and torpid feeling when sitting; worse evenings: Platinum.
Trickling sensation as of drops of cold water, down front of thighs: Aconitum.
Trochanter, great, from behind, to calf, pain in course of left sciatic nerve; better from motion; pressure on nerve causes shooting pain along whole leg: Kali bich.
pain back of great, extending down thigh, posteriorly, then towards knee, anteriorly, embracing patella, down tibia to the ankle; pain relieved somewhat by flexion of knee: Arsenicum.
pain in either great, when lying on it: Veratrum vir.
to hollow of knee, darting pains, worse from motion and lifting, and at night: Nux vom.
Turning or moving foot causes bruised pain on outer side of left calf; numb sensation there during rest: Bryonia.
or walking causes cracking in all joints: Caulophyllum.
under easily of feet when walking on stone pavement: Agnus cast.
Twinging, pricking in rheumatic left knee; worse from motion; better from straightening limb: Glonoinum.
Twitches, wave-like, here and there in legs: Anacardium.
Twitching as from something alive: Berberis.
in hip, left, region of, and in right loin, drawing with dull throbbing and: Colocynthis.
in hips, tearing and: Magnesia mur.
in joints, dull, drawing pricking pains: Aloes, Kreosotum.
in limbs, tearing, drawing and: Phosphoricum ac.
in feet: Phosphorus.
of gluteal muscles: Agaricus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Twitching of legs and arms: Mercurius.
of legs and arms, when at rest, jerking: Valeriana.
of legs and feet, convulsive: Ipecacuanha.
of legs, convulsive: Squilla.
of legs, muscles of, from least exertion: Manganum acet.
of legs, spasmodic movements: Opium.
of limbs: Coffea.
of limbs, day and night: Silicea.
of limbs, drawing them backward: Cuprum met.
of limbs, when stepping out, spasmodic: Rhus tox.
of muscles of arms and legs: Asafœtida.
of muscles of thigh: Natrum mur., Rheum.
pain from hip-joint to knee: Mezereum.
Ulcer on foot; with black base: Ipecacuanha.
on heel: Sepia.
on heel, arising from spreading blisters: Natrum carb.
on leg burns at night; discharge offensive; skin mottled around, purple: Carbo veg.
on leg, left, it is swollen and skin is copper-colored: Cistus can.
pain as if from an, in whole leg: Kreosotum.
Ulcerated feet feel sore as if, when stepping: Argentum m.
heels pain as if, when standing: Berberis.
pustule on heel, black: Natrum carb.
soles pain as if, could not step: Cantharides.
tips of toes: Carbo veg.
to bone, pain in heels in morning on awaking, as if: Ammonium carb.
Ulcerative pain in heels and toes: Kali iod.
in heels, lower part of: Laurocerasus.
in heels, with tearing and stitches, relieved by rubbing at times: Ammonium mur.
in soles: Kreosotum.
in whole leg, swelling of right knee, with pains in kidneys: Benzoicum ac.
Ulcers on feet, callous: Graphites.
on feet, previously inflamed: Kali bich.
on heel, blisters and; phagadenic: Causticum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Ulcers on legs and toes, gangrenous: Lachesis.
on legs, atonic: Hydrastis.
on legs discharging profusely: Rhus tox.
on legs, dropsical, discharging serum: Rhus tox.
on legs, flat, with thin offensive discharges, and bluish areolæ: Lachesis.
on legs, hard swelling around, mercurio-syphilitic: Cistus can.
on legs, lower: Phosphoricum ac.
on legs, lower, covered, swollen, red and inflamed: Natrum carb.
on legs, lower, flat: Selenium.
on legs, lower, with intolerable itching over whole body: Psorinum.
on legs, nodes and: Phytolacca.
on legs, old, nightly burning, tearing, itching: Lycopodium.
on legs, sloughing, spreading: Petroleum.
on legs which bleed easily and become putrid, spongy and bluish: Mercurius.
on limbs, putrid burning around them: Muriaticum acid.
on limbs, with acrid pus, dryness of skin with constipation: Graphites.
on malleolus, right; edges callous; ichor putrid: Calcarea phos.
on soles of feet and toes: Arsenicum.
on thigh, outer part of: Natrum sulph.
on tibia with lardaceous base: Sabina.
on toes: Graphites, Platinum.
on toes originating in blisters: Petroleum.
Uneasiness in legs, develops because of aching anteriorly down legs: Natrum ars.
in legs, must move them, or draw them up: China.
in limbs, in evening, intolerable: Causticum.
in lower limbs: Lachesis.
in lower limbs, cannot lie still at night, has to change position of feet constantly, or walk about for relief: Arsenicum.
in lower limbs, or drawing pains, cause him to move parts: Mercurius. (See "Restlessness.")

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Unsteadiness and trembling of knees: Manganum acet.
weakness and trembling in left hip-joint, after sore pain there: Apis.
Urine muddy, looking like settlings of beer; articular rheumatism: Hypericum.
Vacillating weakness of limbs when walking: Baptisia.
Varices, forcible feeling in, veins sensitive, dilated: Hamamelis.
from groin down thighs: Berberis.
on legs: Pulsatilla.
on legs, with fidgety feet: Zincum.
Varicose veins inside of right, then of left thigh: Ferrum.
Veins netted, as if marbled, on soles: Thuya.
of feet distended: Natrum mur., Sulphuricum ac.
of feet distended, with heat in feet: Spongia.
sensitive, dilated: Hamamelis.
swollen with sciatica, 3 to 5 A.M., better during pregnancy: Sepia. (See "Femoral Vessels.")
Vertigo as if drunken, with lassitude of lower limbs: Argentum nit.
Vesicles between toes, humid, painless: Helleborus.
on soles especially, large: Mancinella.
Violent pain and loss of sleep, with gouty inflammation and abscesses of knee: Guaiacum.
in hip-joint when walking: Ammonium carb.
Vise, crampy, screwing pain in affected hip, as if it were in a; lies on affected side, with knee drawn up: Colocynthis.
Voluntary motion, loss of; weight, heaviness, muscles will not obey the will; calves feel bruised; pain at night: Gelsemium.
Walk, can scarcely, because knees feel paralyzed and stiff, with lassitude: Anacardium.
cannot, weakness of ankles: Sulphuricum ac.
weakness of feet: Graphites.
compelled to, from electric jerks in limbs, worse in bed: Veratrum alb.
feet feel tired or inflamed after a: Arnica.
knees strike together, can hardly: Colchicum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Walk, legs feel as after a long: China.
on attempting to, violent pain as of spikes penetrating soles running up through limbs to hips, worse in right limb, with drawing pain in calves: Cannabis ind.
up-stairs, unable to, on account of almost entire paralysis of limbs, with stiffness and tired aching: Cannabis ind.
Walking aggravates drawing, crampy pains in legs, from thighs into toes: Gelsemium.
pain in hip-joints as if dislocated: Psorinum.
rending, shooting sciatic or crural neuralgia: Coffea.
tearing rending pain in feet and toes: Agnus cast.
weariness about hip-joints: Argentum met.
ankle-joint feels lame when sitting or: Natrum mur.
ankle-joints pain when: Lithium carb.
ankle, right, tearing pain in, as if sprained, only when: Drosera.
at first aggravates, and continued relieves heavy, paralytic feeling in hip-joint: Phosphoricum ac.
at first left, then right foot goes asleep, disappears when: Millefolium.
calf pains when stepping and: Calcarea carb.
violent cramp in, when, after sitting, at night: Nitri ac.
calves ache and are weak when going up-stairs or; heaviness of legs: Kali bich.
contracting pain in, cramps in toes when: Lycopodium.
cramp when, or rising from seat, better lying: Anacardium.
painful tension in, when: Carbo an.
causes great exhaustion early in sciatica: Plumbum.
difficult, first right, then left hip-joint feels paralytic: Veratrum alb.
from pressive, drawing pains in sciatic nerve, down to knee, and great exhaustion afterwards: Plumbum.
does not step properly on soles when, and they tilt inward: Cicuta.
feet swollen, worse after walking: Lachesis.
feet and soles, swollen and stinging when: Natrum carb.
easily turn under when, on stone pavement: Agnus cast.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Walking, soles give way when: Silicea.
painful, swollen, feel every pepple when: Sabadilla.
foot, left, tension and severe pain in while: Ailanthus.
turns under when, as from weak ankle: Carbo an.
hamstrings painful when, as if too short: Ammonium mur.
tension in, when: Antimonium tart.
heel feels as if festering when standing or, much: Ammonium carb.
sore pain in as if from: Borax.
heels, sore pain in, when sitting, standing or when, in open air, burning: Cyclamen.
sore when: Kali bich.
hip and limb, right, lameness in, when: Eupatorium perf.
hip-joint and thigh, right, laming pain in, limps when; also pain as if sprained in ankle: Drosera.
feels relaxed when, leg feels as if made of wood: Thuya.
right, feels sprained when: Mezereum.
violent pain in, when: Ammonium carb.
hip-joints and knees, rheumatic pains in, when moving or; also with restlessness in diphtheria: Kali bich.
hip, lancinating stitches in, relieved by slow: Sepia.
left, pains as if sprained when, in open air: Hepar.
left, pains as if tendons were too short when, must limp when: Ammonium mur.
left, sudden stitch in, when, cannot walk: Natrum sulph.
stitches in, when: Argentum m.
to knee, right, pains when, cannot stand or bear one's weight: Hydrastis.
joints all crack when turning or: Caulophyllum.
particularly knees, feel as if they would give way, worse going down hill: Belladonna.
knee, bend of, stiffness and tension in, when: Causticum.
dull pains in side of, when: Kali carb.
joint, continuous pain in left, impeding: Colocynthis.
left, cracks, impeding knee; throbs and pains when lying, evenings: Caladium.
left, outer part of, aches while sitting; worse when: Hydrastis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Walking, knee, left, tearing in, when: Lachnanthes.
pain in, makes it very difficult, obliged to keep leg very quiet; inner side of knee painful to touch: Bryonia.
right, becomes weak from: Aurum.
tension down to, while; sciatic pains: Psorinum.
knees crack when: Arsenicum, Causticum.
involuntarily drawn upward when: Ignatia.
knock together and totter when: Bryonia.
knock together when: Argentum m.
painful when; legs, when lying in bed: Magnesia carb.
sore when; pain as if sprained: Calcarea phos.
tremor of when sitting or: Ledum.
very weak when, in open air: Zincum.
weak, especially when: China.
leg, left, feels shorter than right, and so sounds when: Lycopus.
legs and feet, tension in, when: Natrum carb.
pain at night as after excessive: Baryta carb.
tremble; unsteady gait; drags feet when: Nux vom.
limbs go asleep when: Sepia.
heavy when: Sulphur.
weak, vacillating when: Baptisia.
missteps when, from weakness: Phosphorus.
on pavement causes pain in soles of feet: Aloes.
patella feels as if partially luxated when: Gelsemium.
pain in, impedes, stiffness and stitches in knee: Nitri ac.
relieves bruised feeling in soles, at night: Baryta carb.
burning in posterior muscles of thigh: Phosphoricum acid.
constant motion and shifting of feet, due to pain rising from ankles to hips, worse when sitting: Belladonna.
cramps in legs and feet: Rhus tox.
fine cutting stitch which comes in right calf when sitting: Drosera.
lancinating stitches in hip, if slow; although rising from bed aggravates: Sepia.
pains in legs: Agaricus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Walking relieves pain in limbs like a bruise, worse in wet, cold weather: Verartrum alb.
swelling of feet and legs, which was present in morning on arising: Aurum.
swelling of feet and limbs; worse from sitting or standing: Sepia.
violent pain in hip-joint, although foot can hardly be put to ground, worse evening, until midnight: Ferrum.
slowly relieves lancinating stitches in hip, although rising from bed aggravates: Sepia.
sole, skin of, hard, painful when: Baryta carb.
soles feel as if asleep, and limbs weak when: Oleander.
pain as if bruised when: Antimonium crud., Ledum, Lilium tig.
pain when, swollen: Lycopodium.
prickling sensation as of pins and needles in, when, which hinders or prevents: Bryonia.
red and sore when: Squilla.
sensitive when: Antimonium crud.
staggers when; from great weariness of limbs, can scarcely drag them, must sit down, evenings: Alumina.
tarsal joint, tension in right, when, in open air: Belladonna.
tendon feels as if drawing from sole of right foot through bone of leg, during and after: Crotalus.
tension down to knee while; sciatic pains: Psorinum.
thigh and knee, right, pain when sitting or: Cistus can.
muscles tense, especially the right, as if too short, better when sitting, worse from touch, languor when: Guaiacum.
right, feels weak, even to trembling, when: Conium.
right, pains only when, as if psoas magnus were too short: Colocynthis.
thighs pain when, as from a blow: Arnica.
pain while, with heaviness of legs: Sabina.
toes, ball of, sore pain in when, as if chafed: Arsenicum.
cramp, and contracting pain in calves when: Lycopodium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Walking, toes feel dead after: Cyclamen.
go to sleep when: Aconitum.
great, tearing, stinging and redness of, when: Natrum mur.
spasmodically contracted when, or going up-stairs: Hyoscyamus.
tips of, of left foot, tearing in, and under nails, when: Camphora.
unsteady; easy falling of little children: Causticum.
Wandering, digging, pressing pains, confined to small spots; lasting but a short time; soon returning: Nux mosch.
pains: Veratrum vir.
periodical, also along bones, generally without localized inflammatory processes: Kali bich.
worse at night: Sanguinaria.
tearing pains in limbs: Rhododendron.
Warm feeling, shooting, rending, cramp-pain in calves: Calcarea phos.
in bed, when, relief of tearing in ankles and bones of feet: Ammonium carb.
Warmth aggravates pains: Pulsatilla.
rheumatic pains: Thuya.
ameliorates dull, aching, sciatic pains, of right side: Rhus tox.
rheumatism: Lycopodium.
of bed aggravates intense itching of top of feet and ankles: Ledum.
of bed aggravates pain in limbs resembling a bruise: Veratrum alb.
of bed aggravates stinging, drawing, rheumatic pains in pale, swollen, tense and hot joints: Ledum.
of bed ameliorates drawing and tearing pain in thighs, knees, legs and feet; worse in open air: Causticum.
Washing floor, after, violent tearing pains in soles; swollen feet, sore to touch, worse around ankles: Mercurius iod. rub.
Wasting of the lower limbs: Berberis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Water, sciatic pains caused by working in water: Calcarea carb.
sensation as if cold trickled down front of thighs: Aconitum.
Waxy, pale, swollen, œdematous feet and legs: Apis.
Weak and weary: Aceticum ac.
calves, as if bruised: Ferrum.
hamstrings feel, and shortened; knees give way when going up or down-stairs: Ruta.
joints and stiff: Rhus tox.
knee, right, becomes, from walking: Aurum.
knees, after seminal emissions: Dioscorea.
especially when walking: China.
they give way, thighs weak during headache; left thigh numb: Glonoinum.
with pain, worse going up-stairs: Lithium carb.
legs: Ferrum.
legs and back, can hardly walk: Æsculus hipp.
limbs, cannot get out of bed: Caladium.
vacillating and, when walking: Baptisia.
Weakness of ankles and feeling of heavy weight in each instep: Arnica.
of ankles, cannot walk: Sulphuricum ac.
of calves, aching and, when walking or going up-stairs; heaviness of legs: Kali bich.
of calves, sensation of: Kalmia.
of feet and hands; joints sore and bruised, as if tired out: Chamomilla.
of feet, cannot walk: Graphites.
of feet, disabling, tremor: Tabacum.
of feet, weariness, numbness: Arsenicum.
of hip-joint, left, unsteadiness, trembling, after sore pain there: Apis.
of hip, left, pain, worse going up-stairs: Podophyllum.
of hips: Cepa.
of joints: Zingiber.
of joints, cracking, swelling: Sulphur.
of joints, especially knees: Podophyllum, Sepia.
of knee-joints: Mercurius iod. rub.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Weakness of knee-joints, sensation as if they would give away: Kreosotum.
of knees, ache: Hydrastis.
of knees, afternoon: Hamamelis.
of knees and thighs: Sarsaparilla.
of knees, excessive: Kobaltum.
of knees, painful: Staphisagria, Sulphuricum ac.
of knees, when walking in open air: Zincum.
of knees, with stiffness and great lassitude, is scarcely able to walk: Anacardium.
of legs, ache: Hydrastis.
of legs, knees give way: Cuprum.
of legs, numbness and paralysis: Opium.
of legs, numb and stiff: Oxalicum ac.
of legs, painful: Staphisagria.
of legs, paralytic, after a short walk: Nitrum.
of legs, they refuse to carry him, he staggers: Cicuta.
of legs, they will scarcely hold him: Bryonia.
of legs, with fear of paralysis; after typhus: Secale.
of limbs, debility and, whole afternoon, with sick feeling and dread of work: Argentum nit.
of limbs, excessive: Xanthroxylum.
of limbs, great, languor and: Ammonium carb., Ammonium mur.
of limbs, missteps when walking: Phosphorus.
of limbs, paralytic: Causticum.
of limbs prevents rising; headache, worse when covered: Glonoinum.
of limbs, sensation as if they would break down, on going up-stairs: Arsenicum.
of limbs, sudden, with canine hunger: Zincum.
of limbs, trembling, sweating of: Theridion.
of limbs, with displacement of uterus: Magnesia mur.
of limbs, with feeling in soles as if asleep, when walking: Oleander.
of thigh and knee-joint, must sit down: Stannum.
of thigh, right, when walking; even to trembling: Conium.
of thighs and knees: Sarsaparilla.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Weakness of thighs and knees as if beaten: Platinum.
of thighs, wavering gait: Muriaticum ac.
Weakening drawing over front of legs; shooting pain, as if in the periosteum: Hypericum.
Weariness about hip-joints, worse walking; feel bruised on hard pressure after rising: Argentum met.
heaviness and inability to move, with the pains: Colchicum.
of ankle-joint: Aloes.
of calves: Aloes.
of feet, weakness, numbness and: Arsenicum.
of legs, drawing, heaviness: Pulsatilla.
of legs, pains as from, pressing towards the groins; diarrhœa; during menses: Niccolum.
of legs, tingling: Mercurius iod. flav.
of limbs, especially thighs and feet, painful: Calcarea carb.
of limbs, great, with boring and shooting in: Æthusa.
of thighs, great, worse going up steps: Bryonia.
Weary calves: Argentum nit.
feeling from ilium down outer side of thighs to knees, as from too much exertion: Natrum ars.
Weather, damp or cold, aggravates dull, aching, sciatic pains of right side: Rhus tox.
damp, in, bone-pains after mercury, or checked gonorrhœa: Sarsaparilla.
damp, pains in periosteum of long bones during: Mezereum.
pain in thighs, worse from change of, mostly before heavy winds: Berberis.
wet, stormy, aggravates tearing, drawing pains in periosteum; mostly in arms and lower legs: Rhododendron.
Weight, heaviness; loss of voluntary motion; muscles will not obey will; calves feel bruised; pain at night: Gelsemium.
in instep, feeling as of heavy, and want of power in ankles: Arnica.
Wet, exposure to, causes rheumatic pains; parts as if beaten; pains when quiet, subsides when moving: Dulcamara.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Wet, getting, causes paralysis of limbs: Nux vom.
causes paroxysmal pains in legs, especially when warm and sweaty: Rhus tox.
especially feet, causes rheumatism: Pulsatilla.
suppressed foot-sweat, and caused paralysis of feet: Zincum.
stormy weather, tearing, drawing in periosteum; mostly of arms and lower legs, worse in: Rhododendron.
weather aggravates rheumatism: Lycopodium.
and cold, aggravate pain in limbs resembling a bruise: Veratrum alb.
White swelling of both feet, œdematous: Kreosotum.
of knee: Kali iod.
of knee, pains stinging, lancinating; swelling, doughy; fistulous openings, with hard edges, discharging greenish-yellow pus: Silicea.
of knee, with intolerable tearing pains, worse during rest and at night: Rhododendron.
of knees: Lycopodium.
Wind, pain in thighs, worse from changes of weather, mostly before heavy: Berberis.
Wine aggravates erysipelas of tendo-achillis: Zincum.
Winter, ischias worse in, better in summer: Ignatia.
Work, dread of, and sick feeling; with debility and weakness of lower limbs all afternoon: Argentum nit.
Wrapped tightly, tension of limbs as if: Platinum.
Wrenched, left hip-joint feels as if; sciatica: Iris.
right knee pains as if, on moving, especially on going up-stairs: Nux mosch.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

REPERTORY OF MALE SEXUAL ORGANS.—FROM HERING'S CONDENSED MATERIA MEDICA.

BY CHANDLER WEAVER, M.D., FOX CHASE POST OFFICE, PHILA.

Chancre-like sore on prepuce: Ailanthus, Kali bich., Nitri ac., Thuya.
Chordee: Camphora.
Coition: burning in back after: Magnesia mur.
great debility after: Agaricus, Clematais, Natrum mur., Phosphoricum ac., Sepia, Silicea.
indifference to: Borax, Graphites, Psorinum, Rhododendron.
painful: Argentum nit., Kali carb.
pain in bladder and prostate after: Cepa.
penis becomes relaxed during: Nux vom., Phosphoricum ac.
pollutions after: Natrum mur.
profuse night-sweats after: Agaricus.
too weak and too short: Berberis, Carbo veg., Graphites, Selenium, Zincum met.
too early emission of semen: Calcarea ost., Sepia.
want of ejaculation in: Millefolium, Psorinum, Zincum met.
weak, especially in the eyes after: Kali carb.
weakness and confusion of head after: Bovista, Lycopodium, Silicea.
Condylomata or excrescences: Nitri ac., Phosphoricum ac., Sabina, Staphisagria, Thuya.
Cystitis, children reach hands to genitals during: Aconitum.
Embrace, great desire for, penis being relaxed: Agaricus, Nux vom.
Emissions, after onanism: Argentum nit., China, Nux vom., Phosphorus, Phosphoricum ac., Pulsatilla, Sepia, Staphisagria, Ustilago.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Emissions, even during a loose stool: Arsenicum alb., Gelsemium, Phosphoricum ac.
from onanism during sleep: Carbo veg.
least excitement of parts causes: Sarsaparilla.
nightly and weakening: Aceticum ac., Ammonium carb., Antimonium crud., Argentum met., Bovista, Bromium, Calcarea ost., Carbo an., Cicuta, China, Cocculus, Digitalis, Ferrum, Graphites, Kobaltum, Ledum, Mercurius bin., Nux mosch., Nux vom., Phosphorus, Phosphoricum ac., Sabadilla, Sanguinaria, Staphisagria, Sulphur, Tabacum, Ustilago.
with relaxed organs: Belladonna.
with strong desire after: Aloes, Alumina.
with dreams: Antimonium crud., Bismuthum, Iris vers., Jacea, Kobaltum.
without dreams: Anacardium, Antimonium crud., Gelsemium, Graphites, Guaiacum.
without weakness after: Aurum.
Epididymis, sensitive: Aloes, China, Rhododendron, Taraxacum.
Erections, after urinating at night: Lilium tig., Rhus tox.
during stool: Ignatia.
frequent: Ammonium mur., Cannabis ind., Cannabis sat., Chelidonium, Graphites, Helonias, Magnesia mur., Phosphorus, Thuya.
feeble: Agnus, Hepar, Lycopodium, Selenium.
frequent and long-lasting: Apis, Cannabis ind., Cantharides, Oxalicum ac., Silicea, Zincum.
involuntary during the day: Anacardium, Cannabis ind., Chelidonium, Clematis, Magnesia mur., Natrum mur.
strong: Chamomilla, Helonias, Mercurius corr., Mezereum, Zincum.
with pain: Cantharis, Capsicum, Mercurius viv., Nitri ac., Nux vom., Sabadilla.
with pain along urethra: Cantharis, Capsicum.
without sexual desire: Ammonium carb., Caladium, Calcarea phos., Phosphoricum ac., Spigelia.
with strong desire for embrace: Hamamelis.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Erysipelas of scrotum: Arnica, Croton tig., Rhus.
Excoriations between scrotum and thighs: Baryta carb., Lycopodium, Mercurius viv., Natrum mur., Petroleum, Rhododendron, Rhus.
Excrescences or condylomata: Nitri ac., Phosphoricum ac., Psorinum, Sabina, Staphisagria, Thuya.
Glands, inguinal, suppurate: Aurum.
Glans penis, increase of smegma about: Causticum, Natrum mur., Nux vom.
light red lentil-sized spots on: Cannabis sat.
sharp, stinging, stitching pain in: Caulophyllum, Ranunculus scel.
sore and painful: Chelidonium, Cyclamen, Mercurius viv., Natrum carb., Rhus, Thuya.
Genitals, bruised and swollen: Arnica.
children reach hand to, in cystitis and spasms: Aconitum, Stramonium.
cold and relaxed: Gelsemium, Helleborus, Iris vers., Psorinum, Sulphur.
drawn in: Euphrasia.
hair falling out from: Nitri ac., Phosphoricum ac., Zincum.
herpes on: Dulcamara, Graphites, Petroleum, Phosphoricum ac., Sarsaparilla, Tellurium.
increased sensitiveness of: Cocculus.
increased sensitiveness to excitement: Coffea.
painful: Berberis, Hydrastis.
inflamed, swelling of: Arsenicum alb., Plumbum.
sweating of: Belladonna, Caladium, Fluoricum ac., Mercurius viv., Sulphur.
Gleet: Agnus, Benzoicum ac., Ferrum, Fluoricum ac., Hydrastis, Kali bich., Millefolium, Natrum mur., Phytolacca, Sanguinaria.
Gonorrhœa, changeable discharge: Lilium tig., Sulphur, Thuya.
suppressed: Benzoicum ac., Gelsemium, Jacea, Sarsaparilla, Spongia, Thuya.
with constant sticking together of the meatus: Camphora, Cuprum mur.
yellow green discharge: Argentum nit., Hydrastis, Meze-

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

reum, Natrum sulph., Nitri ac., Nux vom., Petroleum, Phytolacca, Pulsatilla, Terebinthinæ, Thuya.

Hair falling out from genitals: Nitri ac., Phosphoricum ac., Zincum.

Hernia, inguinal and scrotal: Magnesia carb.

Hydrocele: Apis, Arnica, Digitalis, Fluoricum ac., Graphites, Phosphorus, Pulsatilla, Rhododendron, Silicea.

Inguinal glands suppurate: Aurum.

Impotence: Agnus, Argentum nit., Caladium, Camphora, Capsicum, Dulcamara, Ferrum, Graphites, Helonias, Hyoscyamus, Kobaltum, Kreosotum, Lycopodium, Muriaticum ac., Opium, Phosphorus, Plumbum, Psorinum, Selenium, Sulphur, Thuya.

with gleet: Agnus.

with lascivious fancies: China.

Itching of scrotum: Antimonium crud., Apis, Aurum, Calcarea phos., Causticum, Chelidonium, Cistus, Cocculus, Croton tig., Jacea, Lachnanthes, Magnesia mur., Manganum, Mephitis, Petroleum, Rhododendron, Rhus tox., Selenium, Staphisagria, Urtica urens.

of scrotum, not relieved by scratching: Muriaticum ac.

exciting sexual desire: Anacardium, Cocculus, Staphisagria.

of genitals, voluptuous: Agaricus, Agnus, Ammonium carb., Anacardium, Eupatorium perf., Ignatia, Magnesia mur., Natrum mur., Natrum sulph., Petroleum, Sepia, Silicea.

of glans penis: Chelidonium, Croton tig., Drosera, Kali bich.

of prepuce: Aloes, Conium, Ignatia, Lycopodium, Pulsatilla.

of penis: Antimonium crud., Cannabis ind., Causticum, Hepar, Ignatia, Lachnanthes.

out pimples over genitals: Umbra, Kali bich., Silicea.

Onanism, causing epilepsy: Lachesis, Stramonium.

during sleep: Carbo veg.

Orchitis: Aurum, Baptisia, Hamamelis, Mercurius viv., Nux vom., Phosphorus, Phytolacca, Pulsatilla, Spongia, Sulphuricum ac., Zincum met.

Pains, cutting along penis: Anacardium, Cicuta.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Pains in left groin through urethra to glans, smarting remains a long time after: Asarum, Mezereum.
in testicles and seminal cord: Ammonium carb., Chelidonium.
shooting through perineum into penis: Calcarea phos.
Penis, cutting along: Anacardium, Cicuta.
gangrene of: Laurocerasus.
glans, blue, red, swollen and cracked: Arsenicum alb., Rhus tox.
increase of smegma about: Causticum, Natrum mur., Nux vom.
light red lentil-sized spots on: Cannabis sat.
sharp stinging pain in: Caulophyllum, Ranunculus scel.
sore and painful: Chelidonium, Cyclamen, Mercurius viv., Natrum carb., Rhus tox., Thuya.
painful when walking: Cannabis sat.
relaxed: Agaricus, Agnus, Cannabis ind., Lycopodium, Muriaticum ac., Sabadilla, Sulphur.
with discharge of prostatic fluid: Aurum.
small: Aloes, Argentum met., Ignatia, Lycopodium.
swollen, without marked erections: Cannabis sat., Fluoricum ac., Ledum, Mezereum, Millefolium, Sabina, Silicea.
uneasiness and burning in: Cannabis ind.
Phimosis: Arnica, Cannabis sat., Cyclamen, Digitalis, Mercurius viv., Nitri ac., Sabina, Sulphur.
Prepuce, cold and numb: Berberis.
dropsy of: Digitalis.
induration of, after chancres: Lachesis.
inflammation of and smarting: Calcarea ost., Cannabis sat., Lobelia, Mercurius viv., Muriaticum ac., Naturm carb., Rhus tox.
swollen and painful or itching: Caladium, Cannabis sat., Capsicum, Graphites, Jacea, Rhus tox., Sabina, Sulphur, Thuya.
ulcers on: Argentum nit., Hepar s. c., Sulphur.
Prostate, discharge of its fluid on every emotion: Conium, Hepar, Selenium, Zincum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Prostate, discharge of its fluid during stool: Aurum mur., Carbo veg., Hepar.
enlarged: Pulsatilla, Thuya, Clematis, Conium.
Scrotum, bruised: Arnica, Kali carb.
erysipelas of: Arnica, Croton tig., Rhus tox.
œdematous: Argentum met., Caladium, Graphites, Rhus tox.
relaxed: Aloes, Ammonium carb., Capsicum, Clematis, Coffea, Magnesia mur., Natrum mur.
shrunken, cold: Berberis.
sweating of: Baryta carb., Calcarea phos., Gelsemium, Hamamelis, Lachnanthes, Rhododendron, Sepia, Silicea, Sulphur, Thuya.
swelling of: Chelidonium, Clematis, Mezereum, Phosphoricum ac., Pulsatilla.
sore, oozing a fluid: Calcarea phos., Sulphur.
ulcers on: Aurum.
Sexual ability diminished: Baryta carb., Belladonna, Berberis, China, Ignatia, Manganum acet., Muriaticum ac., Natrum mur., Phosphorus, Sepia, Sulphur.
absence of desire: Kali bich., Nitri ac.
functions excited easily: Hypericum, Lachesis, Mercurius viv., Natrum mur., Nux vom., Opium, Phosphorus, Platina, Stannum, Staphisagria, Zincum.
desire decreased: Aconitum, Agnus, Argentum nit., Belladonna, Clematis, Kali iod., Magnesia carb., Marum ver., Petroleum, Rhododendron, Silicea, Theridion.
desire increased: Aconitum, Agaricus, Aloes, Alumina, Ambra, Anacardium, Antimonium crud, Bromium, Bryonia, Calcarea ost., Cannabis ind., Cannabis sat., Cantharides, Cepa, China, Crocus, Ferrum, Fluoricum ac., Graphites, Helonias, Hepar s. c., Hyoscyamus, Ledum, Lilium tig., Mancinella, Mezereum, Natrum mur., Natrum sulph., Nitrum, Sepia, Silicea, Tellurium.
increased with heat and sweat: Aconitum.
especially on going to sleep: Mercurius bin.
strong with erections: Colocynthis, Helonias, Kali

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

carb., Nitri ac., Opium, Platina, Plumbum, Pulsatilla, Sabina, Stramonium.

Sexual desire strong without erections: Ammonium carb., Caladium, Conium, Magnesia carb., Nux mosch.

with uneasiness of whole body, which prevents him from sitting long: Antimonium crud.

suppressed: Conium, Helleborus.

excess, complaints from: Bovista, China, Conium, Natrum mur., Nux vom., Pulsatilla, Secale.

Shooting pain through perineum into penis: Calcarea phos.

Spermatic cords sensitive: Kali carb., Manganum, Oxalicum ac., Phosphoricum ac., Pulsatilla, Sarsaparilla, Staphisagria.

right side: Clematis, Iodium, Mercurius bin.

left side: China, Colchicum, Iodium.

Stitches and beating in left spermatic cord: Ammonium mur.

in the penis: Asafœtida, Kali bich.

in testicles, which are drawn up: Belladonna.

in right testicles and spermatic cord: Bryonia.

Syphilis, buboes: Carbo an.

chancres: Mercurius prot., Mercurius subl. corr., Nitri ac., Phytolacca.

secondary: Hepar, Nitri ac.

Testicles, atrophied: Kali iod., Staphisagria, Zincum met.

bruised pains in: Aconitum, Argentum met., Argentum nit., Cocculus, Kali carb., Natrum mur., Oxalicum ac., Phosphoricum ac., Pulsatilla, Silicea.

cold relaxed: Agnus, Aloes, Bromium, Camphora, Gelsemium.

drawn up: Berberis, Cantharides, Cicuta, Nux vom., Plumbum, Psorinum, Rhododendron, Secale.

dwindling of: Capsicum, Kali iod.

feel swollen and hard: Aconitum, Agnus, Iodium, Mercurius viv., Spigelia, Sulphuricum ac.

induration of: Clematis, Iodium, Jacea, Rhododendron.

left, hard, painful and dragging: Alumina, Aurum, Bromium, China, Kali carb., Mercurius subl. corr., Rhododendron, Thuya.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Testicles painful after emissions: Capsicum.
right, swollen and hard: Apis, Argentum nit., Aurum.
drawn up with pain: Æthusa, Clematis, Kobaltum, Lachnanthes, Mercurius bin., Staphisagria.
pains: Arum triph., Baptisia, Bryonia, Marum ver., Sulphuricum ac.
swelling of: Calcarea phos., Digitalis, Iodium, Kali carb., Mezereum, Millefolium, Phosphoricum ac., Spigelia.
swelling of, from mumps: Carbo veg., Mercurius viv., Pulsatilla.
sore, painful: Causticum, Chelidonium, Clematis, Hamamelis, Lithium, Natrum mur., Nitrum, Nux vom., Oxalicum ac., Phosphoricum ac., Psorinum, Pulsatilla, Rhododendron, Staphisagria.
Tickling on genitals: Alumina.
Ulcers, grayish, shaggy borders: Argentum met., Jacea, Kali bich., Mercurius viv., Nitri ac.
on prepuce: Argentum nit., Hepar, Sulphur.
on scrotum: Aurum.
Urethra, burning in: Cantharides, Lithium, Capsicum, Belladonna.
contractive pains in: China.
cream-like discharge from: Capsicum, Mezereum.
discharge yellow: Agnus, Argentum met., Fluoricum ac., Hydrastis, Psorinum, Silicea, Zincum.
of prostatic fluid during stool: Aurum met., Carbo veg., Hepar, Kali bich., Magnesia carb., Natrum mur., Psorinum, Selenium, Zincum.
of prostatic fluid on every emotion: Conium, Hepar, Selenium, Zincum.
smarting in, with tenesmus: Terebinthinæ.
stitching pain in: Cyclamen, Mezereum, Nitri ac., Thuya.
Varicocele: Carbo veg., Hamamelis, Pulsatilla.

Digitized by
UNIVERSITY OF MICHIGAN
Original from
UNIVERSITY OF MICHIGAN

REPERTORY TO APPETITE, THIRST, DESIRES, AVERSIONS.

These four subjects are included in the "Condensed Materia Medica" under *Desires and Aversions*, but really deserve the more expanded heading above, as given in the "Guiding Symptoms."

COMPILED BY EDWARD CRANCH, ERIE, PENNA.

Appetite, craving: Abies can., Abrotanum, Aconitum, Actæa rac., Ammonium carb., Argentum, Arsenicum, Aurum, Bryonia, Cannabis ind., Capsicum, Carbo an., Caulophyllum, Cepa, Cimex, Cinchona off., Coffea, Colocynthis, Crotalus, Eupatorium perf., Fluoricum ac., Graphites, Iodium, Kreosotum, Lycopodium, Mercurius, Muriaticum ac., Myrica cerif., Natrum ars., Natrum mur., Nux mosch., Nux vom., Oxalicum ac., Petroleum, Phosphorus, Phosphoricum ac., Platinum, Plumbum, Podophyllum, Ptelea, Psorinum, Sabadilla, Secale corn., Sepia, Silicea, Spigelia, Spongia, Squilla, Stannum, Staphisagria, Sulphur, Tabacum, Ustilago, Valeriana, Veratrum, Zincum.

in children: Sulphur.

in infants: Calcarea phos.

small amount suffices: Ammonium carb., Bryonia.

with emaciation progressing: Abrotanum, Cinchona off., Iodium.

morning: Calcarea ostr., Hepar s.c., Hypericum, Natrum carb.

noon: Abies nigr., Carbo veg., Mezereum.

afternoon: Guaiacum (4 p.m., Calcarea phos.).

evening: Abies nigr., Benzoicum ac., Guaiacum, Hypericum, Ignatia, Mezereum, Natrum mur., Nitrum.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Appetite, craving, night: Cinchona off., Psorinum, Selenium.
diminished: Aconitum, Agnus cast., Ailanthus, Antimonium tart., Arnica, Colocynthis, Cyclamen, Erigeron, Ferrum, Gelsemium, Helonias, Kali iod., Kobaltum, Mezereum, Oxalicum ac., Ptelea, Sulphur, Veratrum.
diminished, but eats as usual: Ailanthus.
lost: Aconitum, Ammonium mur., Antimonium crud., Apis, Argentum, Argentum nitr., Arnica, Arsenicum, Arum triph., Asafœtida, Asarum eur., Baptisia, Bryonia, Caladium, Calcarea ostr., Camphora, Cantharides, Carbo an., Carbo veg., Cepa, Chamomilla, Chelidonium, Cinchona off., Colchicum, Conium, Cuprum, Digitalis, Eupatorium perf., Eupatorium purp., Glonoinum, Guaiacum, Helonias, Ipecacuanha, Kali bich., Kali carb., Kreosotum, Lachesis, Laurocerasus, Lilium tig., Lobelia infl., Magnesia mur., Manganum acet., Mercurius, Mercurius corr., Natrum mur., Natrum sulph., Nitri ac., Nitrum, Petroleum, Phosphorus, Phosphoricum ac., Phytolacca dec., Platinum, Psorinum, Rhus tox., Sarsaparilla, Sepia, Silicea, Spigelia, Tabacum, Urtica ur., Ustilago, Xanthoxylum.
but relish comes with eating: Calcarea ostr., Sabadilla.
morning: Abies nigr., Agaricus, Benzoicum ac., Bovista, Cyclamen, Hamamelis.
noon: Actæa rac., Lobelia infl.
evening: Cantharides, Cyclamen, Kobaltum, Stannum.
from depressed mood: Platinum, Selenium, Zincum.
variable: Actæa rac., Ailanthus, Anacardium, Berberis, Capsicum, Cepa, Cina, Cinchona off., Ferrum, Graphites, Iodium, Mercurius iod. flav., Phosphorus, Podophyllum, Sabadilla, Stannum, Stramonium, Thuya, Ustilago.
without hunger: Caladium, Causticum, Clematis, Rheum.
Eats hurriedly: Coffea, Platinum, Pulsatilla, Zincum.
Eats slowly: Aconitum.
Hunger during chill: Phosphorus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hunger after the heat: Cimex, Dulcamara.
in evening, prevents sleep: Ignatia.
immediately on the cessation of pain: Cantharides.
after stool: Petroleum.
after vomiting: Veratrum.
causing suffering, anxious and worried if not eating every few hours: Iodium.
causing headache if not relieved: Lycopodium.
not relieved by eating: Antimonium crud., Argentum, Bovista, Cina, Mercurius, Paris, Phytolacca, Staphisagria.
on walking: Antimonium crud.
twenty-four hours or so before a spell of dyspepsia: Nux vom.
but food is suddenly expelled from pharynx, by reason of nausea, caused by a lump of mucus in throat: Myrica cerif.
without appetite: Agaricus, Antimonium crud., Baryta, Cocculus, Dulcamara, Helleborus, Ignatia, Magnesia mur., Myrica cerif., Nitrum, Oleander, Opium, Pulsatilla, Rhus tox., Sanguinaria, Theridion.

Satiety, feeling of: Cinchona off., Clematis, Illicium an., Lycopodium, Manganum acet., Myrica cerif., Podophyllum, Rhododendron.

Thirst: Absinthum, Aceticum ac., Aconitum, Æthusa, Agaricus, Ailanthus, Aloes, Alumina, Ammonium carb., Ammonium mur., Anacardium, Antimonium cr., Antimonium tart., Apis, Apocynum cannab., Argentum nitr., Arnica, Arsenicum, Aurum, Baptisia, Baryta c., Belladonna, Benzoicum ac., Berberis, Bismuthum, Borax, Bovista, Bryonia, Caladium, Calcarea ost., Calcarea phos., Camphora, Cannabis ind., Cannabis sat., Chininum sulph., Cicuta, Cimex, Cina, Cistus, Cocculus, Coffea, Colchicum, Conium, Crocus, Crotalus, Cuprum, Cyclamen, Dulcamara, Eupatorium perf., Eupatorium purp., Ferrum, Fluoricum ac., Gambogia, Glonoinum, Graphites, Guaiacum, Hamamelis, Helleborus, Hepar,

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hyoscyamus, Hypericum, Iodium, Ipecacuanha, Kali bi., Kali brom., Kali carb., Kali iod., Kreosotum, Lachesis, Lachnanthes, Laurocerasus, Ledum, Lilium tig., Lobelia, Lycopodium, Magnesia carb., Magnesia mur., Mancinella, Manganum acet., Mercurius, Mercurius iod. flav., Mezereum, Millefolium, Muriaticum ac., Myrica cer., Natrum ars., Natrum carb., Natrum mur., Natrum sul., Niccolum, Nitri ac., Nitrum, Oleander, Opium, Oxalicum ac., Petroleum, Phosphorus, Phosphoricum ac., Phytolacca, Platinum, Plumbum, Podophyllum, Psorinum, Ptelea, Ranunculus scel., Rhus, Ruta, Sabadilla, Sambucus, Secale, Sepia, Silicea, Spigelia, Spongia, Squilla, Stannum, Stramonium, Sulphur, Tabacum, Taraxacum, Terebinthinæ, Theridion, Thuya, Valeriana, Veratrum, Zincum, Zingiber.

Thirst, morning: Arnica, Magnesia mur. (3 A.M.), Mercurius, Nitri ac., Sepia.

noon: Ammonium carb., Antimonium crud., Belladonna.

afternoon: Bovista, Calcarea phos., Gambogia, Hamamelis, Kali iod., Natrum carb., Ruta, Silicea.

evening: Ammonium mur., Belladonna, Benzoicum ac., Bismuthum, Gambogia, Hamamelis, Kali carb., Magnesia carb., Magnesia mur., Natrum mur., Natrum sulph., Niccolum, Silicea.

night: Aloes, Coffea, Lycopodium, Magnesia carb., Magnesia mur., Ranunculus scel., Rhus, Silicea, Thuya.

wakening one up: Aloes, Coffea.

before chill: Cimex, Cinchona, Eupatorium perf., Eupatorium purp., Lobelia.

during chill or coldness: Alumina, Apis, Bovista, Bryonia, Cannabis sat., Eupatorium perf., Eupatorium purp., Ferrum, Kali carb., Kali iod., Ledum, Mezereum, Muriaticum ac., Natrum mur., Natrum sulph., Plumbum, Psorinum, Ruta, Sepia, Stannum, Sulphur.

after chill: Cimex, Cinchona, Hepar, Kreosotum.

before coma: Caladium.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Thirst while sleepy: Benzoicum ac.
before severe symptoms: Lilium tig.
while sweating: Chininum sul., Cinchona, Coffea, Magnesia carb., Magnesia mur., Mercurius, Phosphoricum ac., Taraxacum.
only while sweating: Phosphoricum ac., Taraxacum.
with heat in palms: Zincum.
without fever: Arnica.
desire to drink: Arsenicum, Helleborus, Lachesis, Lycopodium, Veratrum.
relief from drink: Baryta carb., Camphora, Myrica cer., Natrum ars., Sambucus.
with dread of water: Cannabis ind., Hyoscyamus.
aversion to drink: Cocculus.
inability to swallow: Belladonna, Cicuta.
inability to swallow hot drinks: Phytolacca.
inability or fear to move, to get a drink: Cimex.
frequent stops while drinking, from loss of breath: Anacardium, Nitrum, Squilla.
frequent stops while drinking, choking sensation rising from stomach: Mancinella.
nausea, Aurum, Veratrum.
distress from cold water: Arsenicum, Natrum ars.
in dropsy: Apocynum cann.
with dry mouth: Aloes, Arsenicum, Baryta carb., Berberis, Calcarea phos., Crotalus, Cyclamen, Glonoinum, Hamamelis, Kali brom., Laurocerasus, Millefolium, Myrica cer., Petroleum, Rhus, Zingiber.
dinner: Ammonium carb.
Drinks much at a time: Arnica, Arsenicum, Bryonia, Cactus, Camphora, Lilium tig., Podophyllum.
and often: Arsenicum, Lilium tig.
and seldom: Bryonia.
little at a time: Actæa, Anacardium, Antimonium tart, Apis, Arsenicum, Arum triph., Cinchona, Hamamelis, Hyoscyamus, Lycopodium, Mercurius iod. rubr., Natrum ars., Pulsatilla, Rhus.
and often: Antimonium tart., Apis, Arsenicum, Cin-

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

chona, Lycopodium, Natrum ars., Pulsatilla, Rhus tox., Veratrum.

Drinks slowly: Anacardium.

rapidly: Kreosotum, Veratrum.

Thirstlessness: Aceticum ac., Actæa, Agnus, Ambra, Antimonium tart., Apis, Argentum met., Argentum nit., Asafœtida, Aurum, Berberis, Bromium, Bryonia, Caladium, Camphora, Cimex, Cinchona, Cocculus, Colocynthis, Cyclamen, Ferrum, Gelsemium, Ignatia, Ipecacuanha, Kali carb., Lycopodium, Manganum acet., Muriatic ac., Nitri ac., Nux mosch., Nux vom., Opium, Paris, Phosphoricum ac., Platinum, Ptelea, Pulsatilla, Rheum, Rhododendron, Rhus tox., Ruta, Sabadilla, Sabina, Sambucus, Sarsaparilla, Sepia, Staphisagria, Stramonium.

morning: Pulsatilla.

forenoon: Argentum met.

night: Antimonium crud.

with dry mouth: Apis, Bryonia, Cocculus, Lycopodium, Nux mosch., Nux vom., Opium, Pulsatilla, Sabina, Sambucus.

with fever: Aceticum ac., Apis, Argentum, Asafœtida, Cinchona, Cyclamen, Dulcamara, Hyoscyamus, Ignatia, Kali carb., Muriaticum ac., Nitri ac., Nux mosch., Nux vom., Phosphoricum ac., Rheum, Rhus tox., Ruta, Sambucus.

with sweat: Apis.

in dropsy: Apis.

with desire to drink: Cimex, Colocynthis.

Desires alcoholic drinks: Aconitum, Arnica, Arsenicum, Asarum, Cinchona, Lachesis, Muriaticum ac., Nux vom., Oleander, Opium, Pulsatilla, Selenium, Spigelia, Staphisagria, Sulphur, Sulphuricum ac., Theridion.

apples: Aloes, Antimonium tart., Guaiacum.

acids: Antimonium tart. (See "Sour Things.")

beer: Aconitum, Antimonium crud., Causticum, Cocculus, Colocynthis, Kali bich., Mercurius, Nux vom., Petroleum, Phosphoricum ac., Pulsatilla, Rhus tox., Sulphur.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Desires bitter drinks: Aconitum, Natrum mur.
brandy: Aconitum, Arnica, Arsenicum, Cinchona, Nux vom., Oleander, Opium, Staphisagria, Sulphur, Sulphuricum ac., Theridion.
bread: Ammonium carb., Bovista, Cina, Colocynthis, Ferrum, Ignatia, Magnesia carb., Sabadilla, Staphisagria.
rye: Ignatia.
boiled in milk: Abrotanum, Staphisagria.
chalk: Alumina, Nitri ac., Nux vom.
charcoal: Alumina, Cicuta.
cheese (strong): Argentum nit.
cloves: Alumina.
coarse food: Abies can.
coffee: Arsenicum, Aurum, Bryonia, Capsicum, Carbo veg., Conium, Lachesis, Mezereum.
coffee-grounds: Alumina.
roasted: Cinchona, Sabina.
cold drinks (see also "Thirst"): Aconitum, Actæa rac., Ailanthus, Antimonium crud., Arnica, Belladonna, Bismuthum, Bovista, Bryonia, Cannabis ind., Causticum, Chamomilla, Cinchona, Cocculus, Crocus, Cuprum, Dulcamara, Eupatorium perf., Eupatorium, Fluoricum ac., Glonoinum, Graphites, Helleborus, Mancinella, Mercurius, Natrum carb., Natrum sulph., Oleander, Phosphorus, Podophyllum, Rhus tox., Ruta, Silicea, Squilla, Theridion, Thuya, Veratrum.
food: Ammonium carb., Bovista, Phosphorus, Silicea, Thuya, Veratrum.
earth: Nitri ac.
eggs: Calcarea ost.
fish: Natrum mur., Nitri ac., Pulsatilla.
food, fatty: Arsenicum, Mezereum, Nitri ac., Nux vom.
coarse: Abies can.
liquid: Staphisagria.
juicy: Aloes, Cinchona, Mercurius, Phosphorus, Veratrum.
warm: Phosphoricum ac.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Desires food cold: Ammonium carb., Bovista, Phosphorus, Silicea, Thuya, Veratrum.
unusual: Alumina, Chelidonium, Cina, Ignatia.
highly seasoned: Cinchona, Hepar, Rhus tox., Sanguinaria.
salty: Calcarea ost., Carbo veg., Conium, Mephitis, Mercurius iod. rub., Natrum carb., Nitri ac., Pulsatilla, Veratrum.
vegetables: Alumina.
fruit: Aloes, Alumina, Antimonium tart., Cistus can. ,Guaiacum, Sulphuricum ac., Veratrum.
ham-fat: Mezereum.
herring: Nitri ac., Pulsatilla.
ice: Natrum sulph.
ice-cream: Eupatorium perf., Phosphorus.
indigestible articles: Alumina, Nitri ac.
juicy food: Aloes, Cinchona, Mercurius, Phosphoricum ac., Veratrum.
lard: Arsenicum.
lemonade: Belladonna, Borax, Chamomilla, Cinchona, Eupatorium purp., Secale.
lemons: Belladonna.
lime: Nitri ac.
meat: Abies can., Kreosotum, Lilium tig., Magnesia carb.
smoked: Kreosotum, Nitri ac., Pulsatilla.
milk: Apis, Arsenicum, Aurum, Bryonia, Chelidonium, Mercurius, Natrum mur., Phosphoricum ac.
pickles: Abies can., Antimonium crud., Cistus can., Hepar, Hypericum, Sepia.
rags, clean, white: Alumina.
rice, dry: Alumina.
smoked meat and fish: Kreosotum, Nitri ac., Pulsatilla.
soup: Staphisagria.
sour things: Abies can., Antimonium crud., Alumina, Antimonium tart., Apis, Arnica, Arsenicum, Borax, Bromium, Carbo veg., Chamomilla, Chelidonium, Cinchona, Cistus can., Conium, Hepar, Ignatia, Kali bich., Kali carb., Magnesia carb., Mercurius iod.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

flav., Ptelea, Pulsatilla, Sabina, Secale, Sepia, Squilla, Theridion.

Desires starch: Alumina.

sweet things: Ammonium carb., Argentum nit., Bryonia, Calcarea ost., Carbo veg., Cinchona, Ipecacuanha, Kali carb., Lycopodium, Magnesia mur., Mercurius, Rhus tox., Sabadilla, Silicea, Sulphur.

sugar: Argentum nit.

tea-grounds: Alumina.

tobacco-smoke: Glonoinum, Staphisagria.

vegetables: Alumina.

warm drinks: Caladium, Hypericum, Sabadilla.

food: Phosphoricum ac.

wine: Aconitum, Æthusa, Argentum met., Arnica, Asafœtida, Aurum, Bryonia, Calcarea ost., Chelidonium, Fluoricum ac., Hepar.

water, cold. (See "Cold Drinks.")

Aversion to acids: Belladonna, Cocculus, Ferrum, Sabadilla.

alcoholic drinks: Ignatia, Mercurius, Phosphoricum ac., Rhus tox.

beer: Alumina, Asafœtida (tastes slimy), Belladonna, Chamomilla, Cinchona, Clematis, Cocculus, Ferrum, Phosphoricum ac., Stannum.

bread: Cinchona, Lilium tig., Natrum mur., Natrum sulph., Nitri ac., Nux vom., Pulsatilla.

rye: Kali carb., Lycopodium.

with butter: Cyclamen.

broth: Arnica.

butter: Arsenicum, Cinchona, Cyclamen, Ptelea.

cold water: Bromium, Caladium, Hamamelis, Hyoscyamus, Nux vom.

camphor: Belladonna.

coffee: Belladonna, Chamomilla, Coffea, Fluoricum ac., Lilium tig., Lycopodium, Mercurius, Natrum mur., Nux vom., Phosphoricum ac., Sabadilla.

cheese: Chelidonium.

drinks of all kinds: Belladonna, Berberis, Cannabis ind., Cantharides, Causticum, Cocculus, Helleborus, Lachesis, Laurocerasus, Lycopodium, Sabadilla.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Aversion to drinks, alcoholic: Ignatia, Mercurius, Phosphoricum ac., Rhus tox.
warm: Chamomilla.
fish: Graphites, Zincum.
food, all: Aconitum, Antimonium crud., Argentum met., Arnica, Arsenicum, Asafœtida, Asarum, Benzoicum ac., Cantharides, Capsicum, Cinchona, Colchicum, Colocynthis, Cyclamen, Eupatorium perf., Guaiacum, Helleborus, Ipecacuanha, Kali carb., Manganum acet., Natrum ars., Opium, Sabina, Sarsaparilla, Secale, Sepia, Tabacum.
salted: Graphites, Selenium.
sight of: Colchicum, Mercurius iod. flav.
smell of: Colchicum.
rich: Ptelea.
fatty: Carbo an., Carbo veg., Cinchona, Cyclamen, Drosera, Hepar, Mercurius, Petroleum, Psorinum, Ptelea, Pulsatilla, Secale.
sweet: Causticum, Phosphorus, Sanguinaria, Zincum.
warm: Cinchona, Ferrum, Graphites, Ignatia, Lycopodium, Petroleum, Silicea, Veratrum, Zincum.
acid: Belladonna, Cocculus, Ferrum, Sabadilla.
formerly enjoyed: Natrum mur., Ptelea.
meat: Aloes, Alumina, Arnica, Aurum, Calcarea ost., Carbo veg., Chelidonium, Cinchona, Ferrum, Graphites, Ignatia, Kali bich., Kreosotum, Lachnanthes, Lycopodium, Mercurius, Muriaticum ac., Niccolum, Nitri ac., Petroleum, Phosphorus, Ptelea, Pulsatilla, Rhus tox., Sabadilla, Secale, Sepia, Silicea, Sulphur, Zincum.
milk: Arnica, Bryonia, Carbo veg., Guaiacum, Natrum carb., Pulsatilla.
pork: Drosera, Psorinum, Pulsatilla.
puddings, rich: Ptelea.
salt: Graphites, Selenium.
sour things: Belladonna, Cocculus, Ferrum, Sabadilla.
sweets: Causticum, Phosphorus, Sanguinaria, Zincum.
tobacco-smoke: Antimonium tart., Argentum met., Arnica,

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Borax, Bromium, Calcarea ost., Ignatia, Lycopodium, Nux vom., Zingiber.

Aversion to warm drinks: Chamomilla.

food: Cinchona, Ferrum, Graphites, Ignatia, Lycopodium, Petroleum, Silicea, Veratrum, Zincum.

wine: Mercurius, Phosphoricum ac., Sabadilla.

Child refuses mother's milk: Stannum.

Digitized by UNIVERSITY OF MICHIGAN

Original from UNIVERSITY OF MICHIGAN

REPERTORY OF OUTER CHEST.

S. F. SHANNON, SEWICKLEY, PA.

Abscess of mammæ: Aceticum ac. (threatened), Arnica, Phytolacca, Silicea.

Aching pains: Angustura, Arnica, Arum triph., Asterias, Borax, Calcarea phos., Calendula, Carbo veg., Chininum ars., Clematis, Eupatorium perf., Hamamelis, Helonias, Phytolacca, Rumex.

Acne on chest: Drosera.

Aggravation, after weaning, soreness of breasts: Allium sat., Calcarea ost., Dulcamara, Pulsatilla.

bending over, stooping: Carduus mar., Cornus, Gratiola, Manganum.

cold weather: Clematis.

coughing: Allium sat., Alumina, Arnica, Arsenicum hydr., Borax, Bryonia, Eupatorium perf., Ferrum mur., Mephitis, Nitri ac.

expiration: Carduus mar., Castoreum.

increasing moon: Clematis.

jar or jolt: Belladonna.

locality, axillæ: Argentum met., Astacus, Asterias, Aurum met., Belladonna, Borax, Bovista, Cadmium sulph., Calendula, Carbo an., Carbo veg., Carbolic ac., Clematis, Coccus cact., Condurango, Conium, Digitalis, Dulcamara, Rhododendron, Rumex, Sabadilla, Selenium, Silicea, Squilla.

clavicles: Alumen, Ammonium brom., Bromium, Calcarea phos., Carbolicum ac., Coccus, Ferrum met., Pulsatilla, Spigelia, Thuya.

intercostals: Amanita, Arnica, Arsenicum hydr., Asafœtida, Asclepias, Brachyglottis, Cainca, Carduus mar., Chelidonium, Chininum sulph., Gymnocladus,

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hekla lava, Jacea, Phytolacca, Ranunculus scel., Rhus tox.

Aggravation, locality, mammæ: Aconitum, Alumina, Ambra gris., Arnica, Arsenicum alb., Asafœtida, Baryta carb., Belladonna, Borax, Bryonia, Calcarea ostr., Camphora, Cannabis, Carbo an., Carbo veg., Causticum, Chamomilla, Clematis, Cocculus, Colocynthis, Conium, Creosote, Crocus, Cuprum, Digitalis, Dulcamara, Ferrum, Graphites, Guaiacum, Hepar, Iodium, Kali bich., Kali carb., Laurocerasus, Lycopodium, Manganum, Mercurius, Mezereum, Natrum mur., Nitri ac., Nux mosch., Nux vom., Opium, Petroleum, Phosphorus, Phosphoricum ac., Plumbum, Pulsatilla, Ranunculus scel., Rheum, Rhus tox., Ruta, Sabina, Sambucus, Sepia, Silicea, Sulphur, Thuya, Veratrum alb., Zincum.

nipples: Aconitum, Agaricus, Arnica, Baptisia, Belladonna, Berberis, Bismuthum, Borax, Bryonia, Calendula, Calcarea ostr., Camphora, Carbo an., Causticum, Chamomilla, Cicuta, Cocculus, Conium, Crocus, Graphites, Hepar, Ignatia, Lycopodium, Manganum, Mercurius, Mezereum, Muriaticum ac., Nitri ac., Nux vom., Paris, Petroleum, Phosphorus, Phosphoricum ac., Phytolacca, Plumbum, Psorinum, Pulsatilla, Ranunculus scel., Rheum, Rhus tox., Sabadilla, Sabina, Sarsaparilla, Sepia, Silicea, Sulphur, Thuya, Zincum.

muscles of chest: Allium sat., Apis, Argentum nit., Arsenicum met., Berberis, Bryonia, Cactus, Calcarea ostr., Coccus cact., Colchicum, Drosera, Eupatorium perf., Ferrum met., Gelsemium, Graphites, Hamamelis, Hyoscyamus, Laurocerasus, Mezereum, Nitri ac., Phosphorus, Phosphoricum ac., Pulsatilla, Ranunculus bulb., Ranunculus scel., Rhus tox., Ruta, Sabina, Scilla, Sepia, Spigelia, Staphisagria, Strontian, Sulphur, Valeriana, Veratrum, Viola od., Zincum.

pectoral gland: Berberis.

pectoral muscles: Allium sat., Angustura, Arsenicum

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

met., Borax, Brachyglottis, Carduus mar., Chelidonium, Colchicum, Daphne, Ferrum phosph., Helleborus, Hypericum, Ledum, Mezereum, Plumbum, Physostigma, Rhododendron, Staphisagria, Strychninum, Tarantula.

Aggravation, locality, præcordial region: Bryonia.

ribs: Aloes, Alumen, Apis, Ambra, Argentum met., Arsenicum hydr., Asclepias, Borax, Caladium, Carbolicum ac., Carduus, Chelidonium, Chininum sulph., Comocladia, Gambogia, Guaiacum, Hypericum, Illicium, Jacea, Lobelia, Natrum sulph., Phytolacca.

scapulæ: Berberis, Croton tig., Lilium tig., Lobelia.

sternum: Æsculus hipp., Agnus cast., Amanita, Ammonium carb., Arsenicum, Arsenicum hydr., Asclepias, Asimina, Astacus, Baptisia, Borax, Bryonia, Cactus, Calcarea phos., Calcarea sulph., Cantharides, Capsicum, Carbo an., Carbo veg., Castoreum, Causticum, Circuta vir., Cimex, Cinchona, Conium, Corallia, Cyclamen, Drosera, Eupatorum perf., Gambogia, Jacea, Kreosotum, Ledum, Lobelia, Mancinella, Nitri ac., Oleander, Phytolacca, Rhododendron, Ruta, Sambucus, Sanguinaria, Sarsaparilla, Sulphuricum ac., Sulphur.

throat-pit: Argentum nit., Calcarea phos., Cascarilla.

xiphoid cartilage: Agnus cast., Asafœtida.

motion: Agnus cast., Alumina, Amanita, Angustura, Armoracea, Arnica, Asafœtida, Asterias, Bryonia, Cactus, Calcarea ost., Capsicum, Castor equo., Carduus mar., Cinchona, Conium, Codeinum, Cornus flor., Drosera, Eupatorium perf., Graphites, Gratiola, Hamamelis, Hepar, Kali bich., Laurocerasus, Lilium tig., Manganum, Mephitis, Nitri ac., Ranunculus bulb., Secale, Spongia.

at menstrual period: Mercurius.

pressure, touch: Ailanthus, Angustura, Armoracea, Arsenicum hydr., Arsenicum iod., Asclepias, Asimina, Baryta carb., Benzoicum ac., Brachyglottis, Bryonia,

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Cactus, Calcarea ost., Calcarea phos., Carbo an., Castor equ., Causticum, Chamomilla, Chininum sulph., Cimex, Cinchona, Cistus, Colchicum, Conium, Croton tig., Cuprum met., Dioscorea, Elaps, Euphorbia, Graphites, Helonias, Mephitis, Phytolacca, Ranunculus bulb., Ranunculus scel., Rhododendron, Sanguinaria, Sepia, Silicea, Sulphur, Zincum.

Aggravation at menstrual period, rubbing: Conium.
time of day, 5 to 6 A.M.: Bovista.
after breakfast: Hypericum.
morning: Cocculus, Graphites, Nitrum.
noon: Amanita.
afternoon: Hamamelis.
4 P.M.: Asclepias.
4 to 7 P.M: Chininum sulph.
evening: Hamamelis.
night: Amanita, Bromium, Calcarea ost., Clematis, Conium, Hamamelis, Sepia.
time of year, Spring: Natrum sulph.
urinating, while: Clematis.
walking out after thawing weather: Mercurius biniod.
walking up or down-stairs: Hepar.
walking up-stairs: Castor equ.
walking down-stairs: Alumina.
weaning, after: Allium sat., Calcarea ost., Dulcamara, Pulsatilla.
Air, chest sensitive to cold air: Cactus, Cistus, Helonias.
sensation as of air streaming from nipples: Cyclamen.
Amelioration, by inspiration: Kreosotum.
by motion: Arsenicum, Cactus (gentle), Comocladia.
by perspiring: Arsenicum hydr.
by pressure: Arnica, Arsenicum hydr., Borax, Bryonia, Cimicifuga, Drosera, Eupatorium perf., Kreosotum, Mercurius, Natrum mur., Natrum sulph., Phosphorus, Ranunculus bulb., Sepia.
by rubbing: Castor equ.
by scratching: Castor equ.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Amelioration by supporting chest with hands: Actæa rac., Arnica, Borax, Bryonia, Drosera, Eupatorium perf., Kreosotum, Mercurius, Natrum mur., Natrum sulph., Phosphorus, Ranunculus bulb., Sepia.
by throwing head back: Asterias.
washing chest with cold water: Borax.
Aphthous nipples: Borax.
Atrophy of mammæ: Arsenicum iod., Chelidonium, Conium, Kali hydr., Kreosotum, Nitri ac.
Attacks, cause of, cold or dampness: Colchicum, Phytolacca, Rhus tox.
excessive secretion of milk: Arundo.
Axillæ, glands indurated: Asterias, Aurum met., Carbo an., Carbo veg., Clematis.
glands of, suppurate: Cadmium sulph.
glands of, swollen: Belladonna, Calendula, Clematis, Conium, Condurango.
itching and soreness in: Asterias, Carbo veg.
pressure and tension in: Astacus.
pain in left axilla: Coccus, Rumex.
in and below right axilla: Digitalis.
sweat in: Bovista, Carbolicum ac., Dulcamara, Rhododendron, Sabadilla, Selenium, Silicea, Squilla.
ulcer in left axilla: Borax.
Black pores on chest: Drosera.
Bleeding of nipples, male: Graphites.
of nipples, female: Alumen, Arsenicum, Bufo, Calcarea ost., Carbo an., Clematis, Graphites, Hepar, Hydrastis, Phytolacca.
Blisters on chest: Arsenicum met.
Blue skin on chest: Cuprum met.
on clavicles: Thuya.
Boils on chest: Ammonium, Argentum met., Cinchona, Hepar.
Boring pain: Bismuthum.
Breathing deeply, worse from: Agnus cast., Amanita, Angustura, Armoracea, Arnica, Asafœtida, Asterias, Bryonia, Cactus, Calcarea ost., Capsicum, Cinchona, Codeinum, Conium, Cornus, Drosera, Eupatorium

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

perf., Graphites, Hamamelis, Kali bich., Laurocerasus, Lilium tig., Mephitis, Nitri ac., Ranunculus bulb., Secale, Spongia.

Bruised, beaten, pain as if: Aloes, Alumen, Alumina, Apis, Arnica, Arsenicum hydr., Arum triph., Baptisia, Bryonia, Calcarea ost., Cannabis sat., Causticum, Chamomilla, Coccus, Daphne, Doryphora, Elaps, Ferrum met., Ferrum mur., Gambogia, Magnesia carb., Manganum, Mercurius, Nitri ac., Pulsatilla, Ranunculus bulb., Ranunculus scel., Sarsaparilla, Sepia, Sulphuricum ac.

Burning pains: Angustura, Arsenicum, Asarum, Baptisia, Bismuthum, Bovista, Bryonia, Calcarea phos., Carbo an., Carbo veg., Castor equ., Chininum ars., Cina, Cinchona, Coccus, Comocladia, Conium, Cuprum, Dioscorea, Dolichos, Drosera, Hypericum, Laurocerasus, Phosphoricum ac., Sanguinaria, Silicea, Sulphur.

on chest: Ambra gris., Ammonium carb., Ammonium mur. (left), Angustura, Bryonia, Cantharides, Castor equo., Cina, Drosera, Laurocerasus, Rumex.

in mammæ: Actæa rac., Aconite, Apis, Arsenicum, Bryonia, Calcarea phos., Laurocerasus, Lycopodium, Silicea, Sulphur.

in nipples: Agaricus, Amanita, Arundo, Benzoicum ac., Comocladia, Psorinum, Silicea, Sulphur.

in sternum: Carbo veg., Cactus, Coccus, Sanguinaria.

Cancer of mammæ: Alumen, Arsenicum, Bufo, Calcarea ost., Carbo an., Clematis, Graphites, Hepar, Hydrastis, Phytolacca.

Carcinoma of mammæ: Aurum mur. nat., Badiaga, Carbo an., Condurango.

Caries of sternum: Conium.

Cartilages of ribs, affections of: Argentum met., Comocladia.

Chapping of nipples: Sulphur.

Character of pains, aching: Angustura, Arnica, Arum triph., Asterias, Borax, Calcarea phos., Calendula, Carbo veg., Chininum ars., Clematis, Eupatorium perf., Hamamelis, Helonias, Phytolacca, Rumex.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Character of pains, beaten, bruised as if: Aloes, Alumen, Alumina, Apis, Arsenicum, Arsenicum hydr., Arum tri., Baptisia, Bryonia, Calcarea ost., Cannabis sat., Causticum, Chamomilla, Coccus, Daphne, Doryphora, Elaps, Ferrum met., Ferrum mur., Gambogia, Magnesia carb., Manganum, Mercurius, Nitri ac., Pulsatilla, Ranunculus bulb., Ranunculus scel., Sarsaparilla, Sepia, Sulphuricum ac.

boring: Bismuthum.

burning: Angustura, Arsenicum, Asarum, Baptisia, Bismuthum, Bovista, Bryonia, Calcarea phos., Carbo an., Carbo veg., Castor equ., Chininum ars., Cina, Cinchona, Coccus, Comocladia, Conium, Cuprum, Dioscorea, Dolichos, Drosera, Hypericum, Laurocerasus, Phosphoricum ac., Sanguinaria, Silicea, Sulphur.

constrictive: Amanita, Arsenicum hydr., Borax, Cactus, Capsicum, Carbolicum ac., Causticum, Glonoinum, Lilium tig., Phytolacca.

contracted as if: Amanita, Cyclamen, Mezereum.

corroding: Belladonna, Berberis.

cramplike: Castoreum, Cocculus, Comocladia, Lilium tig., Mezereum, Nitri ac., Phosphoricum ac., Sanguinaria, Secale.

cutting: Angustura, Dioscorea, Gambogia, Hydrastis, Lilium tig.

darting: Carbo an., Colchicum, Gratiola, Silicea.

digging: Cannabis sat.

dragging: Cornus.

drawing: Abrotanum, Asterias, Bromium, Cactus, Cadmium sulph., Calendula, Carbo an., Carbo veg., Carduus mar., Chamomilla, Comocladia, Ferrum met.

drawn, as if drawn backward by a string: Crocus.

dull: Asterias, Carbolicum ac., Conium, Kali bich., Oleander.

flying: Brachyglottis.

gnawing: Belladonna.

grasping: Armoracea.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Character of pains, griping: Borax, Cornus.
itching: Agaricus, Alumina, Amanita, Ammonium mur., Anacardium, Antimonium crud., Arsenicum, Asterias, Cactus, Calcarea ost., Castor equ., Causticum, Coccus, Conium, Cornus, Dolichos, Fluoricum ac., Formica, Petroleum, Sepia, Silicea.
jerking: Crocus.
lacerating: Chamomilla.
lancinating: Asterias, Bromium, Chelidonium, Ferrum iod., Lachesis, Phosphorus.
piercing: Conium.
pressing: Amanita, Argentum met., Berberis, Brachyglottis, Bromium, Bryonia, Cainca, Calcarea ars., Calcarea phos., Calendula, Camphora, Coccus, Comocladia, Hypericum, Kreosotum, Lobelia, Phosphoricum ac., Sabina, Sambucus.
pricking: Arundo, Borax, Calcarea ost., Phosphoricum ac.
pulsating: Belladonna, Berberis, Comocladia, Sticta.
rheumatic: Arsenicum hydr., Bryonia, Cadmium sulph., Pulsatilla.
scraping: Cimex.
shooting: Amanita, Brachyglottis, Calcarea phos., Colchicum, Cornus.
soreness: Alumen, Amanita, Asclepias, Asimina, Baryta carb., Bryonia, Calcarea ost., Calcarea phos., Carbo veg., Causticum, Chelidonium, Cicuta, Cimex, Coccus, Daphne, Drosera, Eupatorium perf., Ferrum met., Kreosotum, Magnesia carb., Mercurius, Nitri ac., Ranunculus bulb., Ranunculus scel., Rhododendron, Rumex, Ruta, Sanguinaria, Stannum, Sulphuricum ac.
sticking: Amanita, Apis, Causticum, Ferrum met., Mercurius biniod.
sprained, as if: Kalmia.
stinging: Æthusa, Amanita, Augustura, Apis, Belladonna, Borax, Camphora, Carbo an., Chininum sulph., Colchicum, Graphites, Hepar, Hypericum.
stitch: Allium sat., Amanita, Angustura, Apis, Arnica,

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Arsenicum met., Baptisia, Bromium, Camphora, Cantharis, Cannabis ind., Carduus mar., Chelidonium, Cina, Cinchona, Conium, Crocus, Cyclamen, Digitalis, Euphorbia, Ferrum met., Gambogia, Guaiacum, Gymnocladus, Hypericum, Jacea, Kreosotum, Lycopodium, Mancinella, Oleander, Ranunculus scel., Rumex, Sanguinaria, Spigelia.

Character of pains, suppurating, as if: Calcarea ost.

tearing: Æsculus hipp., Amanita, Bromium, Bryonia, Bufo, Calcarea phos., Camphora, Carbo an., Carbo veg., Chamomilla, Chininum sulph., Cinchona, Colchicum.

tensive: Berberis, Bryonia, Rhus tox.

throbbing: Amanita, Belladonna, Brachyglottis, Silicea.

tingling: Carbolicum ac., Rhus tox.

ulcerating, as if: Asterias, Calcarea ost., Mercurius.

Chest, blisters on: Arsenicum met.

boils on: Ammonium carb., Argentum met., Cinchona, Hepar.

bruised, pain as if: Aloes, Alumina, Apis, Argentum met., Bryonia, Chamomilla, Doryphora, Ferrum met., Manganum, Ranunculus bulb., Ranunculus scel., Stannum.

burning on: Ambra, Ammonium carb., Ammonium mur., Angustura, Asarum, Bryonia, Cantharis, Castor equo., Cina, Drosera, Laurocerasus, Rumex.

chilliness of: Abrotanum, Alumina, Amanita, Arsenicum, Arsenicum met., Bryonia, Guaiacum, Natrum carb.

chill spreads from: Cicuta, Conium, Spigelia.

cramps in: Cocculus, Mezereum, Phosphoricum ac., Sanguinaria, Secale.

deformity of (rachitic): Calcarea ost.

dropsy of: Helleborus.

eruptions on, miliary, brown: Mezereum, Sepia.

red: Chelidonium.

white: Apis, Valeriana.

yellow: Arsenicum, Carbo veg., Lycopodium, Phosphorus.

pimples: Amanita, Anacardium, Baryta carb., Berberis,

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Cistus, Condurango, Dulcamara, Graphites, Ledum, Mercurius prot.

Chest, eruptions, pustules: Baryta carb.

rash: Amanita, Ammonium carb. (red), Anacardium, Anagallis, Asterias, Caladium, Camphora, Causticum, Cornus, Dolichos, Hyoscyamus, Ledum, Mercurius prot., Sabadilla, Silicea, Stramonium (typhoid).

roseola: Hyoscyamus, Mercurius prot.

scaly: Fluoricum ac.

scurfy: Mezereum, Petroleum.

front of, pains worse in: Borax, Carduus mar., Comocladia, Helonias.

fulness in: Cactus.

left side of, pains worse in: Actæa rac., Aloes, Alumen, Arnica, Arsenicum, Arsenicum hydr., Arsenicum met., Arum, Bromium, Bryonia, Cactus, Carbolicum ac., Carduus mar., Causticum, Conium, Crocus, Digitalis, Ferrum met., Graphites, Hamamelis, Hypericum, Lilium tig., Lobelia, Mercurius bin., Natrum sulph.

lower, pains worse in: Asimina, Carduus mar., Chelidonium, Cicuta, Lobelia, Nitri ac.

middle, pains worse in: Arnica, Bismuthum, Drosera.

muscles of, pains in: Allium sat., Apis, Arsenicum met., Berberis, Bryonia, Cactus, Calcarea ost., Cicuta, Coccus, Colchicum, Drosera, Eupatorium perf., Ferrum met., Ferrum phos., Gelsemium, Graphites, Hamamelis, Hyoscyamus, Laurocerasus, Ledum, Plumbum, Physostigma, Rhododendron, Staphisagria, Strychnia, Tarentula.

rigidity of: Aconite.

nodules on: Nitri ac.

oppression of: Cetraria, Chelidonium, Clematis, Colchicum, Nitrum, Nux mosch., Nux vom., Sepia.

pimples on: Amanita: Anacardium, Baryta carb., Berberis, Cistus, Condurango, Dulcamara, Graphites, Ledum, Mercurius prot.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Chest, pores, black, on: Drosera.
rash on: Amanita, Ammonium carb., Anacardium, Anagallis, Asterias, Caladium, Camphora, Causticum, Cornus, Dolichos, Hyoscyamus, Ledum, Mercurius prot., Sabadilla, Silicea, Stramonium (typhoid).
raw feeling of: Arsenicum alb.
right, pains worse in side of: Actæa rac., Allium sat., Amanita, Angustura, Arnica, Borax, Bromium, Calcarea ost., Chelidonium, Cina, Colchicum, Comocladia, Conium, Ferrum iod., Hypericum, Kali bich.
roscola on: Hyoscyamus, Mercurius prot.
sensation of tightness across: Cactus, Causticum, Phosphorus, Silicea.
of weight on: Armoracea, Cainca, Castoreum, Euphorbia, Gambogia, Nux mosch., Nux vom., Phosphoricum ac.
sensitive to cold air: Cactus, Cistus, Helonias.
to pressure, touch: Ailanthus, Angustura, Armoracea, Arsenicum hyd., Asclepias, Baryta carb., Benzoicum ac., Brachyglottis, Bromium, Bryonia, Cactus, Calcarea phos., Carbo an., Causticum, Chininum sulph., Cinchona, Cistus, Conium, Croton tig., Cuprum met., Dioscorea, Drosera, Elaps, Euphorbia, Mephitis, Ranunculus bulb., Ranunculus scel., Rhododendron, Sanguinaria, Sepia.
skin on chest blue: Cuprum met.
soreness of muscles of, Alumen, Amanita, Asclepias, Asimina, Baryta carb., Bryonia, Calcarea ost., Calcarea phos., Carbo veg., Causticum, Chelidonium, Cicuta, Cimex, Coccus, Daphne, Drosera, Eupatorium perf., Ferrum met., Kreosotum, Magnesia carb., Mercurius, Nitri ac., Ranunculus bulb., Ranunculus scel., Rhododendron, Rumex, Ruta, Sanguinaria, Stannum, Sulphuricum ac.
spots on, brownish: Cadmium sulph., Sepia.
red: Ammonium carb., Cinnabar, Coccus, Stramonium.
yellow: Arsenicum, Carbo veg., Lycopodium, Phosphorus.
stitches in: Allium sat., Amanita, Angustura, Apis, Arnica,

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Arsenicum met., Baptisia, Bromium, Camphora, Cannabis ind., Cantharis, Chelidonium, Cina, Cinchona, Conium, Crocus, Cyclamen, Digitalis, Drosera, Dulcamara, Ferrum met., Gymnocladus, Hypericum, Jacea, Kreosotum, Lycopodium, Mancinella, Oleander, Ranunculus scel., Rumex, Sanguinaria, Spigelia.

Chest, sweat on: Amanita, Argentum met., Arnica (red), Bovista, Calcarea ost., Camphora (cold), Capsicum, Carbo an., Carbolicum ac. (cold), Chelidonium (warm), Cimex, Cocculus, Glonoinum, Graphites, Nitri ac., Nitrum, Secale, Sepia.

tingling in: Carbolicum ac., Rhus tox.

warts on: Aurum met.

Chests of children, eruption on, like itch: Arundo.

Chill, begins on chest: Cicuta, Conïum, Spigelia.

Chilliness left side of thorax: Bryonia, Natrum carb.

Cicatrices in mammæ: Causticum, Graphites.

Clavicles: below left clavicle, pain: Alumen, Bromium, Calcarea phos., Ferrum met.

below clavicles: Calcarea phos.

pains in region of: Alumen, Ammonium brom., Bromium, Calcarea phos., Carbolicum ac., Coccus, Ferrum met., Pulsatilla, Spigelia, Thuya.

pressure below left: Bromium.

shooting pain under left: Spigelia.

skin on, blue: Thuya.

sore feeling below: Coccus, Ferrum met., Pulsatilla.

tearing in: Bromium.

ulcer over: Calcarea phos.

Cold air, chest sensitive to: Cactus, Cistus, Helonias.

Cold feeling in chest: Abrotanum, Amanita, Arsenicum alb., Bryonia.

Cold weather, worse in: Clematis.

Cold water, washing in, improves: Borax.

Constrictive sensation: Amanita, Arsenicum hydr., Borax, Cactus, Capsicum, Carbolicum ac., Causticum, Glonoinum, Lilium tig., Phytolacca.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Contraction, sensation of: Amanita, Cyclamen, Mezereum.
Corroding pains: Belladonna, Berberis.
Costal cartilages, affections of: Argentum met., Comocladia.
Coughing, worse when: Allium sat., Alumina, Arnica, Arsenicum hydr., Borax, Bryonia, Eupatorium perf., Ferrum met., Mephitis, Nitri ac.
Cramplike pains: Castoreum, Comocladia, Lilium tig., Mezereum, Nitri ac., Secale.
Cramps in chest: Cocculus, Mezereum, Phosphoricum ac., Sanguinaria, Secale.
Crawling sensation: Antimonium tart., Arsenicum hydr.
Cutting pains: Angustura, Dioscorea, Gambogia, Hydrastis, Lilium tig.
Darting pains: Carbo an., Colchicum, Gratiola, Silicea.
Descending stairs, worse when: Alumina.
Digging pains: Cannabis sat.
Direction of pain, left axilla to nipple: Dioscorea.
chest to fingers: Comocladia.
chest, centre of, to abdomen: Cornus.
chest, right, to axilla: China.
heart to right chest: Apis.
mammæ to axillæ: Bromium, Carbo an.
mammæ, left, to right, and down right arm: Elaps.
nipple, left, downward: Asclepias.
nipple over whole body: Phytolacca.
nipple to spine: Croton.
nipple to scapula: Croton, Lilium tig., Lobelia.
rib, second, right side to sternum: Bryonia.
rib, third, up: Guaiacum.
side to side of chest: Actæa rac., Calcarea sulph., Carduus mar.,
side, left, to axilla: Bromium, Carduus mar., Causticum, Lilium tig.
sides to sternum: Causticum.
spine to sternum: Chininum sulph.
Doubling up, worse from: Carduus mar., Cornus, Gratiola, Manganum.
Drawing pains: Abrotanum, Asterias, Bromium, Cactus, Cad-

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN