Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

TEXT BOOK

MATERIA MEDICA.

BY

AD: LIPPE, M.D.,

Professor of Materia Medica at the Homœopathic College of Pennsylvania.

PHILADELPHIA:

A. J. TAFEL, PUBLISHER,

No. 48 NORTH NINTH STREET,

1866.

Digitized by UNIVERSITY OF MICHIGAN

Original from UNIVERSITY OF MICHIGAN

Entered, according to Act of Congress, in the year 1866, by

A. J. TAFEL,

in the Clerk's Office of the District Court of the United States for the Eastern District of Pennsylvania.

JAS. B. RODGERS,
PRINTER,
52 & 54 North Sixth St.

Digitized by
UNIVERSITY OF MICHIGAN

Original from
UNIVERSITY OF MICHIGAN

PREFACE.

THIS work was originally prepared for the use of those attending the Lectures on the Materia Medica, in the Homœopathic Medical College of Pennsylvania, and at their request.

It contains the *characteristic* and *most prominent special symptoms* of the best proved and most used of our Medicines.

The distinction of symptoms, as the result of provings on the healthy (pathogenetic,) or as the result of clinical observations on the sick (curative,) or as belonging to both these classes, has not been retained in this work. Such distinctions belong exclusively to the complete Materia Medica, the study of which the present Text-book is intended to facilitate, not to supersede. And to a more thorough and satisfactory study and knowledge of Materia Medica than has been general of late years, it is sincerely hoped that this book may prove both an introduction and a guide.

So great is the multiplicity of symptoms, the result of provings, clinical corroborations and observations, with which our growing Materia Medica is overladen, that it seems little less than an impossibility to obtain a clear, discriminating view of each separate remedy.

The efforts previously made to overcome this difficulty, by *abridging* the Materia Medica, have proved but failures. Nor was it possible for them to have resulted otherwise, since they did not exhibit the essentially characteristic symptoms of the different medicines. They were attempts at mechanical sifting, weeding out, made without proper comprehension of the subject; which disappointed those who referred to them, and led them to demand a differently prepared and more reliable guide.

It is with the greatest reluctance that I have yielded to the requests of my professional friends and of those whom I have the pleasure of instructing, and endeavored to meet this demand. As only those who have undertaken such a work can truly realize its arduous nature, so no one can be more thoroughly conscious of its imperfections than is the author himself.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Those who have mastered the Materia Medica, the author is well aware, may be acquainted with characteristic symptoms unknown to him or overlooked by him; and he will thankfully receive and acknowledge such supplementary, characteristic and especial symptoms, for incorporation in the present work.

In presenting this Text-book to his colleagues, the author relies as well upon the intelligence as upon the charity of those most conversant with the subject; since while they will undoubtedly notice many omissions and much room for improvement, they will, at the same time, appreciate the formidable nature of the task which he has been induced to undertake.

The method and object of the work are different from those of any before published on the Homœopathic Materia Medica; but its arrangement is simple, varying but little from that originally adopted by Hahneman.

The first symptoms given are those of the mind, followed by those of the different parts of the body, beginning with the head,—which also includes giddiness,—and concluding with the feet. Then come the generalities, comprising the symptoms relating to the Nervous Systems and to the Circulation; these belonging to Sleep, Fever and the Skin; and finally, the most prominent conditions of Aggravation and Amelioration, from time, place and circumstance.

The usefulness of this book can only be determined by the practical test, to which it is respectfully submitted by

THE AUTHOR.

PHILADELPHIA, *December* 30th, 1865.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

ACONITUM NAPELLUS.

Mind and Disposition.

Great, inconsolable anxiety.
Complaining fear of approaching death; predicts the day he is to die.
Sensitive irritability.
Sadness.
5. Maliciousness.
Fitful mood, changing from one thing to another; now he is full of mirth, whistles and warbles a song; and then he is disposed to weep.
Delirium, especially at night—with ecstasy.
Fear of ghosts.

Head.

Vertigo when rising, with nausea; vanishing of sight; bleeding of the nose.
10. Congestion to the head, especially towards evening, with fullness and pulsation in the head, vanishing of sight, singing in the ears, red-hot face.
Inflammation of the brain—sensation of fulness and heaviness in the forehead, with the sensation as if the whole brain would start out of the eyes, with nausea and giddiness, aggravated by talking and from motion.
Burning head-ache, as if the brain was moved by boiling water.
Crampy sensation in the forehead over the root of the nose: it feels as if he would lose his senses.
Sensation of heat in the head, which perspires, with pale face.

Eyes.

15. Aversion to, or great desire for, light.
Ophthalmia, very painful, with blear-eyedness, or from foreign bodies having come into the eyes, (dust, sparks.)
Red, hard swelling of the eyelids.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Ears.

Tearing (left ear.)
Roaring in the ears.
20. Hearing very sensitive, noise is intolerable.

Nose.

Bleeding of the nose, especially in plethoric persons.

Face.

Red and hot.
Yellow.
Red and pale, alternately.
25. Redness of one cheek and paleness of the other.
When raising himself up, the red face becomes pale.
Perspiration on the side of the face on which he lies.
Tingling in the cheeks.
Lips dry and black, peeling off.

Teeth.

30. Toothache from cold, with throbbing in one side of the face, intense redness of the cheek, congestion of blood to the head, and great restlessness.

Mouth.

Dryness of the mouth and of the tongue.
Pricking and burning on the tongue.
Tongue coated white.
Trembling and stammering speech.

Throat.

35. Tingling in the œsophagus.
Acute inflammation of the throat (palate, tonsils and fauces) with high fever, dark redness of the parts, burning and stinging in the fauces.
Stinging in the throat when swallowing and coughing.
Almost entire inability to swallow, with hoarseness.

Appetite and Taste.

Taste bitter.
40. Every thing tastes bitter, except water.
Aversion to food.
Burning, unquenchable thirst.

Stomach.

Vomiting, with nausea and thirst, heat, profuse perspiration and increased micturition.
Vomiting of bloody mucus, or of what has been drunk, followed by thirst.
45. Pressure in the stomach and pit of the stomach, as from a weight or a hard stone.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Abdomen.

Tension, heaviness and pressure in the hypochondria.
Inflammation and sensation of soreness in the liver.
Pressure in the region of the liver, with obstruction of breathing.
Inflammation of the peritoneum, with restlessness, sleeplessness and thirst.
50. Inflammation of the bowels, with burning, tearing pain.
Inflammation of the hernial stricture, with vomiting of bile.

Stool and Anus.

Frequent small stools with tenesmus.
Watery diarrhœa.
Stools, white with dark red urine.

Urinary Organs.

55. Enuresis, with thirst.
Scanty, red, hot urine, without sediment.

Sexual Organs.

Men. Sexual desire either increased or decreased, with relaxed parts.
Testicles pain, as if bruised.
Women. Catamenia too profuse and too protracted.
60. Suppressed menstruation from fright.
After pains, too painful and too protracted.
Milk fever (with delirium.)
Puerperal peritonitis.

Larynx and Trachea.

Inflammation of Larynx and Bronchia.
65. Angina membranacea, with dry cough and quick breathing.
Short dry cough from titillation in the larynx.
Cough with stitches in the chest or small of the back.
Expectoration of bloody mucus.
Hæmoptysis.

Chest.

70. Shortness of breathing, especially when sleeping or raising one's self.
Anxious, labored, sobbing breathing.
Stitches through the chest and side, especially when breathing and coughing.
Pleurisy and Pneumonia, especially with great heat, much thirst, dry cough and great nervous excitability, only somewhat relieved when lying on the back.
Asthma of Millar.
75. Oppression of the chest preventing deep breathing.
Palpitation of the heart, with great anguish.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Inflammation of the heart.
Chronic diseases of the heart, with continuous pressure in the left side of the chest, oppressed breathing when moving fast and ascending steps, stitches in the region of the heart, congestions to the head; attacks of fainting and tingling in the fingers.

Back.

Pain, as if bruised in the small of the back.
80. Tingling in the back.

Upper Extremities.

Tingling in the fingers, even while writing.
Icy coldness of the hands.
Hot hands with cold feet.
Numbness in the left arm;—he can scarcely move the hand.

Lower Extremities.

85. The hip-joint feels as if bruised.
Drawing, tearing pains in the knee-joint.
Unsteadiness of the knees.
Coldness of the feet up to the ankles, or only of the toes, with perspiration of the toes and soles of the feet.

Generalities.

Fainting, especially when rising, with paleness of the cheeks, which were red when lying.
90. Sudden great sinking of strength.
Lameness (paralysis) (left side.)
Cataleptic attacks, with rigor of the body, loud lamentations and grinding of the teeth.
Burning in internal parts.
Congestions (head, chest, heart.)
95. Inflammations (serous membranes.)
Stinging pains in internal organs.
Tearing in external parts (Rheumatism.)
Tingling (fingers, œsophagus, cheeks, back.)
Painful sensitiveness of the body to contact: he does not wish to be touched.
100. Attacks of pain, with thirst and redness of the face.

Sleep.

Sleeplessness, with restlessness (eyes closed) and constant tossing about.
Anxious dreams, with much talking and moving while sleeping.
Nightmare.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Fever.

Pulse. Hard, full, frequent; sometimes intermitting; when slow, almost imperceptible (thread like.)

105. *Fever.* Sensation of coldness in the blood-vessels.
Chilliness. From being uncovered and from being touched.
Chilliness, with thirst.
Shuddering runs up from the feet to the chest.
Chill, with internal heat, anxiety and red cheeks.
110. *Heat*, with agonized tossing about.
Dry burning heat, generally extending from the head and face, with much thirst for cold drinks.
Heat, with inclination to uncover.
Heat, with chilliness at the same time.
Inflammatory fevers and inflammations, with much heat, dry burning skin, violent thirst, red face, or alternate red and pale face, nervous excitability, groaning and agonized tossing about, shortness of breath, and congestion to the head.
115. *Perspiration* over the whole body, especially the covered parts, smelling sour.

Skin.

Red, hot, swollen and shining skin, with violent pain.
Rash of children.
Burning in the skin.
Yellow face.

Conditions.

120. While at rest, he is better; but during the night, in bed, the pain is insupportable.
Bad effects from dry cold air, suppressed perspiration, from fright, with fear and anger.
Aggravation in the evening (chest symptoms) when lying on the (left) side; when rising; in the warm room.
Amelioration. In the open air (nervous symptoms); when sitting still (rheumatism.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

ÆTHUSA CYNAPIUM.

Mind and Disposition.

Bad humor, irritability, especially in the afternoon, and in the open air.
Anxiety.
Delirium.

Head.

Giddiness, with sleepiness.
Stitches and pulsations in the head.
Heaviness in the forehead.
Heat rises to the head; the body becomes warmer; the face becomes red and the giddiness ceases.
Sensation, as if both sides of the head were in a vice.

Eyes.

Eyes brilliant and protruding.
Pupils dilated and insensible.

Ears.

Stitches in the ears, especially in the right ear, as if something hot were streaming from it.

Face.

Tearing in the face, in the malar bones.

Throat.

Sensation of constriction, preventing deglutition.
Stinging in the throat, between the acts of deglutition.

Taste.

Taste sweetish, especially in the morning, when awaking.

Stomach.

Violent vomiting (in children) of curdled milk; of green mucus.
Violent vomiting, with diarrhœa—green mucus, or (in children) bloody substances.

Abdomen.

Sensation of coldness in the abdomen.
Black bluish swelling of the abdomen.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stool.

20. Loose stools, preceded by cutting in the abdomen, with tenesmus in the morning, after rising.
Diarrhœa—discharges green, thin, bilious, with violent tenesmus.
Bloody stools.

Back.

Sensation, as if the small of the back were in a vice.

Generalities.

Epileptic spasms, with clenched thumb, red face, eyes turned downwards, pupils fixed, dilated, foam at the mouth, jaws locked, small, hard and quick pulse.
25. Spasms, with stupor and delirium.

Sleep.

Sleepiness all day; sometimes better in the open air.

Conditions.

Coldness, stiffness and rigor of the limbs.
Sensation of parts, as if they were in a vice (head, small of back.)

AGARICUS MUSCARIUS.

Mind and Disposition.

Indisposed to talk.
Indisposed to perform any kind of labor, especially mental.
Exuberant fancy.
Ecstasy.
5. Prophecy.
He makes verses.

Head.

Vertigo, giddiness, as from intoxication, especially in the morning, in the open air, and caused by the bright rays of the sun.
Sensation of heaviness, in the morning, as after intoxication.
Drawing head-ache in the morning, extending into the root of the nose.
10. Pressing in the (right) side of the head, as if a nail had been

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

thrust in; worse when sitting quietly; relieved by slowly moving about.
Great sensitiveness of the scalp, as from subcutaneous ulceration.
Itching of the hairy scalp, especially early in the morning, after rising.

Eyes.

Burning in the corners of the eyes.
Twitching of the eyelids and eyeballs.
A viscid yellow humor glues the eyelids together.
Narrowing of the intervals between the eyelids.
Muscæ volitantes.
Short-sightedness.
Black mote before the left eye.
He sees things double.

Ears.

Itching, burning and redness of the ears, as if they had been frozen.

Nose.

Bleeding of the nose in the morning, after blowing it.

Face.

Tearing in the face and jaw bones.
Twitching in the (right) cheek.
Pulsation in the cheeks.
Itching in the face, with redness and burning, as if frozen.

Teeth.

Tearing in the lower molar teeth, worse from cold air.
Gums painful and bleeding.

Mouth.

Smell from the mouth offensive, as from horse-radish.
Soreness of the tongue.
Tongue coated white.

Stool and Anus.

Stools pappy, with violent cutting in the abdomen, and discharge of much flatulency.
Itching in the anus, as from worms.

Chest.

Short breath and dyspnœa, making it very difficult to walk.

Back.

Sensation of soreness and great weakness in the back.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Upper Extremities.

Trembling of the hands.

Lower Extremities.

Heaviness of the legs.

Generalities.

Great debility, with trembling of the limbs.
Trembling.
40. Twitchings in the eyeballs, eyelids, cheeks, posteriorly in the chest, in the abdomen.
Epilepsy (with great exertions of strength.)
Great sensitiveness of the body to pressure and cold air.
Tearing pains, face, legs, continuous while at rest, disappearing while moving about.
Soreness and sensation of rawness, (nose, mouth.)
45. Itching, burning, and redness, (as if frost-bitten,) ears, nose, cheeks, fingers, toes.

Sleep.

Sleepiness in the day-time, especially after eating.

Fever.

Pulse. Accelerated in the morning, slower during the day, uneven, and sometimes intermitting.
Chilliness. Great chilliness in the open air.
Chilliness, with natural heat of the skin.
50. *Perspiration*, from the least exertion.

Skin.

Burning, itching, and redness, as if frost-bitten.
Miliary eruptions, close and white, with burning and itching.

Conditions.

Symptoms often appear diagonally, (right arm, left leg.)

AGNUS CASTUS.

Mind and Disposition.

Low-spirited, he fears approaching death.
Melancholic and hypochondriac mood.
Absent-minded.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Head.

Pain in the temple, as from a blow.
Heaviness in the head, and pressure, as if the head would fall forward.
Pain in the vertex, as from staying in a room filled with a thick and smoky atmosphere.
Tension and chilliness in the scalp, which is warm to the touch.

Eyes.

Corrosive itching over and on the eyebrows, on the eyelids and under the eyes.
Dilated pupils.

Ears.

Roaring in the ears.
Hardness of hearing.

Nose.

Odor before the nose, like herrings or musk.
Hard, aching pressing on the dorsum of the nose, relieved by pressure.

Face.

Corrosive itching of the cheeks, under the eyes, and on the chin.
Formication in the cheeks.

Mouth.

Ulcers in the mouth, and on the gums.
The teeth are painful, when touched by warm food or drink.

Appetite and Taste.

Thirstlessness and aversion to drink.
Metallic, coppery taste.

Stomach.

Nausea first in the pit of the stomach, later in the stomach, with the sensation as if all the intestines were pressing downwards.

Abdomen.

Swelling and induration of the spleen.
Ascites.
Rumbling of flatulence during sleep.

Stool and Anus.

Difficulty of passing soft stools.
When pressing at stool, discharge of prostatic fluid.
Sensation as of subcutaneous ulceration near the anus, only when walking.
Corrosive itching of the perineum.
Rhagades at the anus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Urine.

Frequent micturition.

Sexual Organs.

30. *Men.* Diminution of sexual powers, the penis is small and flaccid, the testicles are cold.
Yellow discharges from the urethra.
Gonorrhœa, with suppressed sexual desire.
Drawing along the spermatic cords.
Itching of the genital organs.
35. *Women.* Suppression of the menses, with drawing pain in the abdomen.
Sterility, with suppressed menses, and want of sexual desire.
Deficient secretion of milk in lying-in women.

Chest.

Hard pressure in the region of the sternum, especially during a deep inspiration.
Cough in the evening in bed, before going to sleep.

Upper Extremities.

40. Hard pressure in the (right) axilla and upper arm, increased by motion and contact.
Swelling of the finger joints, with arthritic, tearing pains.

Lower Extremities.

Lancinating pain in the right hip-joint.
Stitches in the legs, (left big toe.)
The feet easily turn, when walking on a stone pavement.

Generalities.

45. Great debility.
Inflammatory, rheumatic swelling of the joints.
Gouty nodosities.

Fever.

Pulse. Small, slow, imperceptible.
Chilliness, internal with trembling, the external skin is warm.
50. Much chilliness, with cold hands.
Heat. Flushes of burning heat, principally in the face, with cold knees in the evening in bed.
Perspiration. Almost only on the hands, when walking in the open air.

Skin.

Corrosive itching on different parts of the body, relieved by scratching, but it soon returns.
Itching around the ulcers, in the evening.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

ALLIUM CEPA.

Mind and Disposition.

Melancholy.
Fear that the pains would become unbearable.

Head.

Dulness.
Dull head-ache, with coryza; worse in the evening; better in the open air; but aggravated when returning to a warm room.

Eyes.

5. Flow of (mild) tears.
Redness of the eyes, with itching, burning and stinging, with inclination to rub them.
Swelling around the eyes.
Dulness of the eyes, with aversion to light and coryza.

Ears.

Earache.
10. Discharge of pus from the ear.
Hardness of hearing.

Nose.

Profuse watery discharge from the nose, with sneezing, acrid burning, excoriating the nose and upper lip.
Fluent coryza, with running of water from the eyes, head-ache, heat, thirst, cough, trembling of the hands; worse in the evening and in a room; better in the open air.
Bleeding of the nose.

Throat.

15. Sensation as of a lump in the throat.
Expectoration of a lumpy mucus through the posterior nares.

Abdomen.

Violent cutting pain in the left lower abdomen, with frequent desire to micturate, and burning micturition.

Stool and Anus.

Diarrhœa after midnight and in the morning.
Stitches in the rectum.
20. Rhagades at the anus.
Itching at the anus (worms.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Urinary Organs.

Pressure and other pains in the region of the bladder.
Sensation of weakness in the bladder and urethra.
Increased secretion of urine with coryza.
Urine red, with much pressure and burning in the urethra.

Chest.

25. Oppressed breathing, from pressure in the middle of the chest; worse in the evening.
Cough, when inhaling cold air.

Upper Extremities.

Trembling of the right hand.
Panaritium.

Lower Extremities.

Soreness; the skin is rubbed off by the shoes, especially on the heel.

Generalities.

30. Inflammation and increased secretions of the mucous membranes.
Stitches (head, eyes, ears, rectum, skin.)
Burning (eyelids, throat, nose, mouth, bladder, skin.)
Bad effects from wet feet.

Fever.

Pulse full and accelerated.
35. *Heat*, with rumbling in the abdomen, coryza and thirst.

ALOE.

Mind and Disposition.

Anxiety and ebullition.
Restlessness, fear, fear of man.
Bad humor, especially in cloudy weather.
He is dissatisfied and angry about himself; more so when he is constipated or when he suffers from pain; better in the open air.
5. Aversion to labor.
Children chat and laugh.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Head.

Giddiness and starts.
Giddiness, with anxiety when moving; he feels as if he were sitting too high (after dinner.)
Dulness in the forehead, with chilliness.
10. Pressure in the forehead and vertex, as from a weight.
Pressing pain above the eyes.
Congestions to the head, compelling one to sit up.
Stitches above the eyebrows.
Pressing out of the temples, with flickering before the eyes and heat in the face.
15. Stitches in the temples at every step.
Headache after pain in the abdomen; after (an insufficient) stool; worse from heat, better from cold.
Sensitiveness of the scalp (in small spots.)
With the pain in the forehead the eyes become small.

Eyes.

Congestion to the eyes; pressure in the orbits.
20. Lachrymation.

Ears.

Earache.
Stitches in the ears; first in the left ear, afterwards in the right ear.
Internal and external heat of the ears.
Cracking in the ears when reading aloud.

Nose.

25. Redness of the nose in the open, cold air.
Coldness of the point of the nose.
Bleeding of the nose in bed after awaking.
Dryness of the nose in the morning, in bed.

Face.

Heat of the face when excited, or during headache.
30. Face pale during cloudy weather.

Mouth.

Lips dry, peeling off, cracked, bleeding.
Yellow ulcers on the tongue.
Tongue painful.
When moving the tongue, stitches from below to the tip.
35. Dry tongue and mouth, with increased thirst and greater redness of the lips.
Tongue red and dry.

Teeth.

Great sensitiveness of a decayed molar tooth (lower) right side.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Throat.

Throat rough, scraped, hot, as if burnt.
Pain, when yawning, masticating solid food; worse in the evening, and in the morning, when awaking.
Thick lumps of tough mucus in the throat.

Appetite and Taste.

Taste bitter, sour, like ink.
Aversion to meat; desire for juicy things (fruits.)
Hunger unusually keen in the evening.
Thirst while eating, after eating, and during the night.
After eating flatulency, pulsations in the rectum, and sexual irritation.

Stomach.

Pain in the stomach after drinking water.
Sour things disagree with him.
Vomiting of blood.
Eructations; tasteless, bitter, sour.
Pain in the pit of the stomach from a mis-step.

Abdomen.

Tension in the region of the liver.
Pain in the liver, when standing; stitches in the liver, when drawing a long breath.
Congestion to the abdomen, (portal system.)
Sensation of fulness, heaviness, heat and inflammation.
The whole abdomen is painfully sensitive to the touch.
Bloated abdomen, more on the left side, or along the colon, worse after eating.
Pulsation in the region of the navel.
Pain around the navel, worse from pressure.
Rumbling in the abdomen.
Discharge of much flatulency, burning, smelling offensive, relieving the pain in the abdomen, after each meal, in the evening and morning, before stools.
Cutting in the abdomen, with disinclination to go into the open air, which relieves the pain.
The abdominal walls are painful when rising, pressing to stool, when touched, and when standing erect.
Heaviness, fulness, and pressing downwards in the pelvis.

Stool and Anus.

Sudden or continued desire to go to stool.
Continuous desire to go to stool.
Desire for a stool after each meal.
Rumbling and cramp in the abdomen, before and during stool.
The hard stool falls out without being noticed.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Involuntary soft stool, while passing wind.
With the diarrhœa, flatulency, pinching in the abdomen, pain in the back and rectum, and chilliness.
Stools like mush—thin, bright yellow, gray, hot, undigested.
During the stool, congestion to the head and red face, or hunger.
Heaviness, heat, pressing, burning in the rectum.
Mucus and blood in the fæces.
Itching, burning, pulsations, pain as from fissures, at the anus.
Hæmorrhoidal tumors protrude like bunches of grapes, very painful, sore, tender, hot, relieved by cold water.

Urine.

Increased secretion of urine, especially at night.

Sexual Organs.

Men. Increased sexual desire. Worse after awaking, after eating, in the evening.
Erections in the morning, and after passing water.
Involuntary emissions during the siesta, towards morning, followed by sexual excitement, micturition and stool, and restless sleep.
Penis shrunk, and testicles cold.
Women. Fulness and heaviness in the region of the uterus.
Labor-like pains drawing into the legs.
Catamenia too early, and too profuse.
During menstruation, headache, which is relieved by the application of cold water; ear-ache, pain in the small of the back, pressing down in the rectum.
Fulness in the pelvis.
Fluor albus.

Chest.

Congestion to the chest.
Breathing impeded by stitches in the left side of the chest.
Expectoration of blood.

Back.

Pain in the small of the back, worse when sitting, or when awaking at night, better when moving about.

Extremities.

Cold hands, with warm feet.

Generalities.

Great weakness, and weak pulse after vomiting.
Lameness in all the limbs.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

95. Pricking, dull twitching, drawing pain in the joints, (fingers, knees, elbows.)
Sensation of weakness in the joints of the hands and feet.
Pains of short duration, as if bruised or dislocated, (left forearm, right shoulder-blade, left ribs.)
Bad effects from sedentary habits.
Especially suitable for persons of a lymphatic or hypochondriac temperament.

Conditions.

100. *Aggravation.* When standing erect, or from sitting still, (small of the back.) Drinking vinegar, (colic.)
From motion, (nausea, pain in the abdomen.)
In the afternoon, especially the symptoms of the mucous membranes.
Amelioration, from cold water, (head.)
When walking.

ALUMINA.

Mind and Disposition.

Easily offended.
Disposition to shed tears.
Anxious and full of fears.
Alternate vivacity and thoughtfulness.
5. Great weakness of memory and inability to think coherently.

Head.

Reeling vertigo, as if he would fall over, with a faint feeling or nausea early in the morning, disappearing after breakfast.
Vertigo, with white stars before the eyes.
Pressing headache in the forehead, over the eyes, with congestion of blood to the eyes and nose, with a chill when walking in the open air; better after lying or eating.
Pulsations in the head (vertex) with congestions to the eyes and nose.
10. Stitches in the brain, with nausea.
The headache is worse in the evening and when walking in the open air; better after lying down and after eating.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Eyes.

Stitches in the eyes.
Sensation of coldness in the eyes and eyelids.
Swelling of the eyelids.
15. Inclination to stare.
Squinting.
Spasmodic contraction of the eyelids at night, with violent pain on opening the eyes.
Dim-sightedness, as from a mist, compelling him to rub the eyes.
The eyes water during the day, agglutination at night.

Ears.

20. Stitches in the (left) ear (evening.)
One ear hot and red (in the evening.)

Nose.

Soreness and scabs in the nose, with discharge of thick yellow mucus.
Swelling and redness.
Frequent attacks of coryza.
25. Ozæna.

Face.

Tension on the face, as if the white of an egg had dried on the skin.
Bulbous swellings and blood-boils on the face and nose.

Mouth.

Sensation of soreness in the mouth when eating.

Throat.

Sensation of constriction in the œsophagus when swallowing.
30. Sensation, as if the œsophagus were contracted when swallowing a small morsel of food;—it is felt until it enters into the stomach.
Great dryness of the throat.
The pains in the throat are worse in the evening and at night, and are relieved by warm food and drinks.

Stomach.

Sour eructations.
Nausea, with faintness.
35. Constriction of the Stomach, extending to the œsophagus.

Abdomen.

Painter's colic.

Stool and Anus.

Difficult evacuations from want of peristaltic motion of the

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

intestines; even the soft stool can only be passed by great pressing.
Constipation of pregnant women, children and painters.
Diarrhœa, with tenesmus.
40. Discharges of dark blood when walking, or in typhus fever, or with a hard stool.
Humidity of hæmorrhoidal tumors.
Itching at the anus.

Urinary Organs.

Frequent ineffectual desire to urinate: the urine can only be passed during a stool.
Increased secretion and frequent discharge of pale, water-colored urine.

Sexual Organs.

45. *Women.* Menstruation too early, too short and too scanty; blood pale.
Before and during menstruation, pain in the abdomen.
Fluor albus acrid, excoriating, transparent mucus before and after menstruation.

Larynx and Trechea.

Dry, short cough, especially in the morning, with dyspnœa.
Cough, with expectoration, in the morning.
50. Hoarseness, especially in the afternoon and evening.

Chest.

Pressing pain in the chest, at night.
Constriction in the chest, when stooping.

Back.

Pain in the back, as if a hot iron were thrust through the lower vertebræ.
Stitches in the back.

Upper Extremities.

55. Paralytic lameness of the arms.
Pain in the arm, down to the fingers, as if a hot iron were thrust through it.
Rhagades on the hands.

Lower Extremities.

The legs feel numb, as if asleep, especially at night.

Generalities.

Great debility and weakness, especially when talking (a short walk fatigues him much.)
60. Spasms, with attacks of laughing and weeping.
Involuntary motions (jerks of the head and other parts.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Unpleasant want of animal heat.
Illusive sensations; some parts of the body feel as if they had become larger.
While sitting, frequent stretching of the limbs (as from drowsiness.)
65. Sensation of constriction in internal organs (œsophagus, stomach, rectum, bladder.)
Great heaviness in the legs and arms.

Fever.

Pulse full and accelerated.
Chill, generally in the evening, in bed, or near the warm stove; often with heat of the face.
During the day, chill; during the night, fever.
70. *Heat* in the evening, which spreads from the face; at times only over the right side of the body.
Perspiration at night, or more towards morning, in bed; mostly in the face, or on one side of the face.
Inability to perspire.

Skin.

Tetters itching in the evening.
Humid scabs.
75. Rhagades.
Brittle nails.
Chapped skin and bulbous eruptions.

Conditions.

Aggravation, on alternate days.
The skin symptoms at each full and new moon; periodically; in the afternoon; while sitting in a room; while urinating; from eating potatoes.
80. *Amelioration*, during moderate exercise; in the open air; on alternate days.

AMBRA GRISEA.

Mind and Disposition.

Great restlessness.
Hastiness and nervous excitement when talking.
The fancy is crowded with fantastic illusions.
Aversion to talking and laughing.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

5. Embarrassed manner in society.
Despair, loathing of life.

Head.

Vertigo when walking in the open air, with weakness in the stomach.
Congestion of blood to the head, when listening to music.
Dartings in the head.
10. Pressing pain in the forehead and vertex, with heat in the head, with pale face on alternate days, with fear of losing his senses.
The hair is sensitive to the touch, it falls out.
The scalp feels sore in the morning, when awaking: this is followed by a sensation of numbness, extending over the whole body.

Face.

Flushes of heat to the face.
Yellow color of the face.
15. Spasmodic trembling and twitches of the facial muscles.
Cramp of the lower lip.

Mouth.

Offensive smell from the mouth, (in the morning.)

Appetite and Taste.

Entire thirstlessness.

Stomach.

Sour eructations.
20. Heartburn from drinking milk.

Abdomen.

Sensation of coldness in the abdomen, (on one side only.)
Pressure in the liver.
Pain in the spleen, as if something were torn off.

Stool and Anus.

Itching, smarting, and stinging at the anus.

Urinary Organs.

25. Frequent micturition during the night, and in the morning after rising.
Increased secretion of urine, much more than the amount of fluid drank.
Urine, when passing, is turbid, brown, smelling sour.

Sexual Organs.

Men. Violent erections in the morning without sexual desire, with numbness in the parts.
Women. Violent itching, with swelling of the external parts.
30. Menses too early, and too profuse.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Larynx and Trachea.

Hoarseness and roughness of the voice, with accumulation of thick, tough mucus, easily thrown off by coughing.
Itching, scraping, and soreness in the larynx and trachea.
Cough, with frequent eructations.
Spasmodic cough from tickling in the throat, with expectoration of yellowish, or grayish-white mucus, tasting salt or sour, in the morning; without expectoration in the evening.

Chest.

35. Itching in the chest, and in the thyroid gland.
Oppression felt in the chest, and between the scapulæ.
Asthma of old people, and of children.

Upper Extremities.

The arms go to sleep easily, especially when lying on them, or when carrying something in the hands.
Points of the fingers are shrivelled.
40. Cramps in the hands sometimes, only when taking hold of any thing.
Itching in the palms of the hands.

Lower Extremities.

Cramps in the calves at night.
Sensation of contraction in the (right) thigh, the limb seems to be shortened.

Generalities.

Numbness of the whole body (externally) in the morning.
45. Weakness in the morning, and at night, when awaking.
Spasms and twitches in the muscular parts.
Ebullitions and pulsations in the whole body, especially after walking in the open air.
Tearing in the muscles of the joints, often on one side, (from the small of the back through the right leg.)

Sleep.

Disturbed by coldness of the body and twitchings of the limbs.

Fever.

50. *Pulse*, accelerated with ebullitions.
Chill, in the forenoon, with weakness and sleepiness, better after eating.
Heat. Flushes of heat flying, returning every fifteen minutes, worse towards evening.
Perspiration, at night, more on the affected side, and after midnight.
Perspiration from slight exertion, especially on the abdomen and on the thighs.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Skin.

55. Dry, itching, burning.
Burning herpes.
Suppressed eruptions.

Conditions.

One-sided complaints, (perspiration, tearing, numbness, sensation of coldness in the abdomen.)
Especially suitable for lean or aged persons.
60. *Aggravation*, in the evening; while sleeping; while lying in a warm place; and on awaking.
Amelioration, when lying on the painful part; after rising from the bed; by slow motion in the open air.

AMMONIUM CARBONICUM.

Mind and Disposition.

Anxiety, with inclination to weep.
Forgetfulness, mistakes in writing and speaking.
Ill humor during wet, stormy weather.

Head.

Giddiness, especially in the morning, when sitting and reading; better when walking.
5. Pulsations, beating and pressing in the forehead, as if the head would burst; worse after eating and while walking in the open air; better from external pressure and in the warm room.

Eyes.

Burning of the eyes, with aversion to light.
Double vision.

Ears.

Hardness of hearing, with itching and suppuration of the ear.

Nose.

Discharge of sharp, burning water from the nose.
10. Stoppage of the nose, especially at night; he can only breathe through the mouth, with long-continued coryza.
Congestion of blood to the point of the nose, when stooping.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Face.

Pale, bloated face.
Itching eruptions, with soreness of the sub-maxillary glands.
Tetters around the mouth.
The corners of the mouth and lips are sore, cracked, and burn.
Hard swelling of the (right) parotid gland.

Teeth.

Pricking pain, especially in the molar teeth; worse when masticating or touching the decayed tooth with the tongue.
The edges of the teeth feel dull.
Aggravation from warm fluids, during the menses.
Looseness and rapid decay of the teeth.
Swollen, easily bleeding gums.

Mouth.

Vesicles on the tongue, at the tip, on the borders, burning, hindering eating and speaking.
Swelling of the internal mouth, especially the inside of the cheeks.
Great dryness of the mouth and throat.

Throat.

When swallowing, sensation as of a foreign body in the throat.
Scraping and soreness in the throat.

Appetite and Taste.

He must drink while eating.
Much thirst.
Bitter taste in the morning.
Longing for sugar.

Stomach.

Nausea and vomiting after each meal.
Heartburn after eating.
Sensitive painfulness of the stomach, even to the clothing.
Pressure in the stomach, and soreness at the pit of the stomach, after eating.
Burning and heat in the stomach.
Pain, as from constriction in the stomach, with nausea, water-brash and chilliness (ameliorated by pressure and by lying down.)

Stool and Anus.

Stool difficult, hard, knotty.
Hæmorrhoidal tumors protruding before, during, and after stool.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Discharge of blood from the rectum, during and after stool.
40. Bleeding hæmorrhoids.
Itching at the anus.

Urinary Organs.

Frequent desire to urinate, with continued pressure on the bladder.
Involuntary micturition at night, during sleep (morning.)
Urine pale, with sandy sediment.

Sexual Organs.

45. *Men.* Choking pains in the relaxed testicles.
Frequent involuntary seminal emissions.
Itching at the genitals, especially the scrotum.
Women. Itching, burning and swelling of the pudendum.
Menstruation too early, too scanty, and of too short duration.
50. Menstruation too profuse, blood clotted, black, with colicky pains and hard, difficult stool.
During the menses, pain in the abdomen, toothache, backache, chilliness.
Fluor albus burning, acrid, watery.

Larynx and Trachea.

Hoarseness and inability to speak a loud word.
Cough at night; every morning, at 3 o'clock, dry from tickling in the throat, as of dust.
55. Cough, with spitting of blood, with previous sweet taste and with great dyspnœa.
Cough, with stitches in the small of the back.

Chest.

Dyspnœa, with palpitation of the heart, especially when moving.
Stitches in the left side of the chest; worse when lying on it.
Heaviness on the chest, as from congestion of blood to the chest.
60. Burning and heat in the chest (hydrothorax.)

Upper Extremities.

After washing in cold water, the hands look blue, and the veins are distended.
The fingers swell when the arm is hanging down.
Heaviness and loss of power of the right arm.
Pain in the wrist-joint, which had formerly been sprained.
65. The skin peels off from the palms of the hands.

Lower Extremities.

Pain, as if bruised in the thighs.
Swelling and pain of the big toe in the evening.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Cramp in the calf of the leg, when walking.
Cramps in the soles of the feet.

Generalities.

Debility, which compels one to lie down.
Great sensitiveness to cold, open air.
Drawing and tension, as from shortening of the muscles.
Inclination to stretch the limbs.
Pain, as from dislocation in the joints.
Tearing in the joints relieved by the heat of the bed.
Pain, as from subcutaneous ulceration.
Burning (chest.)

Sleep.

Sleepiness during the day.
Sleeplessness till 4, A. M., and when falling asleep, perspiration.

Fever.

Pulse hard, tense and frequent.
Chilliness. Attacks of chilliness in the evening.
Perspiration in the morning and during the day, mostly on the joints.

Skin.

Violent itching, and burning blisters after scratching.
The upper part of the body is red, and covered with scarlet rash.
Scarlet fever, with parotitis.
Desquamation of the skin (palms of the hands.)

Conditions.

Aversion to moving about.
The right side of the body is more affected.
Speaking, and hearing others speak, affects him much.
Aggravation in the evening, on bending down; from wet poultices; during wet weather; from pressing the teeth together; and re-appearance of some symptoms from washing (bleeding of the nose, blue hands, and swelling of the veins of the hands.)
Amelioration, when lying on the stomach; the right side; the painful side; from external pressure; in the room; from warmth; in dry weather.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

AMMONIUM MURIATICUM.

Mind and Disposition.

Irritability and bad humor, especially in the morning, with disinclination to speak.

Head.

Giddiness, with fulness in the head.
Head feels too heavy and full; more in the forehead, and especially in the morning, after rising.

Eyes.

Burning in the eyes, at twilight: this disappears after lighting a candle.
Dimness of sight, as if obscured by a fog.
Flying spots and points before the eyes.
Yellow spots before the eyes, while sewing.

Ears.

Stitches in the ears.
Discharges of matter from the ears, with hardness of hearing.

Nose.

Coryza, with stoppage, great soreness and tenderness of the nose, and loss of smell.

Face.

The face is burning-hot in the room.
Dry, cracked lips, with blotches of the skin peeling off.

Mouth and Throat.

Stitches in the throat, when swallowing.
Burning blister on the tip of the tongue.
Swelling of the sub-maxillary glands, with pulsating pains.

Stomach.

Much thirst, especially in the evening.
Hiccough, with stitches in the chest.

Stool and Anus.

Constipation; stools hard, crumbling.
Diarrhœa, slimy, green.
Before the stool, pain around the navel.
During stool, stitches in the anus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Urine.

Diminished secretion of urine.
Slow flow of urine; more abundant during stool.
Frequent urination, especially towards morning.
Sediment, like clay.

Sexual Organs.

Women. Menstruation too early and too profuse, with pain in the abdomen and small of the back; continuing during the night, when the menstrual discharge is more profuse.
During menstruation, vomiting and diarrhœa.
Fluor albus, like the white of an egg, preceded by pain around the navel.

Respiratory Organs.

Frequent hawking, with expectoration of mucus.
Hoarseness, with burning in the larynx.
Dry cough in the morning, from tickling in the throat.
Cough at night, when lying on the back.
Cough aggravated by eating, drinking any thing cold, and when lying down.
Pressure, heaviness and stitches in the chest, sensation, as if a swallowed morsel had lodged in the chest.
When breathing, stitches in the shoulder-blades.

Back.

Painful stiffness of the neck.
Intolerable pain in the small of the back, at night.
Coldness in the back, especially between the shoulders.

Upper Extremities.

Swelling and hardness of the axillary glands.
The right arm is heavy and stiff.
Blisters on the wrist, forming scabs.
The skin peels off between the fingers.
Stitches and pulsations in the tips of the fingers, or tingling in them.

Lower Extremities.

Pain in the left hip, as if the tendons were too short, causing limping or pain as from dislocation.
The muscles under the knee (hamstrings) feel too short when walking, with stiffness of the knee-joint.
Sensation of soreness and tearing in the heels.
The tips of the toes are very painful.
Coldness of the feet, especially in the evening, in bed.
Offensive perspiration of the feet.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

50. Ebullitions, with anxiety and weakness, as if paralyzed.
Tension in the joints, as from shortening of the muscles.
Burning, stinging, throbbing, as from a boil.
Sensation of soreness in different parts of the body.

Sleep.

Sleeplessness after midnight, from cutting pain in the abdomen, at 2, A. M.; or from sneezing; pain in the small of the back.

Fever.

55. *Pulse* much accelerated, day and night.
Heat, with red, bloated face; worse in the warm room.
Frequent attacks of flushes of heat, followed by perspiration, which is more abundant on the face, palms of the hands and soles of the feet.
Perspiration most profuse after midnight and in the morning, in bed.

Skin.

Blisters, forming scabs.

Conditions.

60. Many groups of symptoms are accompanied by cough.
In the hours of the morning, sensation of stiffness, which is relieved by walking in the open air.
Aggravation, of the head and chest symptoms in the morning; of the abdominal symptoms in the afternoon; of the skin and fever symptoms in the evening.
Amelioration, in the open air.

ANACARDIUM.

Mind and Disposition.

Want of moral feeling.
Contradiction between reason and will; he feels as if he had two wills, one commanding him to do what the other tells him not to do.
Wickedness and cruelty.
Irresistible desire to curse and swear.
5. Loss of memory.

Head.

Pressing pain in the temple, as from a nail; worse after eating, in the cold air, and from exertions of the mind.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Congestion of blood to the head, with pain in the cerebellum
Stitches in the head.

Eyes.

Pressure in the eyes, as from a plug.
Dimness of sight.
Contraction of the pupils.

Ears.

Pressing in the ears, as from a plug.
Itching in the ear.
Hardness of hearing.

Nose.

Diminution of the sense of smell.
The sense of smell is too acute or illusory; smell like pigeon-dung or burning tinder.
Fluent coryza.
Frequent sneezing, and frequent inclination to sneeze.

Face.

Paleness of the face, with sunken eyes, surrounded by blue ridges.

Mouth and Throat.

Fetid odor from the mouth, without his perceiving it.
Heaviness and swelling of the tongue, which impedes speech.
Whitė, rough tongue.
Taste lost.
Roughness and scraping in the throat.

Stomach.

Weak digestion, with fulness and distention of the abdomen and hypochondriacal humor.
Great thirst, with arrest of breathing while drinking.
1. Morning, nausea. 2. Vomiting of the ingesta, which gives relief.
Pressure in the pit of the stomach, when awaking in the morning.

Abdomen.

Hardness of the abdomen.
Pressure in the liver.
Pain, as if a blunt plug were pressed into the intestines.

Stool and Anus.

Ineffectual desire to go to stool.
The soft stool is passed with difficulty, on account of the inactivity of the bowels.
During stool he passes blood.
Painful hæmorrhoidal tumors at the anus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Itching at the anus.
Moisture from the rectum.

Urinary Organs.

Frequent discharge of pale urine, in small quantities, with burning.

Sexual Organs.

Men. Involuntary erections during the day.
40. Discharge of prostatic fluid during hard and soft stool, and micturition.
Women. Leucorrhœa, with itching and soreness.

Respiratory Organs.

Oppression of the chest, with internal heat and anxiety, driving him into the open air.
Pressure in the chest, (right side,) as from a dull plug.
Rawness and scraping in the chest.
45. Violent convulsive cough, (hooping-cough,) caused by tickling in the pharynx; worse at night, and after eating; after the attacks, yawning and sleepiness.
Stitches in the region of the heart, extending to the small of the back.

Back.

Dull stitches in the left shoulder-blade.
Dull pressure in the shoulders, as from a weight.

Upper Extremities.

Sensation of weakness in the arms, with trembling.
50. Trembling (of the right hand.)

Lower Extremities.

Sensation of weakness in the knees, with trembling.
The legs feel stiff, as if bandaged, with painful restlessness in them.

Generalities.

Diminution of the senses, (smell, sight, hearing.)
Trembling, debility, and paralytic weakness.
55. Pain in different parts, as if a plug had entered.
Sensation, as of a hoop or band around the parts.
Cramp-like pains in the muscles.
Contraction of the joints.

Sleep.

Goes to sleep late.
60. Sleep disturbed by dreams of fire and corpses.
Heavy sleep till 9, A. M.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Fever.

Pulse, accelerated, with beating in the veins.
Chilliness, especially in the open air, relieved in the sunshine.
Heat. External heat, with internal chill.
65. Heat of the upper part of the body, with cold feet; internal chilliness and hot breath.
Perspiration, in the evening, on the head, abdomen and back, even when sitting still.
Clammy perspiration in the palms of the hands, (especially the left.)
Night-sweats on the abdomen and back.

Skin.

Burning, itching, worse from scratching.
70. Voluptuous itching, extending farther by scratching.
Itching of the skin, worse from scratching.
Often suitable for eruptions caused by poisoning with rhus tox.

Conditions.

Liability to take cold, and sensitiveness to a draught of air.
Symptoms appearing periodically.
75. Many symptoms appear after eating, while most of them disappear during dinner.
Aggravation. When lying on the side; from rubbing, and from taking hold of any thing.

ANGUSTURA.

Mind and Disposition.

Easily frightened, and starts.

Head.

Tension in the temporal muscles when opening the mouth.

Eyes.

The eyelids are spasmodically opened.
Dimness before the eyes from obscuration of the cornea, (in the morning.)

Face.

5. Heat and bluish redness of the face.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tension in the muscles of the face.
Lockjaw; the lips are drawn back, showing the teeth.
After the attacks, the lips and cheeks remain blue for some time.

Stomach and Abdomen.

Aversion to solid food, but irresistible desire to drink coffee.
Thirst, without desire to drink.
Painful tension in the pit of the stomach and abdomen.

Sexual Organs.

Violent itching on the male organs, especially on the tip of the glans penis.

Respiratory Organs.

Intermitting spasmodic breathing.
Dry cough, with scraping and rattling of mucus in the chest.
Hoarseness from mucus in the trachea.
Painful spasm in the pectoral muscles.
Painful sensitiveness of the chest, even to the slightest touch.

Back.

Painful stiffness in the neck, and between the shoulder-blades.

Upper Extremities.

Cramp-like drawing, down the arm to the fingers.

Lower Extremities.

Drawing in the limbs, with soreness.
Pain on the inner side of the ankle, when walking, causing limping.

Generalities.

Weakness of the whole body, as if the marrow of the bone were stiff.
The spinal marrow and the exterior muscles are principally affected.
Stiffness and stretching of the limbs.
Twitching and jerking along the back, like electric shocks.
Spasmodic twitching.
Tetanic spasms, caused by contact, noise, or the drinking of lukewarm water; cheeks and lips become blue; the breathing is labored during the spasms, groaning and closing of the eyes, lips wide open, drawn up and down, exposing the teeth.
Paralysis.
Cracking of the joints.

Fever.

Pulse accelerated, spasmodic, irregular at times, intermitting.
Chill, in the morning and forenoon, preceded by thirst.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Violent chill every afternoon (at 3 o'clock.)
Repeated chilliness over the affected parts.
35. *Heat* in the evening, after entering a room, after supper, mostly in the face, at 3, A. M., disturbing sleep, followed by chilliness.
Perspiration only in the morning, and on the forehead.

Skin.

Caries and very painful ulcers, which affect the bones and pierce them to the marrow.

Conditions.

Aggravation, from touching the affected part.

ANTIMONIUM CRUDUM.

Mind and Disposition.

Ecstasy and exalted love, with great anxiety about his fate and inclination to shoot himself; worse when walking in the moonlight, and then his conduct is like that of an insane person.
The child cannot bear being touched or looked at.

Head.

Giddiness, with nausea, or bleeding of the nose.
Congestion of blood to the head, followed by bleeding of the nose.
5. Stupefying headache, with nausea; worse in the evening; after eating; and smoking tobacco; and better in the open air.
Headache, from bathing.

Eyes.

Stitches in the eyes.
Gum in the canthi of the eyes.
Moist place on the outer canthus.

Ears.

10. Redness, swelling and heat of the ears.
Continual roaring in the ears.
Deafness, as if a leaf were lying before the ears.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Nose.

Sensation of coldness in the nose, when inspiring air.
Soreness of the nostrils; nostrils cracked and full of crusts.
15. Bleeding of the nose (in the evening, after headache, with giddiness.)

Face.

Sad countenance.
Heat, especially on the cheeks, with itching.
Red, burning, suppurating eruptions, with yellow crusts.
Sore, cracked corners of the mouth.

Mouth and Teeth.

20. Bleeding of the teeth and gums.
Pain in decayed teeth, aggravated by cold water.
Bitter taste in the mouth.
Dryness of the mouth.
Ptyalism (tasting salty.)
25. Tongue coated white.

Stomach and Abdomen.

Aversion to all food.
Longing for acids.
Thirst at night.
Nausea and vomiturition, from overloading the stomach, or after drinking (sour) wine.
30. Vomiting of mucus and bile—with convulsions—with diarrhœa.
Cramp-like pains in the stomach.

Stool and Anus.

Difficult evacuations; the fæces are too large in size.
Alternate diarrhœa and constipation, especially in aged persons.
Watery diarrhœa, with cutting in the bowels.
35. Continuous discharge of mucus from the rectum.

Urinary Organs.

Increased and frequent discharge of urine at night, with discharge of mucus, burning in the urethra, and pain in the small of the back.

Upper Extremities.

Rheumatic pains in the arms.
Drawing (gouty) pains in the fingers and their joints.

Lower Extremities.

Rheumatic pains in the legs.
40. Painful stiffness of the knee (fungus of the knee.)
Large, horny corns on the soles of the feet.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

The soles of the feet feel sore when walking.
Inflammatory redness of the heel.

Generalities.

Disposition to grow fat.
Dropsical swelling of the whole body.
Inflammation of the muscles.

Sleep.

Very sleepy during the day, especially in the forenoon

Fever.

Pulse very irregular, changing every few beats.
Chilliness predominating, even in the warm room.
Sensation of coldness in the nose when inhaling air.
Heat, especially during the night, before midnight, with cold feet.
Great heat from little exercise, especially in the sun.
Perspiration, when awaking in the morning, returning periodically, (every other morning.)
Intermittent fevers, with desire to sleep, and want of thirst.

Skin.

Horn-like excrescences, and disposition to abnormal organizations of the skin, (corns on the soles of the feet.)
Eruptions like boils and blisters; as from the bites of insects; like measles.
Fistulous ulcers.
Fungus of the joints.

Conditions.

When the symptoms re-appear, they change their locality, or go from one side of the body to the other.
Aggravation, from drinking sour wine; after eating (pork;) after bathing; in the heat of the sun; or at night.
Amelioration, during rest; or in the open air.

APIS MELLIFICA.

Mind and Disposition.

Restlessness, continually changing his occupation.
Delirium, (after suppressed scarlet eruption.)
Awkwardness, he breaks every thing.
Jealousy, (in women.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Head.

5. Giddiness—when sitting, standing, lying, when closing the eyes, with nausea and headache.
Congestion to the head, with suppressed menstruation.
Pressing pain in the forehead and temples; worse when rising, and in a warm bed, relieved by pressing the forehead together.
The brain feels tired.
Hydrocephalus in children, and apoplexy in old persons.
10. Hydrocephalus, with copious perspiration of the head, torpor, delirium interrupted by sudden shrill cries, boring of the head deep into the pillows, squinting, grinding of the teeth, urine scanty, (milky,) twitching on one side of the body, while the other is paralyzed.

Eyes.

Sensation of mucus in the eyes.
Twitching of the eyeballs.
Inflammation of the eye, with intense photophobia and increased secretions.
Staphyloma.
15. Œdematous swelling of the eyelids.

Ears.

Redness and swelling of both ears.

Face.

Burning, stinging heat in the face, with purple color.
Erysipelas of the face.
Œdematous swelling of the face.

Mouth and Throat.

20. Swelling of the lips, especially the upper lip.
Dry, swollen, inflamed tongue, with inability to swallow.
White, dry tongue, (with diarrhœa.)
Fetid breath, (with paroxysms of headache.)
Tough, frothy saliva.
25. Dryness in the throat, without thirst.
Burning, stinging in the throat.
Inflammation of the throat, with swelling, redness, and stinging pains.
Ulcerated sore throat, (in scarlet fever, when the eruption does not come out.)

Appetite and Taste.

Thirstlessness, (with dropsy.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stomach and Abdomen.

30. Vomiting of bile.
Vomiting, with inflammation of the stomach.
Vomiting, with diarrhœa.
Sensitiveness of the pit of the stomach to touch.
Violent pain and sensitiveness in the region of the stomach.
35. Great sensitiveness of the abdomen to the touch.
Sensation of fulness and distention of the abdomen.

Stool and Anus.

Diarrhœa, yellowish-green, with mucus, especially in the morning.
Stools smelling very offensively.
After stool, tenesmus and discharge of blood.
40. Diarrhœa and vomiting.
Swelling of the anus.
Hæmorrhoids, with stinging pains.

Urinary Organs.

Strangury.
Urine scanty and high-colored.
45. Too profuse discharge of urine.
Burning and smarting in the urethra, as if it were scalded.
Burning and stinging in the urethra.

Sexual Organs.

Men. Sexual desire increased.
Swelling of the testicles.
50. *Women.* Inflammation, induration, swelling and dropsy of the ovaries (right.)
Sharp, cutting, stinging pain in the swollen ovary; worse during menstruation.
Pressing-down pain in the uterus.
Dropsy of the uterus.
Menstruation suppressed or diminished, with congestion to the head.
55. Abortion.

Respiratory Organs.

Hoarseness, in the morning.
Oppression of the chest, shortness of breath, especially when ascending; inability to remain in a warm room.
Asthma; worse in cold weather.
Sensation of soreness in the chest, as from a bruise.
60. Hydrothorax.
Cough, after lying down and sleeping.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Extremities.

Upper. Hands bluish, and inclined to be cold.
Lower. Cold legs.
Œdematous swelling of the feet, ankles and legs.
Suppressed perspiration of the feet.

Generalities.

65. Great debility, as if he had worked hard; he is obliged to lie down.
Burning, stinging pains.
Great sensitiveness to touch and pressure (abdomen.)
Tension (over the eyes in the left side of the head) behind the ears, in the neck.
Sensation of soreness under the ribs.

Sleep.

70. Sleep disturbed by many dreams.
Sleep, late in the morning.
Awakens from sleep with a shrill shriek (child suffering from hydrocephalus.)

Fever.

Pulse full and rapid—small and trembling—intermitting.
Chill, mostly towards the evening (3–4 P.M.)
75. Chilliness from the least movement, with heat of the face and hands.
Dry heat towards the evening, with sleepiness.
The sensation of heat is more felt about the pit of the stomach and in the chest.
Perspiration, alternating with dryness of the skin.
After the fever paroxysm, sleep.

Skin.

80. Œdematous swellings.
Hives.
Carbuncles, with burning, stinging pains.
Erysipelas.
Scarlet eruptions.
85. Panaritium (burning, stinging.)

Conditions.

Aggravation. In the morning (restlessness, mucus in the mouth, diarrhœa.)
In the evening (giddiness, headache, pain in the eyes, tooth-ache, hoarseness, cough, chills and fever.)
At night (eyes and chest.)
From heat, especially in the warm room.
Amelioration. Cold water relieves the pain, swelling and burning.
Pressing together relieves the headache.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

ARGENTUM METALLICUM.

Mind and Disposition.

Restlessness, anxiety, which directs him from place to place.
Ill humor, with disinclination to talk.

Head.

Pressing, tearing pain in the skull, principally in the temporal bones, renewed every day at noon, with soreness of the external head, aggravated by pressure and contact, ameliorated in the open air.
Painful sensation of emptiness in the head.

Eyes.

5. Violent itching in the corners of the eyes.
Redness and swelling of the edges of the eyelids.

Ears.

Itching of the ears, he scratches them until they bleed.
Itching of the lobes of the ears.

Nose.

Violent fluent coryza, with much sneezing.

Face.

10. Redness of the face.
Swelling of the upper lip.

Throat.

The throat feels as if internally swollen.
The throat feels more sore from coughing than when swallowing, although the food passes with difficulty.
Accumulation of much gray, jelly-like mucus in the throat, which is easily hawked up.

Stomach.

15. Appetite much increased, he is hungry after eating a full meal.
Desire for wine.
Heartburn.
Burning in the stomach, ascending to the chest.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Abdomen.

Painful swelling of the abdomen.
Tension in the abdominal muscles.

Stool and Anus.

Frequent pressure in the lower part of the rectum, with discharge of small quantities of soft stool.
Dry stool, like sand, after dinner.

Urinary Organs.

Frequent desire to urinate, with profuse discharge of urine.

Sexual Organs.

Men. The testicles feel as if bruised.
Women. Prolapsus uteri, with pain in the left ovary.

Respiratory Organs.

When stooping, or ascending steps, mucus comes up into the larynx, which is easily expectorated by one cough.
Sensation of rawness or soreness of the larynx.
Laughing causes mucus in the trachea, and cough.
Cough, caused by stinging, cutting in the trachea, with mucus in the chest, and expectoration of transparent mucus, like boiled starch.
Rattling cough, only during the day in the room.
Stitches in the (right side) of the chest, when inhaling and exhaling.

Upper Extremities.

Tearing in the bones of the arms, especially of the hands and fingers.

Lower Extremities.

Tearing in the bones of the feet and toes.

Generalities.

Sensation of numbness in the limbs, as if asleep.
Sensation of soreness and rawness in internal organs.
Boring pain in the joints.
Sensation of soreness in the joints.
Strong effects on the secretions of the mucous membranes.

Fever.

Heat of the body, but none on the head, without thirst.
Perspiration only on the abdomen or chest.

Conditions.

Bad effects from the use of mercury.
Bad effects from onanism.
The symptoms are renewed at noon.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

ARGENTUM NITRICUM.

Mind and Disposition.

Very impulsive; in continual motion; he walks fast.
Apathy.

Head.

Vertigo, with headache.
Morning headache, (when he awakens.)
Excessive congestion of blood to the head.
Stitches in the left frontal eminence.
Digging up, incisive motion, through the left hemisphere of the brain.
Headache, with chilliness.
Headache relieved by tying a handkerchief tightly around the head.
Headache worse in the open air.
Itching, creeping, crawling of the hairy scalp.
Sensation, as if the bones of the skull separated, with increase of temperature.

Eyes.

Mucus in the eyes drying up, and forming scurfs.
Vanishing of light; he is constantly obliged to wipe off the mucus, which obstructs the axis of vision.
Opacity of the cornea.
Ophthalmia, with intense pain; worse in the warm room, better in the open air.

Ears.

Ringing in the ears, and deafness, (left ear.)

Nose.

Violent itching of the nose.
Coryza, with chilliness, lachrymation, sneezing, and stupefying headache.
Discharge of pus, with clots of blood.

Face.

Sunken, pale, bluish countenance.
Hard blotches in the vermilion border of the upper lip, paler than the lip, and sore to the touch.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

The lips are dry and viscid, without thirst.
The gums are swollen, inflamed, bleed easily, and are painful when touched.
Sensitiveness of the teeth to cold water.

Mouth.

Dryness of the tongue, with thirst.
Papillæ prominent, erect, feeling sore.
Painful red tip of the tongue.
Fetid odor from the mouth.
Ptyalism.

Throat.

Dark redness of the uvula and fauces.
Sensation, as if a splinter were lodged in the throat when swallowing.
Thick, tenacious mucus in the throat.

Appetite and Taste.

Irresistible desire for sugar in the evening.
Sweetish-bitter taste.

Stomach.

Violent belching.
Violent vomiting, with anxiety in the præcordial region.
Black vomit.
Vomiting and diarrhœa, with violent colicky pains.
Gnawing pain in the left side of the stomach.
Pressure, with heaviness and nausea in the stomach.

Abdomen.

Stitches through the abdomen, like electric shocks, (left side.)

Stool and Anus.

Diarrhœa of green, fetid mucus, with very noisy emission of flatulence at night.
Bloody stools.
Constipation, fæces dry.
Itching at the anus.

Urinary Organs.

Frequent and copious emission of pale urine.
Inflammation, and violent burning or shooting pains in the urethra, with increased gonorrhœa.
Priapism, bleeding of the urethra.
Stricture of the urethra.

Sexual Organs.

Men. Chancre-like ulcer on the prepuce.
Sexual desire wanting, the genital organs having become shrivelled.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Chest.

Palpitation of the heart in paroxysms, with nausea.

Back.

Pain in the small of the back relieved when standing or walking.

Lower Extremities.

55. Heaviness and debility of the legs.
Great debility and weariness in the calf of the leg, as after a long journey.

Generalities.

Staggering gait.
Great debility and weariness, (lower limbs.)
Convulsions.
60. Epileptic attacks caused by fright, or during menstruation, (at night, or in the morning when rising.)
Sensation of expansion, (face and head.)

Sleep.

Soporous condition.
Nightly nervousness, with heat in the head.
Restless sleep, with stupefaction and headache.

Fever.

65. Chilliness, with nausea.
Morning perspiration.

Skin.

Wart-shaped excrescences on the skin.
Discoloration of the skin—blue-gray, violet or bronze-colored tinges, to real black.

ARNICA MONTANA.

Mind and Disposition.

Depression of spirits and absence of mind.
Shedding of tears and exclamations after rage.
Great sensitiveness of the mind, with anxiety and restlessness.
Unconsciousness, (like fainting after mechanical injuries.)
5. Declines to answer any questions.
Quarrelsome.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Head.

Giddiness, with nausea, when moving and rising; better when lying.
Burning and heat in the head, the rest of the body is cool, (night and morning, worse from motion, better when at rest.)
Pressure on one temple, as if a nail had been driven into it.
10. Cutting through the head, as with a knife, followed by a sensation of coldness.
Stitches in the head, especially in the temples and forehead.
Effects from concussion of the brain.

Eyes.

Inflammation of the eyes with suggillation after mechanical injuries.

Ears.

Stitches in and behind the ears.
15. Pains in the ears, as from a bruise.

Nose.

Tingling in the nose, and bleeding.

Face.

Heat of the face, the body being cool.
Sunken, pale face.
Redness of one cheek.
20. Hot, red, shining swelling of one cheek.
Burning, hot, cracked lips.

Mouth.

Toothache, with swollen face.
Dryness of the mouth, with much thirst.
Tongue coated white.
25. Putrid smell from the mouth.

Throat.

Burning in the throat.

Appetite and Taste.

Bitter taste, especially in the morning.
Putrid taste.
Aversion to food, especially to meat.
30. Desire for vinegar.
Thirst for cold water, without fever.
Longing for alcoholic drinks.

Stomach.

Frequent eructations, especially in the morning, empty, bitter, putrid, as from rotten eggs.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Nausea, and empty vomiturition.
After drinking, vomiting of what has been drunk.
Vomiting of blood, (dark, clotted.)

Abdomen.

Cutting, colicky pain in the abdomen.
Tympanitis.
Colic, with strangury.

Stool and Anus.

Flatus, smelling like rotten eggs.
Frequent stools—small, consisting of mucus.
Involuntary stool during sleep—thin, brown, or white.
Stools of undigested matter, or of blood, or pus.
Diarrhœa, with tenesmus.

Urinary Organs.

Tenesmus from spasms of the neck of the bladder.
Involuntary discharge of urine at night, when asleep, and during the day, when running.
Urine brown-red, with brick-dust sediment.
Bloody urine.
Frequent micturition of pale urine.

Sexual Organs.

Men. Purple-red swelling of the penis and testicles, after mechanical injuries.
Painful swelling of the spermatic cords, with stitches into the abdomen.
Women. Soreness of the parts after a severe labor.
Violent after-pains.
Erysipelatous inflammation of the mammæ and nipples.

Respiratory Organs.

Breath fetid, short, and panting.
Excessive difficulty of breathing.
Burning or rawness in the chest.
Sensation of soreness of the ribs.
Hooping-cough, after crying; from tickling in the œsophagus; with expectoration generally of foaming blood, mixed with clots of blood; sometimes in the evening with putrid mucus, which cannot be expectorated, but must be swallowed again.
Cough worse in the evening till midnight, from motion, in the warm room, and after drinking.
Stitches in the chest, (left side,) aggravated from a dry cough, with oppression of breathing; worse from motion, better from external pressure.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Back.

Tingling in the back.
Great soreness of the back.

Upper Extremities.

Tingling in the arms.
65. Sensation of soreness of the arms.
Sensation, as if the joints of the arms and wrists were sprained.

Lower Extremities.

Sensation of soreness in the legs.
Tingling in the legs.
White swelling of the knee.
70. Hot erysipelatous inflammation and painfulness of the foot.
Gout.

Generalities.

Over-sensitiveness of the whole body.
Pain, as if beaten or bruised in outer parts.
Pain, as if sprained in outer parts, and in the joints.
75. Tearing, drawing, in outer parts.
Pricking, from without, inward.
Pressing, in inner parts.
Tingling, in outer parts.
Twitching of the muscles.
80. Ebullitions, and burning of the upper part of the body, with coldness of the lower part of the body.
Bleeding of internal and external parts (vomiting of blood.)

Sleep.

Sleepiness during the day, with inability to sleep.
Drowsiness, with delirium.

Fever.

Pulse very variable, mostly hard, full and quick.
85. *Chilliness*, internally, with external heat.
Great chilliness, with heat and redness of one cheek.
Chilliness as soon as he lifts the cover of the bed.
Chilliness of the side on which he lays.
Heat. Dry heat over the whole body, or only in the face and on the back.
90. *Perspiration* smelling sour or offensive—sometimes cold.
Intermittent fever; chill in the morning or forenoon; drawing pains in the bones before the fever; changes his position continually; breath and perspiration offensive.

Skin.

Petechiæ.
Many small blood-boils.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Hot, hard, shining swelling (from the stings of insects.)
Suggillation.

Conditions.

95. *Aggravation.* Bad effects, even inflammations, from mechanical injuries, falls, bruises and contusions.
Amelioration, in the evening at at night; from contact and motion; even from noise.

ARSENICUM ALBUM.

Mind and Disposition.

Anguish, driving one out of bed at night, and from one place to another in the day-time.
Restlessness.
Great fear of death, and of being left alone.
Despair. He finds no rest, especially at night, with anguish.
5. Anger, with anxiety, restlessness and sensation of coldness.
Madness; loss of mind (from the abuse of alcoholic drinks.)
Delirium.

Head.

Tearing in the head, with vomiting, when raising up the head.
Headache (after meals) relieved by applying cold water, or by walking in the open air.
10. Periodical headaches.
The scalp is tender to the touch.
Eruptions, white, dry, like bran; burning, itching on the forepart of the head; when scratching it burns and bleeds violently.
Burning, biting boils on the scalp, with sensitiveness to touch and cold.
Erysipelatous burning, swelling of the head (face and genitals) with great weakness and coldness; worse at night.

Eyes.

15. Inflammation of the eyes and lids, with severe burning pains.
Inflammation of the inner surface of the eyelids, preventing the opening of the eye.
Excessive photophobia.
Specks or ulcers on the cornea.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Ears.

Hardness of hearing—he cannot hear the human voice.
20. Roaring in the ears (accompanying every attack of pain.)

Nose.

Swelling of and burning in the nose.
Ulcers in the nose (cancer of the nose.)
Profuse, fluent coryza of sharp, burning, excoriating water, with hoarseness and sleeplessness.
Peeling off of the epidermis.

Face.

25. Puffiness of the face, especially around the eyes.
Color pale, like earth, yellowish, (blue rings around the eyes.)
Distorted features; death-like countenance.
Drawing stitches here and there in the face.
Burning face-ache.
30. Crusta lactea.
Cancer of the face and lips, with burning pain.
Exanthema around the mouth.
Lips black, dry, and cracked.

Teeth.

Toothache at night, extending to the ear and temple, worse when lying on the affected side, better from the heat of the stove.
35. Grinding of the teeth.
Gums bleeding.

Mouth and Throat.

The mouth is reddish-blue, inflamed, burning.
Secretion of abundant tough, fetid, bloody saliva.
Aphthæ, stomacace.
40. Tongue dry, brown, black, cracked.
Swelling, inflammation, or gangrene of the tongue.
Ulceration of the tongue, with blue color.
Painful, difficult deglutition (constriction) of the œsophagus.
Burning in the throat.
45. Angina gangrenosa, (with aphthæ.)

Appetite and Taste.

Violent, unquenchable, burning thirst, with frequent drinking, with but little at a time.
Longing for cold water, acids, or alcoholic drinks.
Aversion to food, loathing the thought of eating.
Bitter taste in the mouth after eating and drinking.

Stomach.

50. Vomiting of the ingesta, (after each meal,) after drinking; of a brown substance with violent pain in the stomach; of

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

a black substance; of blood; of a green substance; with diarrhœa after drinking the least quantity.
Great painfulness and anxiety in the pit of the stomach and stomach.
Burning in the pit of the stomach and stomach.
Inflammation or induration of the stomach.
Cramp in the stomach, (2, A. M.)

Abdomen.

55. Hard, bloated abdomen.
Burning pains, with anguish.
Sensation of coldness, (upper part.)
Induration of the mesenteric glands.
Painful swelling and induration of the inguinal glands.
60. Ulcers about the navel.
Ascites.

Stool and Anus.

Burning stools, with violent pains in the bowels, with tenesmus, thirst, worse after eating.
Stools acrid, burning, consisting of mucus; black, bloody, offensive, watery and painless, involuntary.
In the rectum and anus, burning and soreness.
65. Prolapsus ani.
Hæmorrhoidal tumors, with burning pain.

Urinary Organs.

Suppressed or difficult micturition. (Paralysis of the bladder.)
Urine bloody, burning.
Involuntary discharge of burning urine.

Sexual Organs.

70. *Men.* Painful swelling of the genitals, and gangrene.
Blue-red swelling of the glans, with rhagades.
Erysipelatous inflammation of the scrotum.
Women. Catamenia too early, and too profuse.
Leucorrhœa acrid, corroding.
75. Scirrhus uteri.

Respiratory Organs.

Dryness, burning, and constriction in the larynx.
Bronchitis, with difficult secretion of mucus.
Respiration oppressed, anxious, short.
Oppressed, labored breathing, especially when ascending a height; in cold air; when turning in bed.
80. Suffocating spells in the evening, when lying down.
Constriction of the chest, with anguish; worse when moving.
Chilliness or coldness in the chest.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Heat, burning, itching in the chest.
Stitches and pressing in the sternum.
85. Cough, without expectoration, especially after drinking or eating; when lying down; during a walk in the cold air.
Cough, with arrest of breathing; with tough mucus in the chest; with expectoration of frothy mucus in lumps, or tasting salty; in day-time, without expectoration at night.
Periodically returning cough, (hooping-cough,) from burning-tickling in the pharynx.
Hæmoptysis at night, with burning heat over the whole body.
Palpitation of the heart, especially at night, with great anguish.

Back.

90. Burning in the back.
Sensation of weakness, as if bruised in the small of the back.

Extremities.

Upper. Rheumatic pains from the elbow up to the shoulder, worse at night.
Swelling of the arm, with putrid smelling, black blisters.
Burning ulcers on the tips of the fingers.
95. Sensation of swelling and fulness in the palms of the hands at night.
Soreness between the fingers.
Nails discolored.
Lower. Tearing and stinging in the hips, legs, and loins.
Tearing in the tibia.
100. Old ulcers on lower limbs, with burning and lancinating pains.
Ulcers on the soles of the feet and toes.
Swelling of the feet, hard, burning, shining, with red spots, or blue-black blisters.
Itching herpes in the bends of the knee.
Varices.

Generalities.

105. Paralysis, especially of the lower extremities.
Trembling of the limbs (in drunkards.)
Sudden sinking of strength.
Fainting, from weakness, with scarcely perceptible pulse.
Burning pains of inner or exterior parts (glands.)
110. Tearing pains in the arms and legs, which do not permit one to lie on the painful side, but which are relieved by moving the affected part.
Dropsy of internal and external parts.
Emaciation.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sleep.

Starting of the limbs when on the point of falling asleep.
Sleeplessness, from anguish and restlessness, with tossing about (after midnight.)
115. Sleep anxious, unquiet.

Fever.

Pulse frequent in the morning, slower in the evening.
Pulse small, contracted, frequent, weak, tremulous or intermittent.
General coldness, with parchment-like dryness of the skin, or with profuse, cold, clammy perspiration.
Chilliness, without thirst; worse after drinking; with stretching of the limbs and restlessness; with external heat at the same time; when walking in the open air.
120. Internal heat, burning, dry, with anxiousness at night.
Intermittent fever, chill (in the afternoon) followed by dry, evening heat, and later sweat.
Thirst only during the hot stage, drinks often, but little at a time.
During the fever, great restlessness and anxiety, pain in the bones, small of the back, forehead; nausea, difficulty of breathing.
Perspiration at the beginning of sleep, or all night; cold, clammy, smelling sour or offensive.
125. During perspiration, unquenchable thirst; after the fever, attack of headache.
The concomitant complaints are more developed during the chill and fever.

Skin.

Dry, burning heat—dryness—like parchment.
Swelling—blue-black—dropsical.
130. Petechiæ.
White miliary eruptions.
Urticaria.
Red pustules, changing to ichorous, crusty, burning and spreading ulcers.
Vesicular eruptions.
135. Exanthema, black, pock-shaped, gangrenous.
Carbuncles (burning.)
Herpes, with vesicles, and violently burning, especially at night, or with coverings like fish-scales.
Ulcers, hard on the edges, stinging, burning, spongy; with proud flesh; turning black; flat; pus thin, ichorous (cancers.)
Sphacelus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Conditions.

140. Cannot rest in any place; changing his position continually; wants to go from one bed to another, and lies now here, and now there.
Attacks of pains, with chilliness.
Periodical complaints.
Attacks of pain, driving one to despair, and even to madness.
The pains are felt during sleep.
145. Bad effects from poisoning, with anthrax, and other noxious substances (dissecting wounds.)
Aggravation, at night, after midnight, (1, A. M.)
From cold in general.
After drinking (wine or alcoholic drinks.)
From cold food, (ice-cream.)
From milk.
While lying on the affected side, or with the head low.
Amelioration. From heat in general.
From lying with the head high.

ARUM TRYPHYLLUM.

Eyes.

Aversion to light.

Nose.

Sore; discharge of burning, ichorous fluid from the nose, excoriating the nostrils and upper lip.
Nose stopped up; can only breathe with mouth open.

Face and Mouth.

Tongue sore, red, papillæ elevated.
5. Lips swollen, cracked; corners of the mouth sore, bleeding, cracked.
The mouth burns, and is so sore that he refuses to drink, and cries when any thing is offered.
Face swollen.
Swelling of the sub-maxillary glands.
Throat sore; feels as if excoriated; cannot swallow.
10. Excessive salivation—saliva acrid.

Urine.

Frequent discharge of abundant pale urine.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Respiratory Organs.

Hoarseness (clergymen's sore throat) worse from talking.
Voice uncertain, and changing continually.
Accumulation of mucus in the trachea.

Sleep.

15. Sleeplessness, from soreness of mouth and throat, or itching of the skin.

Fever.

Dry heat of the skin.

Skin.

Exanthema like scarlet rash, the skin peels off afterwards.
Itching of the scarlet eruption.

Conditions.

Amelioration in Scarlet fever, as soon as the urine becomes more abundant and watery.

ASA FŒTIDA.

Mind and Disposition.

Hysterical restlessness and anxiety.

Head.

The pains in the head cease, or change from touch.

Eyes.

Sensation of dryness in the eyes.

Ears.

Hardness of hearing, with discharge of pus from the ears.

Nose.

5. Ozæna, discharge of very offensive matter from the nose.

Face.

Sensation of numbness in the bones of the face.

Mouth and Throat.

Sensation of dryness in the mouth and throat.
Sensation of a ball rising in the throat.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Abdomen.

Pulsation in the pit of the stomach.
Sensation of fulness in the stomach.

Stool and Anus.

Diarrhœa, very offensive, with pain in the abdomen and discharge of fetid flatus.

Urine.

Urine brown, and of pungent smell.
Spasm in the bladder during and after urination.

Respiratory Orgns.

Spasmodic dyspnœa, as if the lungs could not be sufficiently expanded.
Stitches in the chest from within outwards.

Extremities.

Twitching of the muscles of the arms and legs.
Ulcer on the tibia.
Swelling and caries of the bones of the feet.
Stitches and pulsation in the big toe.

Generalities.

Sense of rigor.
Body heavy and bloated.
Hysterical attacks.
Twitching and jerking in the muscles.
Dull stitches (periodically) from within outwards, changed or relieved by touch.
Pains in the inside of the joints and limbs.
St. Vitus' dance.

Sleep.

Much against his habit, he is much inclined to sleep.

Fever.

Pulse small, rapid, and unequal.
Heat in the face after dinner, with anxiety or drowsiness, without thirst.

Skin.

Ulcers, very painful to contact, especially in the circumference, gangrenous.
Inflammation and caries of the bones, with thin, fetid pus.

Conditions.

Bad effects from the abuse of mercury, especially in syphilis.
Most pains are accompanied by numbness in the affected parts.
Many symptoms appear while sitting, and are relieved in the open air.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

ASARUM EROPÆUM.

Mind and Disposition.

Nervous irritability and exaltation.

Head.

Pain, as from contraction in the forehead, temples, and behind the ears, with watering and burning of the eyes, worse in the afternoon, (5, P. M.,) relieved when sitting, and by washing.

Eyes.

Inflamed eyes, blear-eyedness.

The eyes stare.

The cold air is pleasant to the eyes; sunshine, light, and wind, are intolerable.

Ears.

Pressure and tension in the region of the orifice of the meatus auditorius.

Mouth.

Accumulation of cold, watery saliva in the mouth.

Stomach.

Eructations putrid or sour, setting the teeth on edge.

Violent, empty retching, which increases all the symptoms, only relieving the head.

Vomiting, with great anguish, under violent exertion, with chilliness.

Vomiting, with diarrhœa and violent colic.

Stool and Anus.

Diarrhœa, consisting of tenacious mucus.

During stool, discharge of thick, black blood.

Prolapsus ani during stool.

After stool, pressing and straining, and discharge of white, viscid, bloody mucus.

Generalities.

Over-sensitiveness of the nerves, the scratching of linen or silk is insupportable.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Sensation of lightness in the limbs, when she walks she thinks she is gliding through the air.

Fever.

Pulse full and accelerated.
Chilliness and coldness, after eating and drinking, with heat of the head.
20. Heat, especially in the face, and in the palms of the hands.
Perspiration smelling sour at night, in the arm-pits.
Easily excited perspiration, especially on the upper part of the body.

Conditions.

Aggravation in the evening, and in cold and dry weather.
Amelioration. Many symptoms disappear from washing the face in cold water, and from wetting the affected part.

AURUM FOLIATUM.

Mind and Disposition.

Melancholy mood, dejected, inclined to weep, and longing to die.
Excessive anguish, increasing even to self-destruction.
The least contradiction excites his wrath.
Alternate peevishness and cheerfulness.

Head.

5. Congestions to and heat in the head, with sparks before the eyes, and glossy bloatedness of the face, aggravated from every mental exertion.
Sensation, as if a current of air were rushing through the head, if it be not kept warm.
The bones of the skull are painful, especially when lying down.
Exostosis on the head.

Eyes.

Protruded eyes.
10. Vertical half-sight.
Fiery sparks before the eyes.

Ears.

Caries of the mastoid process.
Fetid otorrhœa.
Roaring in the ears.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Nose.

15. Caries of the nose.
Discharge of fetid pus from the nose.
Fetid odor from the nose.
Very sensitive smell.

Face.

Bloated, shining face.
20. Swelling of the cheeks.
Inflammation of the bones of the face.
Painful swelling of the sub-maxillary glands.

Mouth and Throat.

Putrid smell from the mouth, as of old cheese.
Caries of the palate, especially after the abuse of mercury.

Stomach.

25. Immoderate appetite and thirst, with qualmishness in the stomach.

Stool and Anus.

Constipation; stool very large in size, or very hard or knotty.
Nightly diarrhœa, with burning in the rectum.

Urinary Organs.

Painful retention of urine, with pressure in the bladder.
He passes more urine than corresponds to the quantity he drinks.

Sexual Organs.

30. *Men.* Induration of the testes.
Swelling of the (lower part) of the testicle (right.)
Sexual desire increased.
Women. Prolapsus and induration of the uterus.

Chest.

Suffocative attacks, with suffocative oppression of the chest.
35. Anxious palpitation of the heart, from congestion to the chest.

Generalities.

Over-sensitiveness to all pain, and to the cold air.
Hysterical spasms, with laughing and crying, alternately.
Great ebullitions, with congestions to the head and chest, and palpitation of the heart.

Sleep.

Sleepiness after dinner.
40. Frightful dreams—he sobs aloud when asleep.

Fever.

Pulse small, but accelerated.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Chilliness predominates—coldness of the hands and feet, sometimes lasting all night.
Heat, only in the face.
Perspiration in the morning-hours; the strongest on and around the genitals.

Skin.

45. Ulcers (after the abuse of mercury) which attack the bones.
Inflammation of the bones—caries (palate and nasal bones.)

Conditions.

Bad effects from the misuse of mercury.
Paralytic drawing-in of the limbs in the morning, when awaking; and on getting cold.
Pain in the bones, at night.
50. Aggravation in the morning; on getting cold; while reposing.
Amelioration, from moving; while walking; and on getting warm.

BARYTA.

Mind and Disposition.

Mistrust; want of self-confidence, and aversion to strangers (the child does not want to play.)
Deficient memory (children cannot remember and learn.)

Head.

Pricking headache near the warm stove.
Baldness.
5. The scalp is very sensitive to the touch, especially on the side on which he lies, with the sensation of suggillation, worse from scratching.
Dry or humid scurf on the head.

Eyes.

The light hurts the eyes, and in the dark he sees sparks before them.
Burning and pressing in the eyes, if he looks attentively at any thing.
Inflammation of the eyes, with sensation of dryness.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Ears.

10. Cracking in the ears when swallowing, sneezing, and when walking fast.

Face.

Dark redness of the face, with congestions to the face.
Tension on the face, as if it were covered by spider webs.
Swelling of the submaxillary glands, with induration.

Mouth and Throat.

Tongue cracked, feels very sore.
15. Inflammation of the throat, with swollen, inflamed tonsils.
Sensation, as from a plug in the throat.

Stomach.

Weakness of the digestion after eating, pressing in the stomach; and pain in the hard, swollen abdomen.
Sensation of soreness of the stomach; while eating, it feels as if the food had to force itself through some raw places.

Stool and Anus.

Sudden, irresistible urging to stool, with painful soreness in the lumbar region, followed by frequent diarrhœtic stools.
20. Anus sore and humid.
Crawling in the rectum, (ascarides.)

Sexual Organs.

Erections (only) in the morning before rising.
Soreness and moistening between the scrotum and thighs.

Chest and Respiratory Organs.

Suffocative catarrh, and paralysis of the lungs in old people.
25. Sensation of soreness in the chest.
Sensation, as if something hard dropped down in the chest.
Sensation of smoke in the larynx.
Hoarseness and loss of voice from tough mucus in the larynx and trachea.
Palpitation and soreness of the heart, renewed by lying on the left side, and when thinking of it.
30. Spasmodic cough (like hooping-cough) from roughness and tickling in the throat and pit of the stomach.
Cough worse in the evening till midnight; after getting the feet cold; from exercise; when lying on the left side; in the cold air; from thinking of it.

Back and Neck.

Stiffness of the nape of the neck.
Sarcoma in the neck, with burning.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Beating and pulsation in the back.
35. Stiffness in the small of the back, in the evening, especially while sitting, which allows neither to rise nor to bend backwards.

Extremities.

Upper. Painfulness of the arms, with swelling of the axillary glands.
Lower. Fetid perspiration of the feet.
Corns, with burning and stinging.

Generalities.

Paralysis and palsy of aged persons.
40. Great weakness of mind and body of old men.
Emaciation, with bloated face, swelled abdomen, and difficult learning in children.
Tearing in the limbs, with chilliness.
Heaviness of the body.
Tension and shortening of the muscles.

Sleep.

45. Sleepiness day and night.

Fever.

Pulse accelerated, but weak.
Chilliness relieved by external heat.
Flushes of heat, more at night, with great restlessness.
Perspiration, one-sided, (left side,) every other evening.

Skin.

50. Burning prickings here and there.
Soreness and humid skin.
Swelling and induration of the glands.
Warts.

Conditions.

Especially suitable for old people, or scrofulous children, especially those who suffer from inflammation of the throat and swelling of the tonsils after the least cold.
55. Great liability to take cold, (sore throat,) stiffness of the neck, or diarrhœa.
The left side is most affected.
Aggravation while sitting, or when lying on the painful side, or when thinking of his disease.
Amelioration when walking in the open air.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

BELLADONNA.

Mind and Disposition.

Nervous anxiety, restlessness, desire to escape.
Stupefaction, with congestion to the head; pupils enlarged—delirium.
Loss of consciousness.
Fantastic illusions (when closing the eyes.)
Rage, madness, disposition to bite, to spit, to strike and to tear things.
Disinclination to talk, or very fast talking.
Delirium, with frightful figures and images before the eyes.

Head.

Vertigo, with stupefaction, vanishing of sight and great debility.
Vertigo, with anguish, and falling insensibly on the left side, or backwards, with flickering before the eyes, especially when stooping, and when rising from a stooping posture.
Congestion of blood to the head, with external and internal heat; distended and pulsating arteries, stupefaction in the forehead, burning, red face; worse in the evening—when leaning the head forward, from the slightest noise, and from motion.
Stupefying, stunning headache, extending from the neck into the head, with heat and pulsation in it; worse in the evening, and from motion; better when laying the hand on the head, and when bending the head backward.
Boring headache in the right side of the head; changing to stitches in the evening.
Pressing headache, as if the head would split, pupils contracted, voice faint.
Periodical nervous headache, every day from 4, P.M., till 3, A.M., aggravated by the heat of the bed, and when lying down.
Jerks in the head, especially when walking fast, or when ascending steps; better from external pressure.
Inflammation of the brain, with burning and pulsation in the head; first in the cerebellum, then in the forehead, and

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

later in the whole head—blood-vessels on the head and neck enlarged, shaking with the head or boring in the pillows; worse in the evening, and when lying.

Hydrocephalus, with boring with the head in the pillows; sensation as if water were moving in the head; worse in the evening and when lying; better from external pressure, and from bending the head backwards.

Headache, from taking cold in the head, and from having the hair cut.

Headache, worse on the right side.

20. Headache, aggravated by moving the eyes, by shaking the head, when lying down, from a draft of air; relieved by sitting up, leaning the head backward, from pressing the head with the hands.

External heat and soreness of the head.

Smooth, erysipelatous, hot swelling, first of the face, then extending over the whole head, with stupefaction or delirium; violent headache, red, fiery eyes.

Stitches in the bones of the neck.

Convulsive shaking and bending of the head backwards.

25. Boring the head into the pillow.

Profuse, pungent-smelling perspiration, especially on the covered parts, while the body is burning hot.

Eyes.

Congestion of blood to the eyes, and redness of the veins.

Heat in the eyes—distention of the sclerotica.

Yellowness of the whites of the eyes.

30. Eyes sparkling, red, glistening, or dim.

Look, wild, unsteady, wavering.

Continued lachrymation (tears sharp and salty.)

Distortion, spasms, and convulsions of the eyes.

Photophobia, or photomania.

35. Ectropium.

Blindness at night (moon-blindness.)

Things look red.

He sees sparks of fire.

Diplopia.

40. Squinting.

Paralysis of the optic nerve.

Ears.

Inflammation of the external and internal (right) ear, with discharge of pus.

Stinging in and behind the ears.

Humming and roaring in the ears.

45. Paralysis of the auditory nerves.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Inflammatory swelling of the parotid glands—stitches in the parotid gland.

Nose.

Inflammatory swelling and redness of the external and internal nose.
Bleeding of the nose, with redness of the face.
Over-sensitiveness of the sense of smell.
50. Putrid smell from the nose.

Face.

Purple, red, hot face, or yellow color of the face.
Face pale, sunken, with distorted, anxious countenance.
Alternate redness and paleness of the face.
Convulsive motions of the muscles of the face and mouth.
55. Spasmodic distortion of the mouth (risus sardonicus.)
Erysipelatous swelling of the face.
Semilateral swelling of the face.
Nervous prosopalgia, with violent, cutting pains.
Lips dark red, swollen, indurated.
60. Swelling of the upper lip.
Ulcerated corners of the mouth.
Mouth half open, or spasmodically closed by lock-jaw.
Stitches in the articulations of the jaws.
Swelling and inflammation of the sub-maxillary glands.

Teeth.

65. Toothache, drawing and tearing up into the ear, with swelling of the cheek; worse in the evening and at night; aggravated by the cold air, by contact, while masticating, by mental exertion.
Grinding of the teeth.
Swelling of the gums, with burning heat and stinging.

Mouth.

Dryness of the mouth, without thirst.
Inflammatory swelling and redness of the inner mouth and soft palate.
70. Tongue hot, dry, red, cracked; or only red on the edges, with white coating on the middle; coated white or brown, or covered with mucus.
Inflammatory swelling of the tongue, painful to the touch.
Heaviness of the tongue, with difficulty in talking.
Stuttering.
Speaks through the nose, speechlessness.
75. Hemorrhage from the mouth.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Throat.

Inflammation of the throat, with sensation of a lump, which induces hawking, with dark redness and swelling of the velum palate, and pudendum.
Burning and dryness in the œsophagus.
Stinging in the œsophagus, in the tonsils; worse when swallowing, and when talking.
The œsophagus feels contracted, spasms in the throat not permitting one to swallow, the drink swallowed is discharged through the nostrils.
80. Continual inclination to swallow.
Tonsils inflamed, swollen, ulcers rapidly forming on them.

Appetite and Taste.

Loss of taste.
Taste bitter, insipid, sour (bread) or sticky, slimy taste in the mouth.
Excessive burning thirst, with constant desire to drink, drinks hastily; or aversion to drink, or inability to swallow.
85. Aversion to meat, acids, milk, beer.

Stomach and Abdomen.

Bitter eructations.
Gulping up of food.
Vomiting, of water; of mucus; of acid; of bile; of blood.
Empty retching.
90. Painful pressure in the pit of the stomach and stomach, especially after eating.
Spasms of the stomach.
Painfully distended abdomen, very sensitive to the touch.
Colic, with restlessness, below the umbilicus, as from clutching and griping with the nails, worse from external pressure.
Flatulent colic, (with protrusion of the transverse colon, like a pad,) ameliorated by bending forwards and by external pressure.
95. Stitches in the left side of the abdomen when coughing, sneezing, and touching it.

Stool and Anus.

Stool in lumps, like chalk.
Frequent small diarrhœic stools of mucus.
Thin, green stools, with frequent micturition and perspiration.
Dysenteric stools.
100. Involuntary evacuations.
Before stool, perspiration.
During stool, shuddering.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Spasmodic stricture of the rectum.
Paralysis of the sphincter ani.
105. Stinging pain in the rectum.

Urine.

Retention of urine.
Difficult discharge of urine, (and then discharge of a few drops of bloody urine only.)
Urine scanty, fiery red, dark, turbid.
Continuous dropping of urine.
110. Paralysis of the sphincter vesicæ.
Strictures of the urethra.

Sexual Organs.

Men. Inflammation of the testicles, great hardness in the drawn-up testicles.
Women. Great pressing in the genital organs, as if every thing would protrude.
Spasmodic contraction of the uterus.
115. Labor-pains too distressing, spasmodic,—too weak, or ceasing.
After-pains.
Congestion and inflammation of the uterus and labia.
Prolapsus and induration of the uterus.
Stitches in the organs.
120. Dryness of the vagina.
Metrorrhagia, blood clotted, with violent pain in the small of the back, and bearing down.
Puerperal fever, nymphomania.
Catamenia too early and too profuse.
Menstrual blood of bright color, or of a bad smell.
125. Lochial discharges in clots, and of bad smell.

Larynx and Trachea.

Larynx very painful, with anxious starts when touching it.
Constriction of the trachea.
Voice rough, with a nasal sound.
Hoarseness, loss of voice.
130. Short, dry cough, from tickling in the larynx, with headache, redness and heat in the face.
Cough, with stitches in the chest, in the lumbar region, in the hip, in the uterus,—pain in the sternum, with tightness of the chest,—with rattling of mucus on the chest.
Dry, spasmodic cough, with vomiturition, especially after midnight.
Barking cough.
Hooping-cough, with crying, or pain in the stomach before the attack, with expectoration of blood, (pale or coagu-

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

lated,) congestion of blood to the head, sparks before the eyes, spasms in the throat, bleeding from the nose, stitches in the spleen, involuntary stool and urine, oppressed breathing, stiffness of the limbs, shaking of the whole body, and general dry heat.

135. The cough is renewed by the least motion, (especially at night.)

Chest.

Breathing labored, unequal, quick, with moaning.
Vehement expirations.
Feeling of suffocation when swallowing, or when touching and turning the neck.
Oppression of the chest in the morning when rising, cannot breathe in the room, better in the open air.

140. Congestion to the chest.
Stitches in the chest, especially when coughing or yawning.
Violent palpitation of the heart, reverberating in the head.
Mammæ swelled, inflamed or indurated.
Flow of milk.

Back.

145. Stiffness of the neck.
Painful swelling of the glands of the neck.
Intense cramp—pain in the small of the back and the os coccyx; he can only sit for a short time.

Extremities.

Upper. Arms heavy, as if paralyzed.
Scarlet redness and swelling of the arms and hands.

150. Painful twitchings, spasms and convulsions in the arms and hands.
Lower. Coxalgia, with stinging pain or burning in the hip-joint; worse at night; aggravated by the least contact.
Involuntary limping.
Heaviness and paralysis of the legs and feet.
Tottering walk—when rising from bed in the morning, the legs refuse their service.

155. *Phlegmasia alba dolens.*

Generalities.

Over-excitability of all the senses.
Spasms in single limbs, or of the whole body, in children, during dentition.
St. Vitus's dance.
Epileptic spasms.

160. Renewal of the spasms by the least contact, or from the glare of light.
Hydrophobia.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Full habit (plethora.)
Congestions (head, lungs.)
Apoplexia.
165. Burning in the inner parts.
Rheumatic pains (in the joints) flying from one place to another.

Sleep.

Sleeplessness, with drowsiness.
Somnolence—stupor—lethargy (with snoring.)
Fearful visions, when closing the eyes to sleep.
170. Starting, when closing the eyes, or during sleep, as in a fright.
Dreams anxious—night-mare.
Sleep, with moaning and tossing about.

Fever.

Pulse. Pulse accelerated, often full and hard, tense, occasionally soft and small; if slow, the pulse is full.
Chilliness in the evening, especially on the extremities (arms) with heat of the head.
175. Cold limbs, with hot head.
Chilliness not relieved by the heat of the stove.
Chilliness as soon as he moves under the cover.
Internal and external burning heat, with restlessness.
Continuous dry, burning heat, with perspiration only on the head.
180. Internal heat, with restlessness; hot forehead and cold cheeks.
Dry heat, with thirst, and perspiration only on the head and neck (sour smelling.)
Perspiration exclusively on the covered parts, during sleep, ascending from the feet to the head.

Skin.

Dry, burning-hot skin.
Smooth, even, shining (not circumscribed) redness of the skin, with bloatedness, dryness, heat, burning, itching and swelling of the parts (especially face, neck, chest, abdomen and hands.)
185. Erysipelatous inflammations.
Scarlet-red rash (over the whole body.)
Miliary eruptions.
Vesicular eruptions, with scabs, white edges and œdematous swellings.
Boils (returning every spring.)
190. Glands swelled, inflamed, painful, stinging.
Bleeding soreness of the bends of the joints.
Ulcers, with burning pain when touching them.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Conditions.

Indurations, after inflammation.
Liability to take cold, with great sensitiveness to draft of air, especially when uncovering the head.
195. Bad effects from valerian, mercury, china and opium.
Aggravation, in the afternoon, and after midnight; on moving; from touching the parts even softly; on walking in the wind; from a draft of air; on looking at shining or glistening objects; while drinking.
Amelioration, on bending the affected part backwards or inwards; from leaning the head against something; while standing.

BENZOIC ACID.

Mind and Disposition.

Inclination to dwell on unpleasant subjects.
While writing, he often omits words.

Head.

Giddiness, especially in the afternoon, as if he would fall on his side.
Pressure on the vertex, extending to the spine,—without pain, but with anxiety.
5. Rheumatic pains in the head.
Headache from a draft of air; from uncovering the head; in the morning, when awaking; worse when at rest, returning periodically, and accompanied by pain in the stomach, nausea, and cold hands.
Cold perspiration on the head.

Face.

Burning heat of one side of the face.
Circumscribed redness on the cheeks.
10. Copper-colored spots on the face.
Cold perspiration of the face.

Tongue.

The tongue is spongy on the surface, with deep cracks, and with spreading ulcers.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Throat.

Sensation, as of a lump in the pit of the throat, as if some food had lodged there.
Sensation of swelling or constriction in the throat.
15. The throat symptoms are relieved by eating.

Stool and Anus.

Watery, light-colored, very offensive stools, (in children,) with unusually strong-smelling urine.

Urinary Organs.

Soreness, or hot, burning pain in the (left) kidney.
Frequent desire to urinate.
Urine contains mucus and pus, (with enlargement of prostate gland.)
20. Urine of dark color, with unusually strong smell; heavy, hot.

Chest.

Long-continued, dry cough, after suppressed gonorrhœa.
Pains in the region of the heart.
Awakens every morning at 2 o'clock, with violent internal heat, and hard, beating pulse, compelling him to lie on the back, because the beating of the temporal arteries causes a humming in the ears, and prevents him from going to sleep.
Awakens after midnight with violent palpitation of the heart, and hard beating of the temporal arteries.

Extremities.

25. Tearing and stitches, especially in the right big toe, (gout.

Generalities.

Great weakness, perspiration, and comatose condition.
Trembling, with palpitation of the heart.

Sleep.

Awakens with oppression of breathing, with palpitation of the heart, (after midnight,) with heat and hard pulse.

Fever.

Chilliness before the stool.
30. Great internal heat when awaking.
Perspiration while eating.

Conditions.

The pains suddenly change their locality, but are mostly felt in the region of the heart.
When moving, cracking of the joints.
Aggravation of the headache, when at rest; of the toothache, when lying; of the eye and ear symptoms in the open

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

air; of the head symptoms, when uncovering one's self, and when in a draft of air.

35. Amelioration of the face symptoms by heat.

The most of the symptoms appear first on the left, and then on the right side.

BERBERIS VULGARIS.

Mind and Disposition.

Indifference, apathy.

Melancholy, inclination to weep.

Head.

Darting and shooting pains in the head, often changing their locality.

Heat in the head after dinner, or in the afternoon.

5. Headache aggravated by movement, relieved in the open air.

Eyes.

Dryness of, or biting,—burning, or itching sensation in the eyes.

Itching in the canthi, eyebrows, and eyelids.

Ears.

Stitches in the ear.

Nose.

Dryness in the nose.

Face.

10. Pale face, with a dingy-grayish tinge, sunken cheeks, and deep-seated eyes, surrounded with bluish and blackish-gray border.

Mouth.

The mouth feels dry and sticky.

Painful white blisters on the tip of the tongue.

Throat.

Inflammation of the tonsils and pharynx, with swelling and fiery redness, and a sensation as if a lump were lodged in the side of the throat; expectoration of a quantity of thick, yellow, jelly-like mucus,—white, sticky tongue, viscid saliva resembling soap-suds.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Appetite and Taste.

Thirst and dryness of the mouth.
15. Taste bitter.

Abdomen.

Pressure in the region of the liver.
Burning under the skin, in the left side of the abdomen.

Stool and Anus.

Hard, scanty stool, (like sheep's dung.)
Watery evacuations.
20. Burning, stinging pain in the anus, before, during, and after stool.
Hemorrhoidal tumors, with burning pain after stool.
Painful pressure in the perinæum; stitches in the perinæum, extending deep into the (left side) pelvis (fistula in ano.)

Urine.

Lancinating or tearing pulsative pains in the region of the kidneys; worse when stooping and rising again, sitting or lying; better when standing.
Violent sticking pains in the bladder, extending from the kidneys into the urethra, with urging to urinate.
25. Frequently recurring, crampy, contractive pain, or aching pain, in the bladder, when the bladder is full or empty.
Stitches in the urethra, extending into the bladder.
Stitches and burning in the urethra.
Frequent urging to urinate.
Urine dark yellow, red, becoming turbid, copious; mucous sediment, or transparent, jelly-like or reddish, bran-like sediment.
30. Greenish urine, depositing mucus.
Blood-red urine, depositing a copious, slimy, bright-red, bran-like sediment.
During urination, burning in the urethra, with pressure on the bladder.
After urination, burning in the urethra, or bladder, pressure in the bladder, cutting, burning, and stitches in the urethra.
Movement brings on or increases the urinary difficulties.
35. With the symptoms in the urinary organs, pain in the loins and hips.

Sexual Organs.

Men. Dragging or lancinating pains in the spermatic cord, extending into the testicles.
Cold feeling in the prepuce and scrotum.
Women. Catamenia too scanty, painful (pain in the small of the back.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Menses, consisting of gray mucus or brown blood.
40. Suppressed menstruation.

Chest.

Stitches in the chest (left side.)

Back.

Stitches in the spine.
Numbness in the small of the back.
Pain in the small of the back; worse when sitting and lying, in the morning, when awaking (during menstruation.)

Generalities.

45. Great weakness, like fainting, after a walk, with perspiration and heat on the upper part of the body; cold, pale, sunken face and oppression of breathing.

Sleep.

Great sleepiness during the day and after dinner.
Sleep unrefreshing.

Fever.

Pulse slow and weak, or full, hard and rapid.
Chilliness, with hot face, followed by heat, with perspiration, or burning heat in the afternoon, increasing during the night.
50. Perspires easily from the least exertion.

Conditions.

Rheumatic and gouty complaints, with diseases of the urinary organs.
Movement increases or causes the complaints.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

BISMUTHUM.

Mind and Disposition.

Apathy and continual complaints, with peevish dissatisfaction.

Solitude is intolerable to him.

Head.

Sensation of weight in the forehead, temples and occiput.

Face.

Earthy paleness of face, with distorted features, and blue borders around the eyes.

Mouth.

5. White-coated tongue in the evening.

Sensation of soreness in the mouth.

Appetite and Taste.

Great thirst in the evening for cold drinks (without heat.)

Stomach.

Nausea after every meal.

Vomiting (of bile) with oppressive anxiety, small pulse, vertigo and prostration.

10. Vomiting and diarrhœa.

Vomiting of all fluids (children.)

Pressure in the stomach, especially after a meal.

Burning in the stomach. (Inflammation of the stomach.)

Stool and Anus.

Urging to stool in the evening, without any evacuations.

Urinary Organs.

15. Frequent and copious micturition; the urine is watery.

Sexual Organs.

Pressing, aching in the (right) testicle.

Generalities.

Sensation of heaviness in the inner parts.

Screwing pains.

Pressing pains (eyes, head, abdomen, testicles.)

20. Pressing-tearing (bones of the hands and of the feet.)

Fever.

Flushes of heat, especially on head and chest.

Conditions.

Most symptoms disappear during motion.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

BORAX.

Mind and Disposition.

Easily frightened, and starting from the least noise.
Anxiety, with sleepiness, increased towards evening.
The child feels an anguish when rocked in a cradle, has an anxious countenance during the downward motion, (when carried down stairs.)
Parts, which are usually red, turn white.

Head.

5. Vertigo in the morning, in bed.
Headache in the forenoon, (10, A. M.,) with nausea and trembling of the body.
Hot head (hot mouth and hands) of the infant.

Eyes.

The eyelashes turn inward into the eye, inflaming it, especially in the external canthus, where the borders of the lids are quite sore.
Itching in the external canthus of the eye.

Ears.

10. Discharge of pus from the ears, with hardness of hearing; with roaring in the (left) ear.

Nose.

Dry scabs in the nose.

Face.

Tetter around the mouth.
Burning heat and redness of the left cheek.

Mouth and Throat.

Aphthæ in the mouth, and on the tongue, bleeding when eating.
15. Tenacious, whitish phlegm in the throat, which can only be loosened with great exertion.

Stomach and Abdomen.

Distention from flatulence after every meal.
Hiccough after dinner.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stool and Anus.

Frequent soft, light-yellow, slimy stools.
Diarrhœa after breakfast.
20. Stitches in the rectum.

Urinary Organs.

Frequent micturition, (acrid-smelling urine.)
Hot urine in infants.

Sexual Organs.

Men. During cöition, the semen escapes either too early or too late.
Women. Catamenia too early, and too profuse.
25. During the catamenia, spasmodic pressure and stitches in the groin.
Sterility, or easy conception.
Fluor albus, like the white of an egg, or acrid.
Stitches in the region of the uterus.
Sensation of contraction in the left mamma, while the child nurses from the right.
30. Aphthæ on the nipples, they bleed.

Chest.

Stitches in the chest, whenever he coughs, or takes a deep inspiration.

Extremities.

Lower. Stitches in the soles of the feet.
Suppuration of a spot in the heel, where the rubbing of the shoe had occasioned a wound.
Frequent stitches in the corns.
35. Great weakness and debility of the lower extremities.

Generalities.

Restlessness and ebullitions, especially after talking, with nausea.

Sleep.

Sleepiness during the day, and sleeplessness at night.
The child starts from his sleep, and cries.

Fever.

Chilliness, especially during sleep.
40. Flushes of heat, (morning and evening.)
Perspiration during the morning sleep.

Skin.

Unwholesome skin, small wounds suppurate and ulcerate.
Erysipelatous inflammation on the lower leg, with chilliness, followed by heaviness and pulsation in the head; later, bleeding of the nose.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Conditions.

Consequences from getting cold when the weather is wet and cold.
Bad effects from riding; from eating fruit, (apples, pears.)
Aggravation after menstruation.

BOVISTA.

Mind and Disposition.

Sad, depressed, and desponding.
Awkwardness; she lets every thing drop out of her hand.
Weak memory.

Head.

Headache deep in the brain, sensation as if the head were enlarged.
5. Sensation as if bruised in the head.

Eyes.

Dim eyes, without lustre.
Objects seem to be too near the eye.

Ears.

Itching in the ears.
Discharge of fetid pus from the ears.
10. Ulcer in the (right) ear.

Nose.

Scurfs and crusts about the nostrils.
Stoppage of the nose with fluent coryza.
Bleeding of the nose early in the morning, (during sleep.)

Face.

Chapped lips.
15. Eruptions in the corners of the mouth.
Swelling of the upper lip (and cheek, after toothache) in scrofulous subjects.

Teeth.

Bleeding of the gums, (when sucking them.)

Stomach and Abdomen.

Bloatedness of the abdomen; with softness, flatulency, or rumbling, with constipation.

Stool and Anus.

Ineffectual urging to stool.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

20. Stool hard and difficult.
After stool, tenesmus and burning at the anus.
In the rectum, itching, as from worms.
Darting from the perinæum to the rectum and the genital organs.

Urinary Organs.

Frequent desire to urinate, even immediately after urination. (Diabetes mellitus.)
25. In the urethra, stinging, itching, burning; the orifice is inflamed, and feels as if glued up.

Sexual Organs.

Catamenia too early and too profuse, or too late, too scanty, too short; flowing only at night.
Before the catamenia, diarrhœa.
Leucorrhœa thick, slimy, tenacious, acrid, corrosive.

Extremities.

Perspiration in the arm-pits, smelling like onions.
30. Sensation in the wrist-joint, as if sprained.
Weakness of the hands; they let the least thing drop.
Tremor of the hands, with palpitation of the heart and oppressive anxiety.
Blunt instruments (scissors) make deep impressions in the skin of the fingers.

Generalities.

Ebullitions, with much thirst.
35. Great weakness of the joints.

Sleep.

Sleepiness after dinner, and early in the evening.

Fever.

Chilliness and heat, with thirst.
Morning sweat, especially on the chest.

Skin.

Moist tetters.
40. Blunt instruments make deep impressions.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

BUFO.

Mind and Disposition.

Inclination to be angry—to bite.
Stupor.

Head.

Giddiness, with heaviness of the head.
Headache in the forehead and on the vertex; the parts are tender to the touch, especially in the evening.
One-sided headache (right side) relieved by bleeding of the nose.
Headache, after breakfast.
Headache, aggravated by light and noise; accompanied by cold feet and palpitation of the heart.
Profuse perspiration on the head.

Eyes.

Eyes red, injected—itching, swollen.
Appearance of objects as if there were a veil before the eyes.

Nose.

Sneezing in the evening when going to bed.
Bleeding of the nose relieving the headache.

Face.

Pimples on the upper lip, with coryza.
Momentary hot flushes of the face.
Erysipelas.

Mouth and Tongue.

Stuttering.
Black tongue.
Fetid odor from the mouth.

Throat.

Mucus descends from the nose into the posterior nares.
Dryness in the throat, impeding deglutition (morning.)

Appetite and Taste.

Desire for sugar-water.
Sensation, as if he would faint from emptiness in the stomach.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stomach and Abdomen.

Eructations, as from rotten eggs.
Vomiting, after drinking.
25. After eating, irresistible sleepiness.
Colic pain after drinking milk, and after smoking tobacco.

Stool and Anus.

Stools white.
Constipation, with coldness of the body and hot head.
Hemorrhoidal tumors, with discharge of bright-red blood.

Urinary Organs.

30. Frequent discharge of pale urine.
Urine brown; of offensive odor.
Burning pain in the kidneys, with oppressed breathing and faintiness.

Sexual Organs.

Men. Inclination to touch the genitals.
Women. Menstruation too early—with headache.

Larynx and Chest.

35. Cough, from stitches in the larynx.
Sensation, as if the chest and the heart were constricted.
Stitches in the chest (right side.)
Palpitation of the heart, after a meal, with nausea.

Extremities.

Upper. The arms go to sleep easily.
40. Large blisters in the palms of the hands and soles of the feet.
Panaritium, swelling blue-black around the nail (thumb,) followed by suppuration.
After a slight contusion of the (little) finger, tearing pain, with redness along the whole arm, following the lymphatic vessels into the arm-pit; causing there painful glandular swellings.
Lower. Cramps in the legs, awaking him from his sleep.
Great weakness of the legs.

Generalities.

45. Great weakness—fainting.
Swelling of the whole body.
Twitching of the muscles.
Convulsions. Epilepsy (after fright.)

Sleep.

Sleepiness, after meals.
50. Inclined to lie on the left side.
Sleepiness when he smokes tobacco in the forenoon.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Fever.

Heat, with apathy or delirium, and cold feet.

Skin.

Yellow color of the skin.
Small wounds suppurate much.
Carbuncles.
Ulcers, with burning pains.

Conditions.

Aggravation, morning or evening.
The warm room is unpleasant.

BROMINE.

Mind and Disposition.

Cheerful mind; desire for mental labor.
Low-spirited, and out of humor.
Crying and lamentation, with hoarse voice.

Head.

Headache after drinking milk.
Pain over the left eye.
Scald-head.

Eyes.

Lachrymation (right eye) with swelling of the tear-gland.
Darting through the eyes, (left.)
Dilatation of the pupils.
Flashes before the eyes.
Protruded eyes.

Ears.

Swelling and hardness of the (left) parotid gland.

Nose.

Soreness in the nose, with scurfs.
Bleeding of the nose, relieving the chest.
Coryza, with sneezing; the margins of the nose, and the parts under the nose, are corroded, with stoppage of the nose.

Face.

Paleness of the face.
Heat in the cheek; first in the right, later in the left.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Mouth and Throat.

Ptyalism; much frothy mucus in the mouth.
Inflammation of the throat, with net-like redness and corroded places.
20. Burning from the mouth to the stomach.
Stinging in the tip of the tongue.
Heat in the mouth and œsophagus.

Appetite and Taste.

Desire for acids; and diarrhœa from taking them.
Water tastes saltish.

Stomach and Abdomen.

25. Vomiting of bloody mucus.
Nausea and retching; better after eating.
Feeling of emptiness in the stomach; better after eating.
Feeling of heaviness in the stomach, (inflammation of the stomach.)
Enlargement and induration of the spleen.

Stool and Anus.

30. Diarrhœa; stools yellow, green, black.

Sexual Organs.

Men. Swelling and induration of the (left) testicle, with sore pain, or sensation of coldness.
Swelling of the scrotum, (with chronic gonorrhœa.)
Women. Loud emissions of flatulency from the vagina.
During the menses, pain in the abdomen and in the small of the back.

Larynx and Throat.

35. Hoarseness, aphonia; worse in the evening.
Soreness and roughness in the throat.
Tickling in the trachea during an inspiration.
Dry, spasmodic, wheezing cough, with rattling breathing.
Cough rough, barking, from tickling in the throat.
40. Violent oppression of the chest, as from the vapors of sulphur.
Sensation of weakness in the chest.
Tightness of the chest, (asthma.)
Stitches in the chest, (inflammation of the lungs, right side.)
Violent palpitation of the heart; she cannot lie on the left side.

Neck and Back.

45. Goitre.
Two encysted tumors on both sides of the neck.
The left side of the neck is stiff and painful.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Generalities.

Excessive languor and debility, (worse after breakfast.)
Tremulousness all over.

Sleep.

50. Irresistible drowsiness while reading.

Fever.

Pulse much accelerated.
Chill on alternate days, with cold feet.
Internal burning heat.
Perspiration from the least exertion.

Skin.

55. Swelling and induration of the glands, (thyroid, testes, submaxillary, parotid.)
Boils.

Conditions.

Aggravation in the evening till midnight; in the warm room; and when at rest.
Amelioration from motion, riding on horseback.
More suitable for persons with light hair and blue eyes.

BRYONIA ALBA.

Mind and Disposition.

Exceedingly irritable and inclined to be angry.
Restlessness, with fear of the future; fear of death, which he thinks is near.
Despair of recovery.
Delirium at night of the business of the day.
5. Unconsciousness.
After having been angry he is chilly; has a red face and heat in the head.

Head.

Giddiness, with sensation of looseness in the brain when stooping, and when raising up the head.
Fulness and heaviness in the forehead, as if the brain were pressed out; with bleeding of the nose; red, bloated face; worse when opening or moving the eyes; when

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

stooping; in the evening; from motion; better from closing the eyes; from external pressure.

Tearing in one (right) side of the head, extending into the cheek and jaw-bones; worse from motion, touch and heat; better during rest and from external pressure.

10. Heat of the head, with dark-red face; with coldness of the rest of the body; with much thirst, and pain in the limbs when moving them; worse in the evening.

Oily, greasy, sour-smelling perspiration on the head (and the whole body) during sleep; at night, especially towards morning.

Greasiness of the hair of the head.

Eyes.

Stitches in the eyes.

Burning in the eyes and edges of the eyelids.

15. Inflammation of the eyes, aggravated by heat.

Inflammation of the eyes, especially in gouty subjects.

The eyes feel as if pressed out of the head.

The eyes feel very sore to touch, and when moving them.

Swollen eyelids, especially the upper lids.

Nose.

20. Swelling of the nose, with very sore pain when touched.

Bleeding of the nose, especially in the morning—with suppressed menstruation.

Face.

Yellow paleness of the face.

Hot, bloated red face.

Nodosities and indurations on the face.

25. Lips dry, swollen; cracked.

Teeth.

Toothache; shooting from one tooth to another, or into the head and cheeks; from an exposed nerve (sensitiveness of the decayed teeth to contact of the air;) pain worse from smoking or chewing tobacco; from introducing any thing warm into the mouth; relieved, momentarily, by cold water, and when lying on the painful side.

Mouth.

Dryness of the mouth, tongue and throat.

Tongue coated white or yellow, especially in the middle.

Throat.

Great dryness in the throat.

30. Stitches in the throat when swallowing.

Sensation of swelling and constriction in the œsophagus.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Appetite and Taste.

Abnormal hunger; he must often eat something.
Does not drink often, but much at a time.
Taste bitter, even of food.

Stomach.

Vomiting of solids, and not of fluids.
Bitter vomiting, when drinking immediately after a meal.
Vomiting, first of bile, then of fluids.
Pressure in the stomach after eating, especially after eating bread.
Stitches in the stomach.
Burning in the stomach and pit of the stomach, especially when moving.
Inflammation of the stomach.
Sensitiveness of the pit of the stomach to touch and pressure.

Abdomen.

Bloated abdomen (dropsy.)
Stitches in the liver, when touching it; when coughing and breathing. (Inflammation of the liver.)

Stool and Anus.

Constipation.
Stools too large in size; too hard and dry.
Diarrhœa, preceded by pain in the abdomen; during stool burning at the anus.
Diarrhœa putrid; smelling like old cheese; worse (or only) in the morning; during hot weather.
Involuntary stools while asleep.

Urinary Organs.

Diminished secretion of hot, red urine.
White, turbid urine.
Burning in the urethra, (when not urinating.)
Cutting in the urethra, or sensation of constriction while urinating.

Sexual Organs.

Men. Stitches in the testicles while sitting.
Women. Menstruation too early and too profuse, with dark, red blood.
Suppressed menstruation, with bleeding of the nose.
During pregnancy, pain in the abdomen and burning in the uterus.
Swelling and inflammation of the (left) labia majora.
Lumps, indurations and inflammations of the mammæ, with diminished or retarded secretion of milk. (Puerperal fever.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Respiratory Organs.

60. Hoarseness and roughness of the voice (acute bronchitis.)
Deep, slow breathing.
Difficult breathing, only possible with the assistance of the abdominal muscles.
Frequent sighing, breathing.
Continued inclination to draw a long breath.
65. Breathing quick, difficult and anxious; caused by stitches, principally in the chest, compelling him to sit up.
Cough, from tickling in the throat and pit of the stomach; in the evening and at night without expectoration; during the day the expectoration is yellow, or consists of coagulated brown blood, or of cold mucus of a disagreeable flat taste.
Cough and stitches in the head and chest; or pain, as if the head and chest would burst.
Stitches in the chest, when breathing or coughing.
Heat in the chest (pleurisy, pneumonia.)
70. Palpitation of the heart, with oppression of the chest (carditis.)
Dry, spasmodic cough, after eating and drinking, with vomiting of food.
Cough, with involuntary secretion of urine; hoarseness; thirst; sneezing; stitches in the chest and small of the back; red face; aggravated by motion, talking, laughing, eating and drinking.

Back.

Stitches in the back and small of the back.
Painful stiffness in the small of the back, compelling him to walk and sit crookedly.
75. Painful stiffness of the neck.

Upper Extremities.

Swelling of the elbow and hand joints, and upper parts of the hands.
The wrist feels as if dislocated, when moving it.
Rheumatic swelling of the right shoulder and upper arm, with stitches.
Swollen hands.

Lower Extremities.

80. Cracking and dislocation of the hip-joint, when walking.
Stitches in the hip-joint, extending to the knee.
Painful stiffness of the knees, with stitches, especially when moving them.
The ankle feels as if dislocated, especially when walking.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Swelling of the lower extremities.
85. Hot, inflammatory swelling of the feet, with redness.
Stitches in the feet (soles of the feet, big toe.)
Putrid ulcers on the lower extremities.

Generalities.

Over-sensitiveness of the senses to external impressions.
Rheumatic and gouty pains in the limbs, with tension; worse from motion and contact.
90. Paralysis of the limbs.
Stiffness and stitches in the joints.
Swelling (pale or red) of the affected parts, with inability to move them.

Sleep.

Sleeplessness before midnight, with thirst, heat and ebullitions.
Drowsiness, with half-closed eyes.
95. Yawning and sleepiness in the day-time.
Delirium, as soon as he awakes.

Fever.

Pulse full and hard, tense and quick; seldom intermitting.
Chilliness predominating, frequently with heat of the head, red cheeks and thirst.
Chill, with external coldness of the body.
100. Coldness and chilliness, mostly in the evening, and often only on one (right) side.
More chilliness in the room than in the open air.
Heat. Fever, with bitter taste and thirst.
Dry, burning heat, mostly internal, as if the blood were burning in the veins.
Perspiration, profuse and easily excited when walking slowly in the open, cold air.
105. Profuse night and morning perspiration.
Perspiration sour, or oily.

Skin.

Yellowness.
Burning itching eruptions.
Rash, especially of children, and during child-bed.
110. Petechiæ.
Erysipelatous inflammations, especially of the joints.
Hard knots and blotches.
Putrid ulcers, feeling cold.

Conditions.

Aggravation, in the evening (9, P. M.;)
115. From motion, exertion of the body, on ascending; worse

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

on sitting up in bed; the patient is made sick at the stomach by sitting up; can't sit up a moment; *gets faint, or sick*, or both, on *sitting up ;*
From heat and warm food;
While coughing, after eating, while swallowing;
After the suppression of cutaneous eruptions.
Amelioration, while making an expiration;
120. On descending;
While lying, especially on the painful side;
While sitting;
From eating cold things;
On getting warm in bed.

CACTUS GRANDIFLORUS.

Mind and Disposition.

Sadness and bad humor; taciturnity, melancholy, hypochondriasis.

Head.

Vertigo, from sanguineous congestions to the head.
Pulsating pain, with the sensation of weight in the right side of the head.
Heavy pain, like a weight on the vertex; worse from sounds, even talking.

Eyes.

5. Dimness of sight; cannot see at a distance; objects appear to be obscured.

Ears.

Hearing diminished by the buzzing in the ears.
Pulsations in the ears (otitis.)

Nose.

Profuse bleeding of the nose.

Face.

Face bloated and red, with pulsation in the head.

Throat.

10. Constriction of the œsophagus, which prevents swallowing; which excites the frequent swallowing of saliva.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stomach and Abdomen.

Nausea in the morning, lasting all day.
Acrid acid in the stomach, which rises in the throat and mouth.
Burning pulsation or heaviness in the stomach.
Constriction or pulsation in the scrobiculus.
15. Pulsation in the cœliac artery (after dinner.)
Copious vomiting of blood.

Stool and Anus.

Constipation; stool hard and black.
Diarrhœa, watery, mucous, bilious (in the forenoon.)
Sensation of great weight in the anus.
20. Swollen, painful varices at the anus.
Copious hemorrhage from the anus.
Itching in the anus.

Urinary Organs.

Constriction of the neck of the bladder.
Irritation in the urethra, as if he would pass water constantly.
25. Urine passes by drops, with much burning.
Profuse urine, of a straw color.
Urine, on cooling, deposits a red sand.
Hæmaturia.

Sexual Organs.

Women. Pulsating pain in the uterus and ovaries.
30. Sensation of constriction in the uterine region.
Very painful menstruation.
Labor suppressed.

Chest.

Feeling of constriction in the chest, as if bound; hindering respiration.
Sensation of constriction in the heart, as if an iron hand prevented its normal movement.
35. Acute pains and stitches in the heart.
Difficulty of breathing; attacks of suffocation, with fainting, cold perspiration on the face, and loss of pulse.
Palpitation of the heart; worse when walking, and at night when lying on the left side.
Chronic bronchitis, with rattling of mucus.
Hæmoptysis, with convulsive cough.
40. Spasmodic cough and copious mucous expectoration.
Pricking pains in the chest, with oppressed respiration, intense cough, sanguinolent sputa. (Pneumonia.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Extremities.

Formication and weight in the arms.
Œdema of the hands; worse in the left.
Œdema of the feet, extending to the knee; the skin is shining; pressure with the fingers leaves an indentation.

Generalities.

45. General weakness and prostration of strength.
Sensation of constriction in the throat; chest; heart; bladder; rectum.
Hemorrhages, nose; lungs; rectum; stomach.

Sleep.

Sleeplessness without cause; or from arterial pulsations in the scrobiculus, and in the right ear.
Delirium at night, on waking up.

Fever.

50. Slight chilliness towards 10 A. M.
Chilliness, with chattering of the teeth.
Burning heat, with shortness of breath.
Scorching heat at night, with headache, following a chill and terminating in perspiration.
Intermittent fever (quotidian) recurring every day at the same hour. One o'clock in the afternoon slight chill, then burning heat, with dyspnœa, pulsating pain in the uterine region, terminating in slight perspiration:—(quotidian) 11 A. M., great coldness for two hours; then burning heat, with great dyspnœa, violent pain in the head, coma, stupefaction, insensibility till midnight, then unquenchable thirst and perspiration.

Skin.

55. Dry, scaly herpes on the outside of the elbow, and on the right internal malleolus.

Conditions.

The intermittent fever attacks recur at the same hour.
Aggravation in the forenoon (diarrhœa.)
At night (palpitation of the heart; headache.)
When lying on the left side (palpitation of the heart.)
60. After eating (weight in the stomach.)
From noise and light (headache.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

CADMIUM SULPHURICUM.

Mind and Disposition.

Great irritability.
Aversion to be alone, or at work.

Head.

Sensation of constriction in the head.
Stitches and pulsations in the temples.
5. Headache, with restlessness, icy coldness of the body, bleeding of the nose, constriction in the throat, thirst, nausea, and vomiting; mostly present when awaking, in the open air, from a draft of air, in the sun.

Eyes.

Cannot read small print.
Night-blindness.
Dimness of, or spots on the cornea.
Hot tears.

Stomach.

10. Vomiting of acid or yellow substances, with cold perspiration in the face, and cutting pain in the abdomen.
Burning and cutting pain in the stomach.

Chest.

Oppression; sensation as if the lungs were in a state of adhesion.

Extremities.

Upper. Perspiration in the palms of the hands.

Generalities.

Cutting pains in the limbs.

Conditions.

15. Aggravation, in the morning, forenoon; after grief; after intoxication; when sitting or lying.
Amelioration, from eating.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

CALADIUM SEGUINUM.

Mind and Disposition.

Low spirits and gloomy thoughts, (with impotence.)
Forgetfulness.

Mouth.

Swelling of the tongue with excessive ptyalism; the saliva resembling the white of an egg; the eyes are violently inflamed, the chest is oppressed, pulse small and accelerated, cold perspiration all over.

Throat.

Dryness in the fauces and pharynx, with aversion to cold water.

Stomach and Abdomen.

Frequent rising of air, as if the stomach were filled with dry food, (with asthma.)
Burning in the stomach, not relieved by drinking.

Stool and Anus.

Discharge of thin, red blood after the stool.
Discharge of mucus from the rectum after stool.

Urinary Organs.

The bladder feels full, without desire to urinate.
Fetid urine, (with impotence and secondary gonorrhœa.)

Sexual Organs.

Men. The sexual organs are bloated, relaxed, and sweaty.
Swelling of the prepuce, (border,) with smarting during micturition.
After coition, the prepuce remains behind the glans; it is painful and swollen.
Glans red, dry, dotted with fine points, which are still redder.
Painful erections without sexual desire, alternating with sexual desire with relaxed penis.
Imperfect erections, and premature ejaculation of the semen.
Impotence; the penis remains relaxed, even when excited.
Feeling of coldness, and cold perspiration of the sexual organs.

Larynx and Trachea.

Sensation of constriction in the larynx and trachea.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Generalities.

20. Attacks like fainting after writing and thinking, when lying down, or when rising.
Disinclination to move, and desire to lie still.

Sleep.

Sleepiness in the day-time, but cannot go to sleep on account of vertigo.
At night, cramps in the soles of the feet.

Fever.

Chilliness in the evening, without thirst.
25. Internal heat, going off from sleep.
Heat with thirst, pain in the ears, swelling of the submaxillary glands, and retention of stool.
Sweat towards evening, with prostration, yawning and drowsiness.
The perspiration (after the heat) attracts the flies.

Skin.

Itching, burning rash, (forearm and chest,) alternating with asthma.

Conditions.

30. All the symptoms are ameliorated by perspiration, and after sleeping in the day-time.

CALCAREA CARBONICA.

Mind and Disposition.

Easily frightened, or offended.
Inclination to weep.
Children are self-willed.
Apprehensive anxiety about his health, or of some future misfortune.
5. Anguish, with palpitation of the heart.
She fears she will lose her understanding, or that people will observe her confusion of mind.
Despairing mood, with fear of disease and misery.
Thinking is difficult.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Head.

Vertigo, when ascending a height, walking in the open air, or turning the head quickly, or looking upwards (in the morning.)

10. *Mania a potu*, with delirious talk about fire, rats, mice and murder.

Congestion of blood to the head, with heat and stupefying headache; with redness of the face and bloatedness; worse in the morning when awaking, and from spirituous drinks.

Headache, from overlifting.

Fulness and heaviness in the head.

Pulsations in the occiput.

15. Heat in the vertex.

Headache, with empty eructations and nausea, vertigo; aggravated from mental exertions, stooping, or walking in the open air; ameliorated by closing the eyes, and by lying down.

Internal and external sensation of coldness of one (right) side of the head, as if a piece of ice were lying there; with pale, puffed face.

Enlargement of the head, with open fontanelles.

Profuse perspiration, mostly on the back part of the head and on the neck (in the evening.)

20. Tumors and suppurating boils on the head.

Itching of the hairy scalp—scabs on the head.

Falling off of the hair (sides of the head—temples.)

Eyes.

Pressure, itching, burning and stinging in the eyes.

Cutting in the eyes and lids; worse when reading by candle-light.

25. Inflammation of the eyes, from foreign bodies coming into them; in infants, or scrofulous subjects.

Ulcers, and specks on the cornea.

Dimness of the cornea.

Oozing of blood from the eyes.

Watering of the eyes in the morning, or in the open air.

30. Fungus medullaris.

Fistula lachrymalis.

Pupils dilated.

Dimness of sight (mist before the eyes when looking sharp.)

Bright light dazzles the eyes.

Ears.

35. Stitches, or pulsations in the ear.

Inflammation of the external and internal ear.

Discharge of pus from the ears.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Tingling in the ears.
Polypus of the ear.
40. Hardness of hearing, especially after the suppression of intermittent fever by quinine.
Inflammatory swelling of the parotid gland.

Nose.

Inflamed, swollen, red.
Dryness of the nose.
Nostrils ulcerated and scabby.
45. Bleeding of the nose (in the morning.)
Polypus of the nose.
Stench before the nose (as from manure, gunpowder or putrid eggs.)
Stench from the nose.
Smell diminished.

Face.

50. Pale bloatedness of the face.
Yellow color of the face.
Moist, itching, scurfy eruption on the cheeks and forehead (with burning pain.)
Eruptions on the lips; around the mouth; in the corners of the mouth.
Ulcerated corners of the mouth.
55. Itching of the face and under the whiskers.
Swelling of the upper lip (in the morning.)
Painful, hard swelling of the submaxillary glands.

Teeth.

Difficult dentition.
Gums swollen and bleeding.
60. Toothache, drawing, stinging, from a draft of air; aggravated by noise, from drinking any thing cold, during and after the catamenia, during pregnancy.
Fistula dentalis.

Mouth.

Dryness of the tongue at night, and when awaking.
Ranula.
Accumulation of mucus in the mouth.

Throat.

65. Spasmodic contraction of the œsophagus.
Inflammatory swelling of the palate, with blisters on it.
Stinging in the throat when swallowing.
Swelling of the tonsils.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Appetite and Taste.

Continued violent thirst for cold drinks (at night.)
70. Canine hunger (in the morning.)
Desire for wine, salt or sweet things.
After drinking milk, nausea and sour eructations.
After eating, heat, or bloatedness, with nausea.
Sour taste of the food, or by itself.

Stomach and Abdomen.

75. Eructations tasting like the ingesta.
After eating, heartburn, and continued loud belching of wind.
Morning nausea.
Sour vomiting, especially in children, and during dentition.
Vomiting of the ingesta (tasting sour.)
80. Pit of the stomach swollen and painful to pressure.
Pressure and cramp-like pain in the stomach, especially when fasting, or after meats, with vomiting of the ingesta.
Stinging pain in the liver, (during or after stooping.)
Cutting in the upper part of the abdomen.
Sensation of coldness in the abdomen.
85. Enlargement of the abdomen, with swelling of the mesenteric glands.
Incarcerated flatulence.
Inguinal glands swollen and painful.

Stool and Anus.

Constipation; stools hard and undigested.
White stools.
90. Diarrhœa, of sour smell; putrid; during dentition.
Involuntary stool, (as if fermented.)
Tapeworm, and ascarides, with the stool.
Discharge of blood from the rectum.
Prolapsus ani.
95. Itching of the anus.
Varices, swollen, protruding, burning.

Urinary Organs.

Frequent micturition, also at night.
Urine dark, brown; with white sediment; of putrid smell.
Bloody urine.
100. During micturition, burning in the urethra.
Polypus in the bladder.

Sexual Organs.

Men. Inflammation of the prepuce, with redness and burning pain.
Frequent nocturnal, involuntary emissions.
During coition, erections of too short duration.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

105. Burning and stinging while the semen is discharged during coition.
Women. Catamenia too early, and too profuse.
Suppressed menstruation, with full habit.
During menstruation, cutting in the abdomen; griping in the back; heat and congestion to the head.
Stitches in the os uteri.
110. Itching or pressing in the vagina.
Varices on the labiæ.
Prolapsus uteri, with sensation of pressing on it.
Sterility, with catamenia too early, and too profuse.
Fluor albus, like milk; burning; itching; in starts; during micturition; before the catamenia.

Larynx and Trachea.

115. Hoarseness, (painless.) Sensation, as if something were torn loose in the trachea.
Tickling cough, caused by a sensation of dust in the larynx.
Ulceration of the larynx.
Cough in the evening in bed, at night; while sleeping; with expectoration through the day, but not at night.
Expectoration of thick mucus; gray, yellow, of putrid smell; bloody; purulent; tasting sour.
120. Hæmoptysis.
Ulceration of the lungs.

Chest.

Tightness of the chest, as if too full, (filled with blood.)
Arrest of breath, when walking against the wind, or when stooping.
Burning in the chest.
125. Inclination to draw a deep breath.
Sensitiveness and sensation of soreness in the chest, when drawing a deep breath, and when touching it.
Stitches in the chest, and sides of the chest when moving; when taking a deep inspiration; when leaning against the painful side.
Palpitation of the heart at night; after eating; with anguish.
Trembling pulsation of the heart.
130. Hot swelling of the mammæ.
Secretion of milk too abundant, (galactorrhœa,) or suppressed.

Back and Neck.

Pain in the small of the back, or in the neck from over-lifting.
Pain in the small of the back, (as if sprained;) he can scarcely rise from his seat, after being seated.
Pressing pain between the shoulder-blades, impeding breathing, when moving.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

135. Curvature of the dorsal vertebræ.
Painful swelling of the cervical glands.
Thick, struma-like swelling of the thyroid gland.

Extremities.

Upper. Suppuration of the axillary glands.
Weakness and lameness of the arms, (left.)
140. Pain as if sprained in the wrist-joint, (right.)
Arthritic nodosities on the hand and finger-joints.
Deadness of the fingers.
Trembling of the hands.
Lower. Coxalgia, with drawing stitches, or tearing, cutting.
145. The child is late learning to walk.
Heaviness and stiffness of the legs.
Swelling of the knee.
Tearing and stinging in the knee.
Cramp in the bend of the knee, in the calves of the leg; soles of the feet; toes; especially when extending the leg, (pulling on the boots.)
150. Erysipelas, (lower leg, with swelling.)
Phlegmasia alba dolens.
Itching on the lower limb and foot-joint.
Burning of the soles of the feet.
Perspiration on the feet, (foot-sweat.)
155. Perspiration of the palms of the hands.
Coldness and deadness of the feet, especially at night, in bed.
Corns, sore, with burning pain.

Generalities.

Great weakness and debility, from a short walk; from talking.
Cramps in single parts, which draw the limbs crooked, especially the toes and fingers.
160. Epileptic attacks, at night; during the full moon; with hallooing and shouting.
St. Vitus' dance.
Fainting, with loss of sight and coldness.
Full habit and ebullitions.
Tendency in children and young persons to grow very fat.
165. Bloatedness of body and face, with swelled abdomen, in children.
Great emaciation, with swelled abdomen and good appetite.
Visible quivering of the skin, from the feet to the head, with which he becomes dizzy.
Trembling of inner parts.
170. Bleeding from inner parts.
Pulsating pains.
Sensation of dryness of inner parts.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sensation of coldness in inner parts.
Stinging and cutting in outer and inner parts.
175. Arthritic tearing in the muscles.
Arthritic nodosities.

Sleep.

Sleeplessness, from many thoughts crowding his mind.
When closing his eyes, he has many horrid visions.
He falls asleep late.
180. Awakens early in the night.
Fearful of fantastic dreams during sleep.
At night, oppression of the chest, with heat and restlessness, thirst.
Sleepy the whole day, and early in the evening.

Fever.

Pulse full, accelerated or tremulous.
185. Chilliness, when rising in the morning.
Chilliness, mostly in the evening; internal with external heat.
Frequent flushes of heat, with anxiety and palpitation of the heart.
Heat, with thirst, followed by chilliness.
Heat, after eating.
190. Perspiration from the least exertion, even in the open, cold air.
Perspiration, in the first sleep.
Night sweat, especially on head, neck and chest.
Night sweat, sticky only on the legs.

Skin.

Flaccidity of the skin.
195. Bloatedness.
Nettle rash, mostly disappearing in the cold air.
Eruptions moist, scurfy. (Milk crust.)
Herpes, burning; chapped; furfuraceous.
Rhagades, especially in those who work in water.
200. Unwholesome, readily ulcerating skin; even small wounds suppurate and do not heal.
Polypus (nose, ear, uterus.)
Ulcers, deep; fistulous; carious.
Steatoma, reappearing and suppurating every four weeks.
Warts, inflamed; stinging; suppurating.
205. Painful swelling of the glands.
Varices.
Bones, swelling; softening; curvature of; stinging in; caries.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Conditions.

Easy straining, from which he gets sore throat, stiff-neck, backache, or headache.
Sprains, from overlifting.
210. Liability to take cold, and great sensitiveness to moist, cold air.
Aversion to the open air.
Full habit and ebullitions.
Puffiness. (Chlorosis.)
Desire to be magnetised.
215. *Aggravation.* Morning; evening, or after midnight.
In the cold air, and in wet weather.
After washing, and by cold water.
On awaking.
After eating (smoked meat, milk.)
220. From exertion of the mind (after writing.)
From pressure of the clothes.
From sexual excess.
From suppressed perspiration.
Amelioration. After breakfast; on rising; from drawing up the limbs; from loosening the garments.

CALENDULA OFFICINALIS.

External wounds and lacerations, with (or without) loss of substance.
The wotnd is raw and inflamed; is painful, as if beaten; the parts around the wound become red, with stinging in the wound during the febrile heat.

CAMPHOR.

Mind and Disposition.

Great anguish and discouragement.
Mania to dispute.
Confusion of ideas; delirium.

Head.

Giddiness, with heaviness of the head and vanishing of the senses.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

5. Sensation of constriction in the brain, especially in the cerebellum; the pain ceases when he thinks of it.
Inflammation of the brain, (after sun-stroke,) with pulsation and sensation of constriction in the brain, spasmodically turned head, (to the side or backward,) worse from movement, or in the cold air; better when lying down, or when thinking of it.

Eyes.

Staring, wild look.
Eyes sunken.
Contraction of the pupils.
10. Aversion to light; the objects appear too bright and shining.

Ears.

Lobules red, hot.
Ulcer in the (left) meatus auditorius, (with stinging pain.)

Nose.

Dry coryza.

Face.

Death-like paleness of the face, alternating with redness.
15. Icy-cold, purple, pale face.
Distorted countenance.
Lock-jaw.
Foam at the mouth.

Throat.

Burning in the mouth and throat, extending to the stoma h.
20. Dry, scraping sensation of the palate.

Appetite and Taste.

Thirstlessness, or violent thirst.
Food tastes bitter.
The taste is more acute.

Stomach and Abdomen.

Burning in the stomach.
25. The pit of the stomach is very sensitive to the touch.
Burning heat in the abdomen.

Stool and Anus.

Constipation, from want of peristaltic motion of the intestines.
The rectum feels narrow and swollen; is painful during the emission of flatulence.
Involuntary diarrhœa; stools blackish.

Urinary Organs.

30. Strangury, with tenesmus of the neck of the bladder.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Burning of the urine during emission.
The stream is thin, as if the urethra were contracted.
The urine is yellowish-green.

Sexual Organs.

Sexual desire wanting; impotence.
35. Sensation of contraction in the testes.

Chest.

Violent oppression of breathing, with constriction of the throat, as if produced by the vapor of sulphur.
Accumulation of mucus in the air-passages, with danger of suffocation.
Audible palpitation of the heart, (after eating.)
Trembling of the heart.

Extremities.

40. *Upper.* Hands icy cold.
Convulsive rotation of the arms.
Lower. Great weakness of the legs.
Cramps in the calf of the leg and feet.

Generalities.

Epileptic and convulsive attacks; he falls down insensible.
45. Diminished circulation of the blood to the parts most distant from the heart.
Icy coldness of the whole body, with paleness of the face.
Sudden and great sinking of strength.

Sleep.

Torpor, with delirium or snoring.
Sleeplessness from nervous over-excitability.
50. During sleep, the inspirations are shorter than the expirations.

Fever.

Pulse small, weak, and slow.
The blood does not circulate to the parts distant from the heart.
Chilliness, and sensitiveness to cold air.
Coldness, with chilliness and shaking.
55. Icy coldness of the whole body, with congestion to the head and chest.
Heat, with distended veins, aggravated from every movement.
Cold perspiration, often clammy, and always very debilitating.

Skin.

Dryness of the skin.
Erysipelatous inflammation.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Conditions.

Most pains are felt during a half-conscious condition, and disappear when thinking of them.
Great sensitiveness to cold and cold air; the pains are aggravated by it.

CANNABIS SATIVA.

Mind and Disposition.

The mind is too active; crowded with ideas.
The ideas seem to stand still; he unconsciously stares, as if hurried in thoughts.

Head.

Sensation as if intoxicated.
Congestion of blood to the head, with pulsation, and not unpleasant warmth in it.
Sensation of a heavy weight on the vertex.
Sensation as if drops of cold water were falling on the head.

Eyes.

The cornea becomes opaque.
Specks and pellicle on the cornea.
Weakness of the eyes, and diminished vision.
Cataract.

Ears and Nose.

Throbbing, pushing pain in the ear, disappearing when stooping, and re-appearing when raising the head again.
Pulsation in the ears.
Dryness of the nose, with heat.
Stupefying pressure on the root of the nose.
Swelling and copper-redness of the nose.
Bleeding at the (dry) nose, even to fainting.

Face.

Pale face.
Hot face, with red cheeks.

Mouth and Throat.

Dryness of the mouth; viscid saliva, without thirst.
Eruption in the vermilion border of the lips.
Difficult speech.
Burning in the throat.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stomach and Abdomen.

Rising of air.
Gulping up of a bitter-sour, acrid fluid.
Vomiting of green bile.
Sensation of soreness of the stomach when touching it, relieved by eating.
Cramp in the stomach, with perspiration of the pale face.
Sensation of soreness in the abdomen, (dropsy.)
Shuddering in the abdomen, as if cold water were running through it.

Stool and Anus.

Constipation; stool hard.
Diarrhœa after colic.
Sensation in the anus, as if something were dropping out of it.

Urinary Organs.

Sensation of soreness and inflammation of the kidneys.
Strangury; painful urging to urinate; he discharges only a few drops of bloody, burning urine.
During micturition, burning, smarting, or stinging pain in the urethra.
Burning, during and after micturition, (forepart of the urethra.)
Spreading stream.
The urethra feels inflamed.
Discharge of watery mucus from the urethra, (gonorrhœa.)
Painless discharge of mucus from the urethra.

Genital Organs.

Men. Inflammatory swelling of the prepuce, with dark redness.
The penis feels sore and burnt when walking.
Painful erections.
Sexual desire increased.
Swelling of the prostate gland.
Women. Profuse menstruation.

Chest.

Asthmatic attacks; he can only breathe when standing up.
Oppressed breathing, as from a weight on the chest, with wheezing, rattling breathing.
Difficult respiration when lying down.
Loss of voice.
Cough dry, or with green, viscid expectoration.
Inflammation of the lungs, with stitches low downward, or with inflammation of the heart, or with vomiting of bile.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Violent palpitation of the heart.
Shocks and beats in the region of the heart.
55. Sensation as if drops were falling from the heart.
Inflammation of the heart.

Back.

Pain in the back, arresting the breathing.

Extremities.

Upper. Cramp-like contraction of the metacarpal bones, of the (right) hand.
Lower. Pain in the legs, as from great fatigue.
60. Heaviness of the legs; he walks in a stagger—and painful weariness of the knees, as from over-exertion.
The patella starts out of its normal position, when going up stairs.

Generalities.

Great debility after dinner, and from exertion.
Exhaustion from talking and writing.
Tetanic spasms of the upper limbs and the trunk.
65. Sensation, as if drops of cold water were falling, (on the head, from the anus, from the heart.)

Sleep.

Great sleepiness in the day-time.
Sleeplessness at night from heat; he feels as if hot water were poured over him.

Fever.

Pulse weak, slow, almost imperceptible.
Chilliness, with thirst.
70. External coldness of the body, with the exception of the face.
Heat only in the face.
Burning heat at night.

Skin.

Rheumatic tearing, as it were in the periosteum, during motion.

Conditions.

Fatigue after great bodily exertion, or from over-exertion; fatigue after a very long foot journey.
The weariness is worse after a meal; from talking; or writing; from a little exercise.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

CANTHARIDES.

Mind and Disposition.

Anxious restlessness, ending in rage.
Paroxysms of rage, with crying, barking and beating; they are renewed by the sight of dazzling, bright objects; when touching the larynx; when trying to drink water.
Amorous frenzy, with shameless, unchaste gesticulations.
Delirium. Hydrophobia.

Head.

5. Soreness and burning in the brain.
Burning in the sides of the head, ascending from the neck, with soreness and giddiness; worse in the morning and afternoon; when standing or sitting; better when walking or lying down.

Eyes.

Eyes protruding; fiery, sparkling, staring look.
Involuntary spasmodic movement of the eyes.
The eyes look yellow.
10. Burning and soreness in the eyes.
Things look yellow.

Nose.

Erysipelatous inflammation of the dorsum of the nose, extending to the cheeks (right side) with hardness and subsequent desquamation.

Face.

Death-like appearance; expression of terror and despair.
Sunken, hippocratic countenance.
15. Yellow complexion.
Hot, red, swollen face.

Mouth and Throat.

Suppuration of the gums.
Fistula dentalis (suppurating) (upper incisors.)
Burning in the mouth, extending down the pharynx, œsophagus and stomach; worse from drinking cold water.
20. Inflammation of the mouth and pharynx.
Inflammation and suppuration of the tonsils, with inability to swallow.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Painless inability to swallow.
Expectoration of frothy saliva, streaked with blood.
Feeble voice, from debility of the organs.
25. Inflammation and suppuration of the tongue.

Appetite and Taste.

Thirst, with aversion to all fluids.

Stomach and Abdomen.

Violent burning pain (inflammation) in the stomach.
Sensitiveness of the stomach; also externally.
Inflammation of the liver.

Stool and Anus.

30. Diarrhœa of mucus, followed by pain in the abdomen, or bloody discharges.
Dysentery; discharges of blood-streaked mucus, or white mucus, looking like the scraping from the intestines.
During stool, burning in the anus; prolapsus ani.
After stool, chilliness and tenesmus.

Urinary Organs.

Burning, stinging and tearing in the kidneys. (Inflammation of the kidneys.)
35. Pressing pain in the kidneys, extending to the bladder; along the ureters; relieved by pressing upon the glans.
Desire to urinate constant, with inability to urinate, or with difficult emission of a few drops only.
Discharge of blood by drops; hemorrhage from the urethra.
Spasmodic pain in the bladder, with suppression of urine.
Discharge of bloody mucus from the bladder. (Inflammation of the bladder.)
40. During micturition, burning or cutting pain in the urethra. (Inflammation of the urethra.)

Sexual Organs.

Men. Inflammation of the genitals.
Painful erection (with gonorrhœa) with strong sexual desire (priapism.)
Women. Catamenia too early and too profuse (blood black.)
Inflammation of the ovaries.
45. Swelling of the neck of the uterus.

Chest.

Sensation of weakness in the respiratory organs.
Oppression of breathing, with sensation of constriction of the pharynx.
Stitches in the chest, during an inspiration. (Inflammation of the lungs.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Burning and stinging in the larynx, especially when attempting to hawk up tough mucus.
Hoarseness; weak, indistinct voice.

Back.

Tearing in the back (after rising from a seat.)
Stiffness in the nape of the neck, with tension when bending it over.
Opisthotonos.

Extremities.

Lower. Coxalgia, with spasmodic pains in the bladder, and strangury.
Soles of the feet sore (ulcerating pain.)

Generalities.

Over-sensitiveness of all parts.
Burning, with soreness, especially in the cavities of the body.
Tearing (rheumatism) in the limbs; relieved by rubbing.

Fever.

Pulse hard, full and rapid.
Pulsation through the trembling limbs.
Chilliness, principally in the evening; not relieved by heat.
Burning heat, with anxiety and thirst.
Perspiration; cold, especially on the hands and feet; on the genitals.
Perspiration smells like urine.

Skin.

Erysipelatous inflammation; burning; raising blisters.
Itching pustules, burning when touched.
Itching and tearing in the ulcers.
Blisters, from burns.

Conditions.

The conditions return every seven days.
The right side is mostly affected.
Aggravation from coffee (and oil.)
Amelioration, from lying down.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

CAPSICUM ANNUUM.

Mind and Disposition.

Peevish, easily offended.
Home-sickness, with redness of the cheeks and sleeplessness.

Head.

Vertigo and giddiness, especially during the cold stage of the intermittent fever.
Pressing headache, as if the head would burst, with fulness, nausea, and vomiting; worse in the evening,—from moving the head,—when walking in the cold air; better when lying with the head high, and from heat.
5. One-sided headache, pressing, with nausea and vomiting; worse from moving the head and eyes.
Darting pain through the head; worse during rest; better from moving about.

Eyes.

Burning in the eyes, (in the morning,) with redness and lachrymation.
Objects appear black when brought before the eyes, (incipient amaurosis.)

Ears.

Swelling behind the ears, painful to the touch.
10. Hardness of hearing after previous burning and stinging in the ear.

Nose.

Bleeding from the nose, in the morning in bed.

Face.

Redness of the cheeks, (without heat,) often changing to paleness.
Dull, pressing pain in the cheek bone, excited by touching the parts.
Swollen, cracked lips.
15. Lips peel off; burning of the lips.

Mouth and Throat.

Burning blisters in the mouth.
Stomacace. Fetid odor from the mouth.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Spasmodic contraction of the throat.
Inflammation, with dark redness and burning of the throat.
The pain in the throat is worse between the acts of deglutition.

Appetite and Taste.

Unnaturally increased appetite, alternated with aversion to food.
Taste sour.
Thirstlessness.

Stomach and Abdomen.

Burning in the stomach, (after eating.)
Distention of the abdomen, with suffocative arrest of breathing.
Colic from flatulence.
Painless rumbling in the abdomen.

Stool and Anus.

Dysentery; stools of bloody mucus with tenesmus, and strangury.
Diarrhœa at night, with burning at the anus.
Hæmorrhoidal tumors, with burning, (bleeding.)

Urinary Organs.

Strangury, with tenesmus of the bladder.
Spasmodic contraction of the neck of the bladder.
Burning while urinating.
Discharge of blood from the urethra, which is painful to the touch.

Sexual Organs.

Men. Impotence, with coldness of the scrotum.
Purulent discharge from the urethra.
Dwindling of the testes.

Chest.

Oppressed breathing appearing to come from the abdomen, or from fulness of the chest.
Asthma with redness of the face, eructation and sensation as if the chest were extended.
Deep breathing, almost like a sigh.
Dry, hard cough in the evening and at night, with pain in distant parts, (stitches in the bladder, pain in the knees or legs, ears, throat.)
When coughing, he exhales fetid smelling air.

Generalities.

Aversion to exercise.
Phlegmatic temperament, and relaxed fibres.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Fever.

Pulse irregular, and often intermitting.
45. Chill almost always with violent thirst; worse after drinking.
Heat, with perspiration, and no thirst.
Perspiration after the chill, without previous heat.
On the upper part of the legs cold perspiration.

Skin.

Sensation over the whole body, as if the parts would go to sleep.

Conditions.

50. Stiffness and painfulness of all the joints when beginning to move.
Cracking of all the joints, (finger joints, knee.)
Most complaints are aggravated from eating and drinking; are most severe on beginning to exercise; and are relieved or ameliorated by continued exercise.

CARBO ANIMALIS.

Mind and Disposition.

Alternate cheerfulness and melancholy.
Fright in the dark.

Head.

Heaviness in the cerebellum; worse in the forenoon,—in the cold air,—relieved after dinner.
Pain in the vertex, as if the skull were open.
5. Tightness and tension of the skin of the forehead and vertex.
Heat in the head in the evening in bed, better after rising.

Eyes.

Sensation as if the eyes were lying loose in their sockets.

Ears.

Hardness of hearing; the sounds appear confused, does not know from what direction they come.
Discharge of pus from the ears.
10. Swelling of the parotid gland.

Nose.

The tip of the nose is red, chapped, burning, the skin feels tight.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Face.

Erysipelas of the face.
Red, smooth, elevated blotches in the face.
Vesicles and cracks on the lips.
15. Heat of the face and head in the afternoon.
Swelled, burning lips.

Mouth and Throat.

Burning blisters in the mouth and on the tongue.
Gums red, swollen, painful.
Looseness of the teeth.
20. Dryness of the mouth and tongue.

Appetite and Taste.

Ravenous hunger.
Repugnance to greasy food.
Bitter taste in the morning.

Stomach and Abdomen.

Weak digestion; almost all food causes distress.
25. Pressure in the stomach, even in the morning and in the evening, in bed.
Spasmodic cramp in the stomach.
Considerable inflation after a meal.
Audible rumbling in the abdomen.

Stool and Anus.

Constipation; unsuccessful desire for stool; he passes only very offensive flatus.
30. Stools hard, knotty.
During stool, pain in the small of the back, with inflation of the abdomen.
Varices, burning; stinging.
A viscid, indorous humor oozes out of the rectum, and from the perinæum.

Urinary Organs.

Frequent desire to urinate, with increased secretion of urine.
35. Burning soreness in the urethra when urinating.
Involuntary discharge of fetid-smelling urine.

Sexual System.

Women. Menses too early.
Fluor albus, leaving yellow stains on the linen.
Mammæ swollen, inflamed (erysipelatous) during confinement.
Hard, painful nodosities in the mammæ.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Chest.

40. Hoarseness and roughness in the throat in the morning, after rising.
Loss of voice (during the night.)
Breathing, panting and rattling.
Oppression of breathing in the morning, and after eating.
Soreness in the chest.
45. Burning in (right side of) the chest.
Sensation of coldness in the chest.
Cough, with discharge of greenish pus (suppuration of the lungs.)

Neck and Back.

Painful swelling and induration of the glands of the neck, and of the parotid glands.
Stitches in the small of the back when drawing a long breath.

Extremities.

50. *Upper.* Swelling and induration of the axillary glands.
Oozing of moisture from the arm-pits.
Gouty stiffness of the joints of the fingers.
Pain in the wrist-joint, as if sprained.
The hands go to sleep.
55. *Lower.* Stitches in the left hip when sitting.
Drawing and sensation of contraction under the knee.
The ankle-joint and toes bend easily when walking.
Frost-bitten feet and toes, inflamed; burning.

Generalities.

Numbness of all the limbs.
60. Burning pains.

Sleep.

Cannot go to sleep in the evening, from restlessness, anxiety, and frightful visions.
During sleep, groaning, talking and shedding of tears.

Fever.

Pulse accelerated, especially in the evening.
Chill, especially in the afternoon, in the evening, and after eating.
65. Chill in the evening, followed by perspiration.
Heat after a chill, mostly at night, in bed.
Perspiration after the heat, especially towards morning.
Perspiration of bad odor; debilitating; coloring the linen yellow; more on the upper legs.

Skin.

Erysipelatous swellings, with burning pain.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

70. Inflammation, swelling and induration of the glands.
Itching over the whole body in the evening, in bed.

Conditions.

Easy straining; great debility and spraining of the joints.
Aversion to the open, cold, dry air.

CARBO VEGETABILIS.

Mind and Disposition.

Restlessness and anxiety (in the evening, 4–6, P. M.)
Periodical weakness of the memory.
Sensitiveness and irritability.

Head.

Giddiness when moving the head.
Congestions to the head.
5. Pressing headache, with tears in the eyes; they are painful when moving them; the hairy scalp is painful to the touch; worse in the afternoon and evening, and after eating.
Spasmodic tension in the brain.
The external head is painfully sensitive to pressure, especially the pressure of the hat; worse from taking cold, or when getting warm in bed.
Falling off of the hair, with itching of the scalp in the evening, when getting warm in bed.

Eyes.

10. Weakness of the eyes from using them too much, and from fine work.
Hemorrhage from the eyes, with congestion to the head.
Nightly agglutination of the eyes.
Burning and pressing in the eyes.
Itching of the margins of the eyelids.
15. Black, flying spots before the eyes.

Ears.

Every evening heat and redness of (the right) the external ear.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Deficiency of wax.
Suppuration (fetid) of the inner ear.
Pulsations in the ears.
20. Swelling of the parotid gland.

Nose.

Frequent and continuous bleeding from the nose, especially in the morning, or after straining to stool, with paleness of the face before and afterwards.
The tip of the nose is red and scabby.
Itching around the nostrils; coryza, with hoarseness.

Face.

Greenish color of the face.
25. Great paleness of the face.
Swollen face and lips.
Lips swelled, chapped.

Teeth.

Looseness of the teeth.
30. Tearing toothache from salt food.
The gums recede from the teeth, (incisors.)
The gums bleed easily and often.

Mouth and Throat.

Dryness of the mouth, without thirst.
Tongue coated white or yellow-brown.
35. Stomacace.
Sensation of constriction in the throat.
Feeling of coldness of the throat.
Burning; roughness; rawness in the throat.
The throat is full of mucus, which can be hawked up easily.
40. Swelling and inflammation of the uvula, with stitches in the throat.

Appetite and Taste.

Excessive hunger or thirst.
Great desire for coffee.
Aversion to meat and fat things.
Bitter or salty taste.
45. The food tastes too salt.
Acidity in the mouth after eating.
Weakness of digestion; the plainest food inconveniences him.

Stomach and Abdomen.

Nausea in the morning.
Eructations of the (fat) food.
50. Bloated abdomen after eating and drinking.
Vomiting of blood; of the food in the evening.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Colic, with the sensation of a burning pressure; much flatulence and sensitiveness of the pit of the stomach.
Pain in the stomach after loss of fluids, (while nursing.)
Stitches under the ribs, especially in the region of the liver.
55. Pain in the liver, as if bruised.
Distention of the abdomen from flatulency, with heat, and frequent discharge of very fetid flatus.
Pain in the abdomen from riding in a carriage.
He cannot bear any tight clothing around his waist and abdomen.

Stool and Anus.

Constipation; hard, tough, scanty stool.
60. Diarrhœa; thin, pale, mucous.
The stool, even if it be soft, is passed with difficulty.
Discharge of blood from the rectum.
Burning varices.
Burning at the anus, (after stool.)
65. Soreness of, and oozing of moisture from the perinæum.

Urinary Organs.

Frequent and anxious urging to pass urine.
Copious emission of light-yellow urine, (diabetes.)
Wetting of the bed at night.
Constriction of the urethra every morning.
70. Red, dark urine, as if mixed with blood.

Sexual Organs.

Men. Frequent, involuntary seminal emissions.
Rapid discharge of semen during coition, followed by roaring in the head.
Women. Itching, burning and soreness of the parts.
Aphthæ and itching at the pudendum.
75. Menses too early and too profuse, (blood pale.)
Menstrual blood thick; corrosive; of an acrid smell.
Thick, yellowish white leucorrhœa.
Varices on the parts, (pudendum.)
Disposition to miscarriages.

Larynx and Trachea.

80. Hoarseness aggravated by talking; worse in the evening.
Roughness of the throat, causing cough.
Soreness and ulcerative pain in the larynx and pharynx.
Loss of voice at night, or when talking.

Chest and Lungs.

Oppression of breathing.
85. Sensation of rawness and soreness in the chest.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Burning, pressing, and stinging in the chest, (hydrothorax.)
Wheezing and rattling of mucus in the chest.
When breathing, painful throbbing in the head and teeth.
Spasmodic, hollow cough, (hooping-cough;) four to five attacks every day, caused by a tingling irritation in the larynx; expectoration only in the morning, yellow, like pus,—brownish,—bloody,—tasting putrid, sour, salt, and of offensive smell.
90. Cough, with spitting of blood and burning pain in the chest.
Cough, with expectoration of pus.
The cough is worse in the evening; till midnight; from movement; when walking in the open air; from cold, wet weather; from going from a warm to a cold place; after lying down; after eating and drinking, especially cold things; from talking.
Brown-yellow blotches on the chest.
Palpitation of the heart, especially when sitting.
Erysipelatous inflammation of the mammæ.

Back.

95. Stitches in the back.
Rheumatic tearing in the back.
Painful stiffness of the back in the morning, when rising.
Swelling of the cervical glands.

Extremities.

Upper. Pain, as from contusion in the elbow joints.
100. Tearing in the wrists.
Paralytic weakness of the fingers when seizing any thing.
Heat in the hands; burning in the hands.
Icy cold hands. The tips of the fingers are covered with cold sweat.
Lower. Heaviness in the lower extremities.
105. The legs go to sleep.
Cramps in the legs, and especially the soles of the feet.
Perspiration of the feet.
Toes red, swollen, stinging, as if they had been frozen.
Ulcerated tips of the toes.

Generalities.

110. Numbness of the limbs.
Burning pains (limbs, bones, ulcers.)
The limbs go to sleep easily.
Great debility and weakness as soon as he makes the least exertion.

Sleep.

Sleepiness in day-time (forenoon) with sleeplessness at night, on account of great restlessness.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

115. No sleep, with inability to open the eyes.

Fever.

Pulse small, weak, imperceptible; uneven; intermitting.
Chilliness and chill, especially in the evening, with thirst—sometimes on one side only; with great debility and icy coldness of the body. (Intermittent fever, with thirst only during the chill.)
Heat after the chill, or by itself, in the evening and at night, in bed; flushes of heat; burning heat, generally without thirst.
Perspiration smelling putrid, or sour; easily excited, even when eating; cold.
120. Night-sweat. Morning sweat smelling sour.

Skin.

General itching all over in the evening, when getting warm, in bed.
Burning on different parts of the skin.
Ulcers; bleeding readily; putrid; with burning pain; with acrid, corroding pus.
Lymphatic swelling, with suppuration and burning pain.
Glands swollen, indurated.

Conditions.

Evil effects from the loss of fluids.
The rheumatic pains in the limbs are often accompanied by flatulency.
The great debility is worse at noon.
Bad effects from over-lifting, and from getting cold in cold, wet weather.
The soreness in the limbs is worse in the morning, on riding.
Bad effects from the abuse of china, or chinium sulphuricum.
It follows well after veratrum, especially in hooping-cough.
China follows well after carbo vegetabilis.

CASCARILLA.

Ears.

Burning heat of the inner and outer ear.

Stool and Anus.

Constipation; stool hard; in pieces, covered with mucus.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Frequent and excessive discharges of light-colored blood from the rectum, during and after hard, brown stool in large lumps; and without stool.

CASTOR EQUORUM.

Excessively sore nipples, bleeding, suppurating, and only hanging on strings.

CAUSTICUM.

Mind and Disposition.

Melancholy, peevish.
Low-spirited, with fearful anxiety, day and night.
Attacks of anger, with scolding.
Afraid at night (in the dark room; the child does not want to go to bed alone.)

Head.

5. Giddiness, with sensation of weakness in the head.
Stitches in the temples.
Tension and tightness in the head, and of the scalp (forehead and temples.)
Congestion to the head, with roaring in the head and ears.
Involuntary nodding of the head while writing.

Eyes.

10. Pressure in the eyes, as if sand were in them.
Agglutination of the eyes (in the morning.)
Inflammation of the eyes, with burning and itching of the eyes and eyelids.
Old warts; on the eye-brows; on the upper eye-lid (nose.)
Movements before the eyes, as of a swarm of insects.
15. Dim-sightedness, as if a thick fog were before the eyes.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Ears.

Buzzing and roaring in the ear and head.
Spasmodic pain in the ear, as if the inner parts were pressed out.
Stitches in the (right) ear.
Painful swelling of the external ear.
Feeling of obstruction in the ears.
Words spoken and steps re-echo in the ear.

Nose.

Pimples on the tip of the nose.
Old warts on the nose (orbits, upper eyelids.)
Itching in the nose, and of the nostrils.
Coryza, with hoarseness, preventing loud speech.
Continuous dry coryza, with obstruction of both nostrils.

Face.

Yellowness of the face, (temples.)
Spasmodic sensation of the lips.
Sensation of tightness and pain in the jaws, rendering it very difficult to open the mouth, or to eat.
Arthritic pains in the lower jaw.
Semi-lateral paralysis of the face.
Itching eruption on the face.

Teeth.

Painfully elongated teeth, (incisors.)
Stitches in the teeth.
Gums suppurating, (fistula dentalis.)

Mouth and Throat.

Swelling of the inner side of the cheek; he bites it when chewing.
Dry mouth and tongue.
Accumulation of much mucus in the mouth and throat.
Speechlessness from paralysis of the tongue.
Distortion of the tongue and mouth when talking.
Stuttering, difficult, indistinct speech.
Dryness in the throat, without thirst.
Constant disposition to swallow, (pain as if a tumor were in the throat.)
Audible cracking in the throat.
Sensation as if something cold were rising in the throat.

Appetite and Taste.

Aversion to sweet things.
Greasy taste in the mouth.
Violent thirst, (cold drinks.)
Fresh meat causes nausea; smoked meat agrees.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stomach and Abdomen.

50. Violent distention of the abdomen after a meal, (breakfast.)
Sour vomiting, often followed by sour eructation.
Colic, with heat in the head, chilliness over the whole body; better when lying down.
Swelled abdomen in children.
Painful swelling of the navel.
55. The clothes press the hypochondria painfully.
Stitches in the liver.

Stool and Anus.

Constipation; painful, fruitless urging to stool, with anxiety and redness of the face.
The hard, tough stool, is covered with mucus, and shines as if greased.
The stool is too small-shaped.
60. Diarrhœa, with tenesmus and burning in the rectum.
Bloody stool, with soreness and burning of the rectum.
Itching at the anus, (after dinner.)
Varices of the rectum, hindering stool; large; painful; stinging; burning when touched; increased by walking, and when thinking of them.
Pulsation in the perinæum. (Fistula in ano.)
65. Soreness of, and oozing of moisture from the rectum.

Urinary Organs.

Frequent and urgent desire to urinate, with thirst and scanty emission.
Involuntary emission of urine by day and night; at night, when asleep; when coughing, sneezing, and walking.
Burning in the urethra when urinating.
Itching of the orifice of the urethra.

Sexual Organs.

70. *Men.* Increase of smegma about the glans.
Aching in the testes.
Itching of the scrotum.
Women. Menses too late, but profuse; blood clotted.
Difficult first menstruation.
75. During the menses, no blood is passed at night.
Pain in the back, (during the menses;) yellowness of the face; vertigo.
Aversion to coition.
Leucorrhœa at night.
Sore, cracked nipples, surrounded with herpes.
80. Deficiency of milk.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Larynx and Trachea.

Burning and roughness.
Hoarseness and roughness, (early in the morning.)
Aphonia, (in the morning,) or from weakness of the organs.
Sensation of soreness of the larynx.
85. Hawking up of mucus early in the morning.

Chest.

Asthma, especially when sitting or lying down.
Stitches in the sternum, or deep in the chest, during a long inspiration.
Rattling in the chest.
Burning, stitches, and soreness in the chest.
90. Palpitation of the heart, with languor.
Stitches about the heart.
Tight dressing about the chest oppresses the breathing.
Short, dry cough.
Dry, hollow cough, with soreness in the chest, caused by tickling and mucus in the throat, with expectoration only at night, of acrid-tasting mucus, which he cannot raise, but has to swallow it again.
95. Cough, with pain in the hip, with involuntary passage of some drops of urine.
Cough is worse in the evening till midnight, from exhaling; drinking coffee; cold air; draft of air; when awaking from sleep.
Cough is relieved by a swallow of cold water.

Back and Neck.

Stiffness and tension in the neck.
Swelling, like goitre, on the throat.
100. Painful stiffness between the scapulæ, and of the back, especially when rising from a seat.
Itching and humid tetter in the nape of the neck.
Pain, as from a bruise in the nape of the neck.

Extremities.

Upper. Dull tearing in the arms and hands.
Great heaviness and weakness in the arms.
105. Trembling of the hands.
Great heaviness in the right hand.
Paralytic feeling in the right hand.
Sensation of fulness in the interior of the hand when grasping any thing.
Tension of the posterior joints of the fingers when bending them.
110. Numbness, insensibility and tightness of the fingers.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Tearing in the right wrist-joint.
Lower. Sensation of dislocation of the hip-joint when walking.
Tension in the knee and ankle-joints.
Contraction and tension in the heel and tendo Achillis.
115. Marbled skin of the legs.
Swelling of the feet.
Cold feet; cramp in the feet.
Unsteady walk of children; they fall easily.

Generalities.

Paralytic, trembling weakness of the limbs, paralysis (one-sided.)
120. Epileptic spasms (at night during sleep.)
St. Vitus' dance.
Tension and shortening of the muscles, contracting the joints and bending the limbs; they become paralyzed.
Rheumatism in the limbs.

Sleep.

He starts from the sleep.
125. Sleeplessness at night, with anxiety and heat.
Great sleepiness during the day.

Fever.

Pulse only accelerated towards evening.
Chilliness predominating, frequently with coldness of the left side.
Internal chilliness, followed by perspiration, without previous heat.
130. Heat in the evening, from 6 to 8, P. M.
Flushes of heat, followed by chilliness.
Perspiration when walking in the open air.
Morning sweat (smelling sour.)

Skin.

Itching of the whole body at night. (Itch.)
135. Injuries of the skin, which had been healed, become sore again.
Humid tetters.
Painful varices.
Soreness of children.

Conditions.

In the evening, great restlessness of the body (legs.)
140. Aggravation in the evening; in the open air; from colic.
Amelioration, especially of the rheumatic pains in the limbs, in bed, and from heat.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

CHAMOMILLA VULGARIS.

Mind and Disposition.

Anger, with rage, violence and heat.
Great anguish and restlessness.
Crying and howling.
Weeping uneasiness; the child wants different things, and repels them when given to him.
The child cries and wants to be carried on the arm.
Seeks a cause for quarrel.
Peevishness and ill humor; taciturn; absence o mind.

Head.

Vertigo, when rising from bed; from drinking coffee.
Pulsating headache, generally in one side of the head, with one red cheek; worse at night; in the open air; in the wind; better from warm coverings and when walking about.
Lancinating pain in one side of the head, with thirst; better from walking about.
Headache, which is felt even during sleep.
Hot, clammy perspiration on the scalp and forehead.

Eyes.

Burning heat in the eyes.
Inflammation of the eyes, especially the edges of the lower eyelids, which are swollen.
Distortion of the eyes.
Yellowness of the whites.
Hemorrhage from the eyes.
Spasmodically closed eyelids.
Twitching of the eyelids.
Aversion to bright light.

Ears.

Otalgia, with stitches and tearing.
Discharge of thin pus from the ears.
Inflammatory swelling of the paratid gland.
Sensitive hearing.

Nose.

Wrinkled skin of the nose.
Ulcerated nostrils.
Sensitive smell.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Face.

Bloatedness of the face.
Redness and burning heat, particularly of the cheeks; sometimes of *one* cheek only, with paleness and coldness of the other.
30. Swelling, with hardness and blueness of one cheek.
Red rash on the cheeks.
Convulsive movements and twitchings of the facial muscles and lips.
Rhagades in the middle of the lower lip.
Heat of the face, while the rest of the body is cold.
35. Wrinkles on the forehead.

Mouth and Throat.

Putrid smell from the mouth.
Dry mouth and tongue, with thirst.
Red tongue, cracked.
Tongue coated thick, yellow or white.
40. Convulsive movements of the tongue.
Inflammation of the soft palate and the tonsils, with dark redness.
Sensation of a plug in thethroat.
Inability to swallow while lying.
Inability to swallow solid food.
45. Sore throat, with swelling of the parotid or submaxillary glands.

Teeth.

Insupportable (drawing) toothache (at night) with swelling of the hot, red cheek, and thirst.
The toothache recommences when entering the warm room.
Toothache, aggravated from drinking any thing warm, especially coffee.
Toothache, after a cold and suppressed perspiration.
50. Toothache, with redness and swelling of the gums
Dentition, with convulsions.

Appetite and Taste.

Aversion to food; loathing of food.
Great thirst; longing for cold water.
Bitter taste in the mouth early in the morning.
55. Desire for coffee.

Stomach and Abdomen.

Sour eructations (the existing pain is aggravated by eructations.)
Vomiting, of food; sour; of bile.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

After eating or drinking, heat and perspiration of the face.
Distention of the abdomen after a meal.
60. Painful bloatedness of the epigastrium (in the morning.)
Nausea (after drinking coffee.)
Colic, after anger.
Oppression of the stomach, as if a stone were pressing downwards.
Burning in the pit of the stomach.
65. Pressing towards the abdominal ring, as if hernia would protrude.

Stool and Anus.

Nightly diarrhœa, with frequent small discharges and colic.
Hot, diarrhœic stools, smelling like rotten eggs.
Stools green, chopped.
Stools consisting of white mucus, with colic.
70. Diarrhœa during dentition (green mucus.)
Diarrhœa from cold, from anger, from chagrin.
Stools corroding the anus.

Urinary Organs.

Ineffectual urging, with anguish during micturition.
The urine is hot, with flocculent sediment; turbid.
75. Smarting pain in the urethra during micturition.

Genital Organs.

Men. Itching, stinging pain in the margin of the prepuce.
Soreness of the border of the prepuce. (Sycosis.)
Excited sexual desire.
Women. Pressure towards the uterus, like labor-pain.
80. Metrorrhagia; the blood is passed in clots, and smells putrid.
Discharge of blood between the regular catamenia.
Abdominal spasms, before the catamenia; of pregnant women; or while nursing.
The labor-pains are not sufficient, but cause great restlessness and anguish (over-sensitive to the pains.)
Violent after-pains.
85. Suppression of milk (milk is cheesy, or mixed with pus; (milk fever.)
Puerperal fever.
Erysipelas of the mammæ and soreness of the nipples.
Induration and swelling of the mammæ; they are painful to the touch.

Larynx and Trachea.

Wheezing and rattling in the trachea.
90. Hoarseness, from tenacious mucus in the trachea.
Catarrhal hoarseness.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stitches and burning in the larynx, with hoarseness.
Hoarseness and cough, from rattling mucus in the trachea.

Chest.

Burning of the chest.
95. Oppression of the chest, as from flatulence.
Constriction of the upper part of the chest.
Sudden stoppage of the chest, in children.
Stitches in the sides of the chest.
Burning pain under the sternum.
100. Rattling of mucus in the chest.
Cough, from irritation in the chest; from tickling in the pharynx and larynx, during the day, with expectoration of small quantities of tough mucus, tasting bitter or putrid.
Dry nightly cough of children, from tickling in the throat-pit.
Nightly dry cough during sleep.
Cough worse at night; aggravated from crying; from cold air; dry winds; open air; during sleep.
105. Amelioration of the cough when getting warm in bed.

Back.

Pain in the small of the back, especially at night.
Stinging pain in the back.

Extremities.

Upper. The arms go to sleep, especially when taking hold of any thing.
Convulsions of the arms, with clasping in of the thumb.
110. Convulsive twitchings of the fingers.
Cold hands, with cold perspiration in the palms of the hands.
Swelling of the palms of the hands.
Lower. Cracking of the knee during motion.
Burning of the soles of the feet, (at night, he puts his feet out of bed.)
115. Sensation of numbness in the toes.

Generalities.

Over-sensitiveness of the nerves; (pain is insupportable, and drives to despair.)
Over-sensitiveness of the senses, (especially from coffee and narcotics.)
Great, prostrating debility as soon as the pain begins.
Convulsive twitchings in the limbs. Convulsions, (during dentition.)
120. Sensation of numbness, (extremities.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sleep.

Yawning and stretching.
Drowsiness, with short breathing; groaning; starts.
Nightly sleeplessness from anxiety and visions.
Restless sleep, with weeping and howling, groaning and tossing about.
125. Snoring breathing when asleep.
Sleep full of vivid, fanciful dreams.

Fever.

Pulse small, tense, and accelerated.
Chilliness; frequently on some parts, while others are hot.
Chilliness, with internal heat.
130. Chill and coldness of the whole body, with burning hot face and hot breath.
Chilliness and coldness of the fore part of the body, while the back part is hot, or vice versa.
Chilliness from exposure to the air, (undressing,) or in the cold air.
Heat, with occasional chills, and one hot, red cheek, while the other is pale.
Heat, with anxiety and perspiration of the face and scalp.
135. Continuous burning heat, with violent thirst, and starts during sleep, and furious delirium.
Perspiration during sleep, mostly on the head, smelling sour, and with biting sensation of the skin.
Suppressed perspiration.

Skin.

Yellow skin, (over the whole body.)
The skin becomes unhealthy, and every injury ulcerates.
140. Rash of infants, and during nursing.
Red rash on the cheeks, on the forehead.
Ulcers, with darting and lancinating pain in the night, and excessive sensitiveness to the touch.
Itching pimples form around the ulcer, covered with scurf, and suppurating.
145. Inflammatory swelling of the glands.

Conditions.

Extreme sensitiveness to pain, with great irritability.
Over-sensitiveness to the open air, and aversion to being in the wind.
At night, tearing (rheumatic) pains in the limbs, with sensation of numbness.
The pains are worse at night, and are accompanied by thirst and heat.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

150. Aggravation at night; from anger, (colic;) after taking cold; while lying down; during perspiration; during sleep.
Amelioration while fasting; from bending the head backward; after perspiration; on rising.

CHELIDONIUM MAJUS.

Mind and Disposition.

Low-spirited and desponding, with inclination to weep.

Head.

Sensation of coldness in the occiput, ascending from the nape of the neck; worse when moving, better at rest.
Stitches in the vertex, particularly when walking fast.
Tingling in and on the head.
5. Scald-head.

Eyes.

Contraction of the pupils.
Painful pressure on the upper eye-lid.
Inflammation and nightly agglutination, with dimness in the morning.
Fistula lachrymalis.

Ears.

10. Sensation in both ears, as if wind were rushing out.
Whizzing before the ears, like wind.
Loss of hearing during cough.

Nose.

Dry coryza, with partial (one-sided) stoppage.

Face.

Redness of the face, without heat.
15. Tension and drawing in the (left) malar bone.
Itching in the face, and on the forehead.
Herpes in the face, especially the chin.

Throat.

Sensation as if the larynx were pressed on the œsophagus, impeding deglutition.
Sensation of choking in the throat, as if too large a morsel had been swallowed.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Appetite and Taste.

Longing for milk, which agrees well with him.
Bitter taste in the mouth.

Stomach and Abdomen.

Hiccough.
Frequent rising of air.
Eructation, tasting like juniper berries.
Nausea, with sensation of heat in the stomach.
Gnawing sensation in the stomach, relieved by eating.
Burning in the stomach.
Feeling of coldness in the stomach.
Cutting pain in the stomach when yawning; soon after eating.
Colic; the navel is drawn in; nausea.

Stool and Anus.

Constipation, stool hard in hard lumps.
Mucous diarrhœa at night.

Urinary Organs.

Pressure in the bladder, with scanty emission.
Urine pale.
Burning, darting and cutting in the urethra.

Sexual Organs.

Women. Menstruation too late; too profuse, and of too long duration.
Vanishing of milk.

Chest.

Oppression of the chest and respiration.
Stitches in the left chest during an inspiration.

Back.

Pain (pinching) under the right scapula (hindering the motion of the arm.)
When bending forwards or backwards, tearing pressing pain in the back, as if the vertebræ were being broken assunder.

Extremities.

Upper. Paralytic pressure in the upper-arm.
Stiffness of the wrist.
The anterior joints of the fingers (of the right hand) became yellow, cold and dead; the nails were blue.
Fine tearing in the tips of the fingers of the (right) hand.
Lower. Paralytic weakness of the (left) thigh and knee, when stepping.
Stiffness of the ankles.
The toes are without sensation, and feel dead.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Generalities.

The limbs feel paralyzed.
50. Stiffness in the joints (wrist, ankle.)

Sleep.

Goes to sleep late.
Sleeplessness, with sleepiness.
Perspiration during the morning sleep.

Fever.

Pulse small and rapid; full, hard, but not very much accelerated, towards evening.
55. Chill, internally, when walking in the open air; better in the room.
Chilliness and coldness of the whole body, mostly on the hands and feet.
Internal heat in the evening, after lying down, without thirst.
Perspiration during sleep, after midnight; in the morning hours; ceasing soon after awaking.

Skin.

Old, putrid, spreading ulcers.

Conditions.

60. Great debility and lassitude after eating; after awaking in the morning.
Desire to lie down after a meal.
Aversion to move; he feels tired from the least exertion.
Aggravation in the morning.

CHENOPODIUM.

Head.

Dulness in the head, as if from coryza, with flushes of heat in the face; violent pressing in the forehead or the cerebellum, aggravated by motion, with sensation as if the brain were balancing to and fro; drawing-tearing in the scalp.

Eyes.

Burning of the eyelids in the evening.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Ears.

Tearing in the ears, now in one, then in the other.

Nose.

Sensation of soreness of the nostrils.

Violent sneezing, with soreness of the larynx.

Coryza, with burning and biting on the margins of the nostrils, particularly of the septum.

Fluent coryza, with secretion of thin mucus; with accelerated pulse; with coldness of the feet up to the knees, and a chill over the back.

Face.

Pale or yellowish color of the face.

Flushes of heat in the face, with dulness of the head (evening.)

Dryness of the lips, especially in the morning.

Mouth and Throat.

Painful vesicle on the tip of the tongue.

Dryness of the mouth and throat, sometimes with increased secretion of mucus.

Much mucus in the mouth and throat, tasting flat, with continual disposition to hawk or spit.

Secretion of frothy mucus from the mouth and throat.

Scraping and burning in the throat.

Appetite and Taste.

Increased thirst, from dryness in the throat.

Stomach.

Frequent cutting pain in the abdomen, especially at night, or during the day, with urging to stool, emission of large quantities of flatulence.

Frequent rumbling of flatulence in the bowels.

Congestion of blood to the organs in the pelvis.

Stool and Anus.

Ineffectual urging, with pressure on the bladder and rectum.

Evacuations liquid, papescent, with burning in the anus and renewed urging, or with pinching in the abdomen before and after the stool.

Urinary Organs.

Pressure on the bladder, especially with ineffectual desire to stool.

Irritation in the urethra, as from acridity, compelling him to urinate frequently.

During micturition, burning in the urethra, especially at the orifice.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

25. Frequent and copious emission of saturated, yellow, foaming urine, attended with an acrid sensation in the urethra, brownish red, depositing a thick, yellowish sediment during the night.

Larynx and Trachea.

Frequent roughness and huskiness of the voice; going off by hawking.

Burning scraping in the larynx, as from acridity; titillating burning or stinging, particularly in the open air during wet and cold weather, with constant irritation in the larynx, obliging him to cough or to hawk, with constant expectoration of mucus.

Back.

Pain below the left shoulder-blade.

Extremities.

Upper. Pain, as if bruised in the arms, with rheumatic pains in the shoulders and upper arms.

30. *Lower.* Rheumatic pains, especially on the tibia and soles of the feet.

Sensation of weariness in the legs.

Tearing-drawing above the knee, especially in the morning.

Cold feet up to the knees.

Stinging burning in the corns.

Generalities.

35. The limbs feel bruised.

Rheumatic drawing pains in temples, ears, decayed teeth, shoulders, upper arms, soles of the feet, above the knees, and on the tibia.

Fever.

Pulse accelerated, especially in the evening.

Chills, especially over the back.

Burning in the palms of the hands.

40. Perspiration in the palms of the hands, especially in the forenoon.

CHINA.

Mind and Disposition.

Indifference and apathy.

Disposition to be alone.

Ill-humor, with disposition to hurt other people's feelings.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Nervous irritation, with slowness of ideas.
5. Full of projects and ideas, especially in the evening and at night.

Head.

Congestion of blood to the head, with twitching in the temples.
Headache, from suppressed coryza.
Sensation, as if the whole head were bruised; worse from exertion of the mind.
Sensation, as if the head should burst, with sleeplessness at night; aggravated from touch, motion and stepping hard; ameliorated in the room, and when opening the eyes.
10. Stitches in the head, with pulsation in the temples, which can be felt by the finger; ameliorated by hard pressure, but aggravated by the movement of the head.
Sensitiveness of the scalp, especially the root of the hair, to the least touch; worse when walking in the open air and from a draft of air; ameliorated by strong external pressure and when scratching the head.
The headache is aggravated by a draft of air, in the open air, from the slightest contact, and relieved by hard pressure.

Eyes.

Pressure in the eyes, as from drowsiness.
Pressure, as from sand in the eyes, when moving the lids, with inflammation of the eyes, and worse in the evening.
15. Redness of the eyes, with heat in them.
Yellow color of the eyes.
Sensitiveness of the eyes to the bright sun-light.
Dimness and weakness of sight.
When reading, the letters look pale, confluent, and surrounded with a white border.
20. Incipient amaurosis after loss of animal fluids, (in drunkards.)

Ears.

Humming in the ears. (Hardness of hearing.)
Stitches in the ears.
Heat of the outer ear.

Nose.

Redness and heat of the nose.
25. Tearing in the dorsum of the nose.
Frequent bleeding from the nose. (Hemorrhage from the nose and mouth.)
Bleeding of the nose, after blowing it.
Dry coryza, with toothache and lachrymation.
Suppressed coryza, (headache from it.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Face.

30. Face pale, sunken, (hippocratic,) pointed nose, sunken eyes, surrounded by blue margins.
Pale, sickly appearance, as after excesses.
Complexion gray-yellow, or black.
Bloated, red face.
Hot face, especially when entering a warm room, when coming from the cold air.
35. Face-ache, (neuralgia,) irritated from the slightest touch.
Lips dry, coated black, wrinkled and chapped.
Swelling of the lips.
Swelling of the submaxillary glands, with pain in the glands during deglutition.

Teeth, Mouth and Throat.

Twitching tearing in the upper molar teeth, from taking cold in a draft of air.
40. Painful numbness in decayed teeth.
Throbbing toothache.
Looseness of the teeth.
The toothache is caused by a draft of air, aggravated by smoking, the slightest contact, and relieved by pressing the teeth firmly together.
Black coating of the teeth.
45. Swelling of the gums.
Putrid taste in the mouth in the morning.
Accumulation of mucus in the mouth.
Ptyalism, (with nausea,) (from the abuse of mercury.)
Tongue coated white or yellow.
50. Thick, dirty coating of the tongue.
Blackish, parched tongue.
Burning biting, as from pepper, on the tip of the tongue, succeeded by ptyalism.
Voice husky or weak.
When he talks or sings, the voice is too deep.

Appetite and Taste.

55. No desire for eating and drinking.
Desire for various things, without knowing which.
Longing, for acid fruit, wine.
Bitter taste of the food, (bread, beer, tobacco.)
The food tastes too salt.
60. Canine hunger, especially during the night.
Violent thirst, for cold water, (drinks but little at a time, but often.)
Shuddering and chilliness, with goose-flesh after every swallow he takes.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Weakness of digestion; the food is not digested, if taken too late in the day.
After a meal, distention of the abdomen, oppression of the stomach, general languor, and disposition to lie down.
65. Sour eructations after swallowing milk.
The thirst in intermittent fever only between the cold and hot stages, or during the perspiration.

Stomach and Abdomen.

Colic, from weakness and loss of animal fluids.
Milk deranges the stomach easily.
Pulsations in the pit of the stomach.
70. Eructations, tasting of the ingesta.
Bitter eructations, (after a meal.)
Vomiting; sour, mucus, water, and food, blood, bile.
Distention of the abdomen, (meteorism,) (dropsy.)
Accumulation of flatulence.
75. Incarceration of flatulence.
Rumbling, especially in the epigastrium.
Fermentation after eating fruit.
Emission of a quantity of flatulence, frequently very fetid.
Liver swollen, and very painful when slightly touched.
80. Swelling, inflammation, induration of the spleen.
Stitches in the spleen, (when walking slowly.)

Stool and Anus.

Difficult passage of the fæces, even when soft, (papescent,) as from inactivity of the bowels.
Painless, very debilitating diarrhœa.
Stools loose, watery, yellow mucus, blackish, bilious, white,—undigested food.
85. Diarrhœa from eating fruit.
Diarrhœa, particularly after meals, at night, involuntary.
In the rectum, stitches, also during stool.
Tingling in the anus, as from ascarides. (Ascarides.)
Discharge of mucus from the rectum.
90. Bleeding hæmorrhoids.

Urinary Organs.

Urine dark, turbid, scanty.
Scanty urine, greenish-yellow, with brick-dust sediment.
Frequent micturition.
Burning at the orifice of the urethra, especially painful if the clothes rub against the parts.
95. Stitches in the urethra.

Sexual Organs.

Men. Sexual desire excited, with lascivious fancies.
Impotence, with excited lascivious fancy.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Nocturnal emissions, after onanism; very debilitating.
Women. Congestion to the uterus, with feeling of fulness and painful pressing to and sense of heaviness of the genital organs, particularly when walking.
100. Profuse menses (black clots.)
During the menses, spasms in the chest and abdomen; congestion of blood to the head.
Metrorrhagia, with discharge of black blood; with fainting and convulsions.
Discharge of bloody serum from the vagina, alternating with discharge of pus.
Painful induration in the vagina.

Larynx, Trachea, Chest.

105. Hoarseness, from mucus in the larynx.
Sensation of soreness in the larynx and trachea.
Deep, husky voice when talking or singing.
Breathing, wheezing, crowing, rattling, tight, oppressed and painful.
Difficult inspiration and quick expiration.
110. Suffocative fits, as from mucus in the larynx.
Oppression of the chest, in the evening (at night, while lying.)
Inclination to take a deep breath.
Oppression of the chest, as from fulness in the stomach, and caused by continued talking.
Stitches in the chest; diaphragm.
115. Congestion of blood to the chest, with violent palpitation of the heart.
Suppuration of the lungs, after hæmoptysis (frequent venesections) with stitches in the chest, which are aggravated by pressure.
Nightly suffocative cough, with stitches in the chest.
Hæmoptysis, (clotted blood mixed with pus.)
The cough is aggravated in the evening, or after midnight; from laughing; from continued talking; from lying with the head low; from slightly touching the larynx; from draft of air, after awaking; from loss of fluids.
120. Cough, with pain in the larynx and sternum.

Back.

Pressure as from a stone between the shoulder blades.
Pain in the small of the back at night when lying on it.
Insupportable pain in the small of the back, like a cramp, aggravated by the least movement.
Perspiration in the back and neck on the least motion.
125. Stitches in the spine and shoulders.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Extremities.

Upper. Trembling hands, (when writing.)
Icy coldness of one hand, while the other is warm.
Swelling of the dorsum of the left hand.
Blue nails.
130. Lower. Hot swelling of the right knee, painful to the touch.
Weakness in the knees.
Uneasiness in the legs, obliging him to curve them and draw them up.
Swelling of the feet.
Rheumatic pains in the metatarsal bones and the phalanges of the toes, worse from contact, not from motion.
135. Soft swelling of the soles.

Generalities.

Over-sensitiveness of the nerves, (from loss of fluids.)
Numbness of the parts on which one lies.
Congestions. Veins are much enlarged.
Emaciation.

Sleep.

140. Sleeplessness from crowding of ideas and making of plans.
Irresistible sleepiness during the day and after eating.
As soon as he goes to sleep, confused, absurd dreams.
While asleep, snoring, and blowing expiration.

Fever.

Pulse small, hard and rapid, less frequent after eating; irregular.
145. Chilliness over the whole body, aggravated by drinking, with thirst before and after, not during the chill.
Internal violent chill with icy cold hands and feet, and congestion to the head.
Chilliness and heat alternating in the afternoon.
In the evening, in bed, he cannot get warm.
Heat over the whole body with enlarged veins.
150. During the heat, thirstlessness, or only desire for cold drink.
After the heat, violent thirst.
Long continued heat, often coming late after the chill.
During the heat, desire to be uncovered; delirium.
Perspiration very profuse, and very debilitating.
155. Profuse perspiration during sleep, and from exercise in the open air.
Very debilitating morning and night sweats.
During the perspiration, increased thirst.
Perspiration on the side on which he lies.
Suppressed perspiration.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Skin.

160. Yellowness of the skin. (Jaundice.)
Skin flaccid and dry.
Swelling of the limbs.
Rheumatic, hard, red swellings.
Humid gangrene (of external parts.)

Conditions.

165. Paroxysms of pain caused by the slightest contact, and then gradually increasing to a great height.
The least draft of air causes suffering.
Bad effects from the loss of animal fluids. (Masturbation.)
Aggravation at night after drinking, after the chills, from milk, from touching the parts softly.

CICUTA VIROSA.

Mind and Disposition.

Moaning and howling.
Insanity, she does all sorts of absurd and foolish things, with heat of the body and longing for wine.
He confounds the present with the past.
He thinks himself a young child.
5. Excited and apprehensive about the future.
Anxiety, sadly affected by sad tales.
Want of confidence in and dread of man, retires into solitude.

Head.

Giddiness, with falling forwards.
Vertigo, reeling, as if all the objects turned around him.
10. Affections of the brain, from concussion of the brain.
Semi-lateral headache, as from congestion to the head; relieved when sitting erect.
Compression from both sides of the head.
Feeling of looseness of the brain, as if it were shaken in walking; early in the morning; disappearing when thinking of the pain intensely.
The head is bent backward.
15. The headache is relieved by sitting erect, or by emission of flatulence.
Burning, suppurating eruptions on the hairy scalp.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Eyes.

Contraction of the pupils.
Staring at one and the same object, which she is not able to distinguish correctly.
The objects appear double and black.
20. Staring at an object, the head inclines forward; is frequently bent back again, with twitching, trembling and tension in the neck while moving it.
When reading, the letters turn, and are surrounded with a colored areola, the same as the light.
Twitching of the orbicularis muscle.

Ears.

Sore pain behind the ear, as after a blow.
Hemorrhage from the ears.
25. Detonation in the right ear when swallowing.
Hardness of hearing.
Burning, suppurating eruption on and around the ears.

Nose.

Yellow discharge from the nose.
Scurfs in the nostrils.
30. Frequent sneezing, without coryza.

Face, Mouth and Throat.

Deadly paleness of the face, with coldness of the face and hands.
Red face.
Burning, suppurating, confluent eruptions on the face.
Thick, honey-colored scurf on the chin, upper lip, and lower portion of the cheeks, (milk crust,) burning, soreness and oozing, accompanied with swelling of the submaxillary glands, and insatiable appetite.
35. Painful, burning, ulcerated lips.
Grinding of the teeth.
Lock-jaw, the teeth pressing firmly against one another.
Foam in and at the mouth.
Swelling of the tongue; white, painful, burning ulcers on the edges of the tongue.
40. Speech difficult; when talking, he feels a jerk in the head from before backwards, as if he had to swallow the word, as in hiccough.
Inability to swallow; the throat appears to be closed, and feels bruised when touched externally, (with eructations.)

Stomach and Abdomen.

Great desire for coal

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Continual hunger and appetite, even shortly after a meal.
Violent thirst (during the spasms).
45. Nausea in the morning and when eating.
Hiccough.
Vomiting of blood.
Vomiting, alternating with tonic spasms in the pectoral muscles and distortion of the eyes; (the vomiting does not relieve the lock-jaw.)
Burning pressure at the stomach and abdomen.
50. Swelling, and throbbing in the pit of the stomach.
Colic, with convulsions (in children from worms).
Distention and painfulness of the abdomen.

Stool and Anus.

Frequent liquid stools.
Itching in the rectum, with burning pain after friction.

Urinary Organs.

55. Frequent micturition; the urine is propelled with great force.
Involuntary emission of urine.

Genital Organs.

Men. Sore, drawing pain under the penis as far as the glans, obliging one to urinate.
Women. Menses delayed.
Spasms during parturition.

Chest.

60. Want of breath, caused by tonic spasms of the pectoral muscles.
Tightness in the chest; she is scarcely able to breathe all day.
Burning in the chest.
Sensation of soreness (as if bruised) at the lower end of the sternum (when walking).

Back.

Tension in the muscles of the neck; if he turns the head, he cannot easily turn it back again.
65. Tonic spasms in the neck.
Tonic spasms of the cervical muscles.

Extremities.

Upper. Deadness of the fingers.
The veins on the hands are enlarged.
Jerking in the left arm all day.
70. Frequent involuntary jerking and twitching in the arms and fingers.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Lower. Painful feeling of stiffness and rigidity in the muscles of the lower limbs.
Violent trembling of the left leg.
The feet turn inwards when walking.
Spasms in the muscles, especially of the neck and chest.
75. Twitchings of the extremities.
Tonic spasms.
Epileptic convulsions and epilepsy.
Sensation on many parts of the body, as from a bruise.

Sleep.

Vivid dreams, which cannot be recollected.
80. Frequent waking with profuse general perspiration, which relieves very much.

Fever.

Pulse weak, slow, trembling.
Chill and chilliness, with desire to go to the warm stove.
The chilliness begins in the chest and extends down the legs and into the arms, with staring.
Heat only internally.
85. Perspiration at night (in the morning hours), principally on the abdomen.

Skin.

Burning, itching.
Suppurating eruptions, with yellow scurf and burning pain.
Swelling of the neck, arising from wounding the œsophagus with a splinter (bone) or similar sharp body.

Conditions.

Worm complaints in children, with convulsions.
90. Aggravations from concussions (brain).

CIMEX LECTULARIUS.

Head.

Violent headache, which almost deprives him of the power of thinking during the chill; worse when he drinks.

Nose.

Dryness of the nostrils.
Constant sneezing in the forenoon.
Fluent coryza, with pressure in the frontal sinuses

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Mouth and Throat.

5. Tongue coated white.
Swollen feeling of the tongue.
Feeling as if burnt on the tongue, in the region of the palate and the upper anterior gums.
Dryness of the throat, causing him to drink all day.

Stomach and Abdomen.

Sour eructations.
10. Pain in the liver, as if it had been strained by bending the right side inward; the spot is painful when touching it and when coughing.
Colic, followed by emissions of flatulence or liquid stools.

Stool and Anus.

Stools hard, in small balls.
After the discharge of a small piece of white stool the rectum closes firmly.
Stools with hæmorrhoidal sufferings.

Urinary Organs.

15. Urine brown, with a deposit of sediment (during the fever, when he drinks).

Respiratory Organs.

Dry cough, with gagging, as if he would vomit, with perspiration.

Back.

Pain in the small of the back, extending over the abdomen, with distention of the abdomen.
Pain in the small of the back; worse when sitting.

Extremities.

Upper. Pain in the right shoulder and the anterior muscles of the chest, extending through the whole arm down to the nails; the fingers feel as if they had gone to sleep.

Fever.

20. Pulse feeble; intermitting.
Before the cold stage, thirst; heaviness in the lower extremities.
At the beginning of the chill, clenching of the hands and violent rage.
Chilliness over the whole body, followed by dry heat which is succeeded by some moisture over the skin.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

During the chill painfulness in all the joints; sensation as if the tendons were too short; the knee joints are most contracted; the legs cannot be extended; the chest feels oppressed, obliging one to take a long breath frequently; irresistible sleepiness.

25. At the end of the chill the legs feel tired; the position of the legs has to be changed constantly; this ceases during the hot stage.

After the chill thirst, and when he drinks he is attacked with violent headache, which almost deprives him of the power of thinking; tickling in the larynx, causing a continuous dry cough; oppression of breathing; heaviness in the middle of the chest; anxiety. Amelioration if he does not drink.

During the hot stage gagging in the œsophagus, which impedes inspiration; thirstlessness; the water drank to allay the gagging goes down at intervals only; the œsophagus feels constricted.

If he drinks during the fever he passes soon after very hot brown urine, depositing a good deal of sediment.

The perspiration, after the hot stage, is accompanied by hunger.

30. Perspiration mostly on the head and chest.

During the intermittent fever, constipation; stools dry.

Sleep.

Great drowsiness; falls asleep when sitting, in the morning.

CINA.

Mind and Disposition.

Piteous complaints and weeping.

Ill-humor; the child is averse to being caressed and rejects every thing which is offered.

The child will not be touched.

Disposition to be offended by trifling jests.

Head.

5. The head falls to the side and is jerked backwards, with twitches in the limbs and cold perspiration of the face.

Headache, before and after the epileptic attacks; after attacks of intermittent fever.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

The headache is aggravated by walking in the open air and from exertions of the mind.
Cold perspiration on the head (forehead) and on the pale, cold, bloated face, with blueness around the mouth; twitching of the limbs and sleepiness, worse at night (after attacks of hooping-cough and epilepsy).

Eyes.

Pain in the eyes when using them at night by the candle-light.
10. Dilatation of the pupils.
When looking at a thing steadily (reading) he sees it as through a gauze, which is relieved by wiping the eyes.
Weakness of sight (from onanism).
Aversion to light.

Nose.

Bleeding of the nose and from the mouth, with burning in the nose.
15. Disposition to bore in the nose.
The child rubs the nose constantly, and bores with the fingers in the nose until blood comes out.
Sneezing, violent, with stitches in the temples.
Stoppage of the nose in the evening; fluent coryza at noon; the nose burns.

Face.

Paleness of the face, with sickly appearance around the eyes.
20. Bloated, pale face, with blueness around the mouth.
Pale, cold face, with cold perspiration.
Pain (tearing) in the zygomata, aggravated or renewed by contact and pressure.

Teeth.

Grinding of the teeth.
Sensitiveness of the teeth to cold air and cold water.
25. The teeth feel sore.

Mouth and Tongue.

Sensation of dryness and roughness of the mouth, especially of the palate.
Inability to swallow, especially fluids.

Appetite and Taste.

Canine hunger; he is hungry soon after a full meal.
The child refuses to take the mother's milk.
30. Increased thirst.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Gastric Symptoms.

Vomiting (and diarrhœa) after drinking.
Vomiting of lumbrici (and ascarides); of food and mucus.
Vomiting during the fever, with clean tongue.
Vomiting of the food and of bile.
35. Frequent hiccough.

Stomach and Abdomen.

Cutting and pinching pain in the abdomen from worms.
Pain in the pericardial region, oppressing the breathing.
Painful twisting around the navel.
Unpleasant sensation of warmth in the abdomen.
40. Bloated abdomen, especially in children.
Feeling of emptiness in the abdomen.
Audible gurgling from the throat into the stomach when drinking.

Stool and Anus.

Involuntary diarrhœic, white stools.
Discharges of lumbrici and of ascarides.
45. Itching of the anus.

Urinary Organs.

Involuntary emission of urine (at night).
Turbid urine.

Sexual Organs.

Women. Menstruation too early and too profuse.
Hemorrhage from the uterus.
50. Labor-like pains in the abdomen, frequently recurring, as if the menses would appear.

Respiratory Organs.

Oppression of the chest, as from a cramp-like, contracted sensation in the chest.
Short, interrupted breathing.
Respiration wheezing and panting.
Suffocative attacks.
55. Hoarseness, with much mucus in the larynx and trachea.
Dry, spasmodic cough, preceded by rigidity of the body and unconsciousness.
Hooping-cough, in violent periodically returning attacks, from a titilating sensation in the throat, as of a feather, and much tough mucus—in the morning without expectoration, in the evening with difficult expectoration of white, occasionally blood-streaked, mucus, which is

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

tasteless; worse in the morning and in the evening; better during the night; aggravated by drinking, walking in the open air, pressing on the larynx, when lying on the right side, in the cold air, and when awaking from sleep.

Burning, stitches, and soreness in the chest.

Back.

Pain in the small of the back, as if bruised.

Extremities.

60. *Upper.* Twitching of the fingers.
Spasmodic contraction of the hand.
Weakness of the hand; he can hold nothing with it.
Cramp-like drawing pains in the arms and hands.
Sprained feeling in the wrist-joint.
65. *Lower.* Rigidity of the lower limbs; spasmodic stretching and twitching of the feet.

Generalities.

Epileptic attacks, especially at night, with or without consciousness, lying on the back; violent screams and violent jerks of the hands and feet.
The body is stretched out and becomes rigid.
Dull stitches in different parts of the body.
Twitching and distortions of the limbs.

Sleep.

70. Sleeplessness, with restlessness, crying and lamentations.
At night, restless, tossing about, and crying (children).
Wakes in the morning, restless and lamenting, in a start.

Fever.

Pulse small, hard, and rapid.
Chilliness, with shaking or trembling, ascending from the upper part of the body to the head.
75. Chill, with coldness of the pale face and heat of the hands.
Chill, not relieved by external heat, with great paleness of the face, and mostly in the evening.
Heat, mostly in the face and head, often with paleness of the face.
Heat at night, with thirst.
Perspiration, generally cold, on the forehead, around the nose, and on the hands.
80. After the perspiration (sometimes before the chill) vomiting of food; at the same time canine hunger.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Conditions.

Suitable for children, especially when they suffer from worms.
When touched, or when moving, the body feels sore.
External pressure renews or aggravates the suffering.
Bad effects from onanism (eyes).
85. Aggravation at night; on looking fixedly at an object; from external pressure.

CINNABARIS.

Mind and Disposition.

Indisposition for mental labor.
Sensation of fulness of the head from mental application.
Forgetfulness (forgets things he has to do).
Fretful, easily provoked.
5. Desire to be alone.

Head.

Giddiness in the morning after rising, when stooping, with nausea.
Fulness in the head; the eyes are reddened.
Congested sensation over the whole head, principally the forehead.
Congestion of blood to the head, particularly to the vertex; worse after eating.
10. Intense headache; he cannot raise his head from the pillow; relieved by external pressure.
Dull pain in the forehead, which is cold; relieved by heat.
Sensation as if touched by a cold metallic body, on a small space over the root of the nose.
In the morning, after waking, pain in the forehead and top of the head; worse when lying on the left side and back; better and going off, when turning on the right side, and after rising.
Shooting pain in the left side of the head, with increase of saliva and great flow of urine.
15. Sensitiveness of the head to the touch—even the hairs are sore.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Eyes.

Shooting pains in the inner canthus of the right eye, with burning and itching.

Inflammation of the right eye; itching, pressing and pricking at the inner angle and lower lid; constant lachrymation on looking steadily, with profuse discharge of mucus from the nose.

Flow of tears.

Sticking pain about the punctum lachrymale of the upper eyelid.

20. Redness of the whole eye, with swelling of the face.

Ears.

Roaring in the ears, with swelling of the face (after eating).

Scurfy eruption in the right external ear.

Itching in the right ear.

Nose.

Itching of the nose, with bleeding (very dark blood) after blowing it.

25. Coryza, with lameness of the thighs and aching pain in the small of the back; lumps of dirty yellow mucus are discharged from the posterior nares.

Face.

Heat of the face, which is much swollen, mostly about the eyes.

Mouth and Throat.

Both corners of the mouth are chapped.

Tongue coated white in the morning.

A small ulcer on the roof of the mouth, on the right side of the tip of the tongue; on the tip of the tongue.

30. Soreness in the roof of the mouth.

Dryness in the mouth and throat at night, which causes him to drink often.

Inflammation, with great dryness of the throat and mouth; worse at night.

Dryness and irritation of the throat (posterior nares, tonsils, fauces) at night, with soreness during the day; in the morning, secretion of tenacious mucus also, in lumps, from the posterior nares.

Contracting pain in the throat during empty deglutition.

35. Fulness in the throat, causing a constant desire for swallowing.

Taste bitter (in the morning).

Increased flow of saliva (and of urine).

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Salivation.
Scanty, tenacious, frothy saliva in the mouth, without thirst; better after drinking.
40. Dryness and putrid taste in the mouth.

Stomach and Abdomen.

Appetite increased.
Soreness in the stomach, with dizziness and lightness in the head and tightness in the temples.
Nausea, alleviated by eructations.
Nausea, with water-brash (in the evening).
45. Flashes of heat confined to the abdomen, with great flatulence (worse in the forenoon).

Stool and Anus.

Soft, scanty stools twice a day, preceded by pinching; less afterwards.
Bloody dysentery.
Sensation of formication in the anus, as if from a large worm.
Little pimples around the anus, with burning and itching; thin stools and tenesmus.

Urinary Organs.

50. Frequent and increased emission of watery urine; also during the night.
Pain, as if from a sore in the urethra when urinating; this pain wakes him up at night.

Genital Organs.

Men. Swelling of the penis.
Redness and swelling of the prepuce, with painful itching.
Violent itching of the corona glandis, with profuse secretion of pus.
55. Small, shining red points on the glans penis.
Blennorrhœa of the glans penis.
Sycotic excrescences.
Violent erections in the evening.
Women. Leucorrhœa, causing, during its discharge, a pressing in the vagina.

Respiratory Organs.

60. Hoarseness in the evening.
Chest oppressed, feels contracted; relieved by stretching himself.
Dyspnœa, with heat.
Pain running over the ensiform cartilage, from the seventh rib on the right side diagonally through the chest.
Cough from tickling in the throat.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Back.

65. The muscles of the back part of the neck seem as if contracted.
Aching in the small of the back, as if bruised.
Pain all over the back down to the loins, aggravated on drawing a long breath.

Extremities.

Upper. Pain in the left shoulder, between the clavicle and scapula, interiorly.
Pain in the middle of the upper part of the right arm, as though it would break.
70. Periodical shooting pains in the arms.
Sensation of lameness in the right arm.
Numbness of the left arm, from the elbow to the end of the little finger.
It feels as if the "crazy-bone" was struck.
The joints of the fingers and knuckles are red (and hot).
75. *Lower.* Shooting, drawing and aching pains in the thighs, from the hip-joints nearly down to the condyles; worse at night.
Violent itching on the inside of the thighs, knees and legs; worse on the knees, especially at night.
Profuse perspiration between the thighs (when walking).
Rheumatic pain in the right knee-joint; worse when walking (ascending), better at rest.
Pain in the tendo Achilles and os calcis after walking.
80. Coldness in the joints.
Coldness of the feet, day and night.

Generalities.

Sensation of lameness in all the limbs.
Weariness, languor, tired and prostrated: worse before eating, better when riding in the open air.
General nervous, uneasy sensation.

Sleep.

85. Sleepiness in the day-time and sleeplessness at night; unconquerable desire to sleep after dinner, early in the evening (during the day).
Restlessness and sleeplessness at night, from a constant flow of ideas changing from one thing to another.
Restless sleep, with vivid dreams and much talking.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Fever.

Pulse slower in the forepart of the day, accelerated in the evening.
Coldness and chilliness in the warm room.
90. Internal and external heat of the body during the whole night.
Profuse perspiration between the thighs.
Perspiration most at noon.

Skin.

Itching of the nose (bleeding after blowing it), of the eyelids, canthi (outer), ears, face (left side), palms of the hands (right), thighs (inside), knees, legs, at the anus (at night), on the shoulders (evening).
Sensation as if pimples were coming out over the body.
95. Red papulous eruption, without itching, on both elbows.
Redness of the skin.

Conditions.

The pains intermit in severity.
Aggravations in the evening and at night, except of the perspiration, which is worse at midday; after sleeping (headache).
Amelioration in the open air, and after dinner.

CISTUS CANADENSIS.

Mind and Disposition.

Bad effects from vexation.
Mental excitement increases the suffering (stitches in the throat, producing cough).

Head.

Pressure above the eyes, in the forehead.
Headache, worse towards evening, lasting all night.
5. Head drawn to one side by swelling on the neck.

Eyes.

Feeling of weight above the eyes.
Stitches in the left eye.
Feeling as if something were passing around in the eye, with stitches (scrofulous inflammation of the eyes).

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Ears.

Discharge from the ears (of water and bad-smelling pus).
Inner swelling of the ears (with discharge).
Tetters on and around the ear, extending to the external meatus.
Swelling of the parotid glands.

Nose.

Frequent and violent sneezing (evenings and mornings).
Cold feeling in the nose.
Inflammation and swelling of the left side of the nose (burning).
The tip of the nose is painful.

Face.

Flushes of heat in the face.
Heat and burning in the facial bones.
Vesicular erysipelas in the face.
Caries of the lower jaw.
Lupus extends to the mouth and nose.

Mouth and Teeth.

Scorbutic gums, swollen, separating from the teeth, easily bleeding, putrid.
Dryness of the tongue and roof of the mouth.
Sore tongue, as if raw, on the surface.
Sensation of coldness of the tongue, larynx, and trachea; the saliva is cool; the breath feels cold.
Impure breath.

Throat.

Dryness and heat in the throat; he must constantly swallow saliva to relieve it (drinking water and eating relieve it).
Periodical itching in the throat.
Fauces inflamed and dry without feeling dry; hawking up of tough, gum-like, thick, tasteless phlegm (in the morning).
Hawking of (bitter) mucus, relieving the throat.
Sore pain in the throat and dryness of the tongue in the morning.
Stitches in the throat, causing cough, whenever mentally agitated.

Stomach and Abdomen.

Cool eructations.
Cold feeling in the stomach before and after eating.
Pain in the stomach immediately after eating.
Cold feeling in the whole abdomen.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stool and Anus.

Diarrhœa, after eating fruit, after drinking coffee.
Thin hot stools, of grayish yellow color, from midnight till noon.

Genital Organs.

Male. Itching on the scrotum.

Respiratory Organs.

40. Cool feeling in the larynx and trachea.
Feeling as if the trachea were not wide enough (asthma).
Pain in the trachea.
Feeling of rawness, extending from the upper part of the chest into the throat.
Fulness of and pressure on the chest.
45. Cough, from stitches or painful tearings in the throat.
Cough; the neck is thickly studded with tumors.
Bleeding at the lungs.

Back and Neck.

Glands on the neck and throat swollen.
Scrofulous swelling and suppuration of the glands of the throat.
50. Itching on the back.
A burning, bruised pain in the os coccygis, preventing sitting; aggravated by contact.

Extremities.

Upper. Sprained pain in the wrists.
Pain in the fingers (right hand) while writing.
Tearing in the finger-joints.
55. The tips of the fingers are very sensitive to the cold.
Tetter on the hands.
Lower. Pains in the knee and right thigh when walking or sitting.
Tearing in the knees (evening).
Piercing pain in the right great toe (evening).
60. Cold feet.

Generalities.

Trembling (with the fever).
Sensation as if ants were running through the whole body (in the evening, with anxious, difficult breathing).

Fever.

Chilliness.
Cold feeling in the abdomen, larynx.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

65. Chill, followed by fever, with trembling, accompanied by a quick swelling and great redness of the glands below the ear and in the throat.
Heat, with thirst (drinks frequently).

Sleep.

Very restless at night.
Sleeplessness because of the dryness of the throat.
Night sweats.

Skin.

70. Itching all over the body without eruption (abdomen, navel, scrotum).
Vesicular erysipelas on the face.
Tetter (ears, hands).
Lupus on the face.
Hard swelling around the mercurial, syphilitic ulcers on the lower limbs.

Conditions.

75. *Aggravation.* Evening; during the night; in the morning.
Cold air (sore throat).
When lying down (difficulty of breathing).
From drinking coffee (diarrhœa).
From motion.
80. *Amelioration.* Fresh air (difficult breathing).

CLEMATIS ERECTA.

Mind and Disposition.

Low-spirited and fear of approaching misfortunes.
Aversion to talk.
Fear of being alone, but disinclined to meet otherwise agreeable company.
Memory impaired.

Head.

5. Giddiness, if he lift his head up, or when moving the head.
Boring pains in the temple.
Head feels full and heavy, hanging down.
Heaviness in the forehead.
Headache, aggravated by bending the head backwards.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

10. Eruptions on the back part of the head and neck; moist, sore, tingling and stinging itching; often drying up in scales; when getting warm in bed, violently itching; only temporarily relieved by scratching; with soreness and rawness.

Itching on the hairy scalp.

Eyes.

Itching in the canthi.

Burning of the eyelids.

Burning and heat in the eyes, with dryness, as if fire were streaming from the eyes.

15. Redness, biting and lachrymation from the eyes.

Inflammation of the iris.

The white of the eyes has a yellow tint.

The closed eye is very sensitive to the air (cold air), and when it is opened very sensitive to light.

While writing, the letters momentarily run one into another; at times, double vision, with flickering before the eyes.

Ears.

20. Ringing, as from bells in the ear.

The external ear is hot and burns.

Nose.

Dryness of the nose, with heat.

Violent coryza, with sneezing; the secretion is streaked with blood.

Face.

Sickly paleness of the face.

25. Cheeks red and hot (momentary flushes).

White blisters on the nose and face, as if burned by the sun.

Moist eruption on the face, preceded by stinging pain.

Cancer of the lips.

Mouth and Throat.

Pricking or drawing toothache; worse, and becoming insupportable at night, in a horizontal position.

30. Toothache in a decayed molar tooth, much aggravated from a crumb of bread coming into it; relieved by cold water.

Sensation as if the decayed tooth were too long; the least contact is exceedingly painful, with an excessive flow of saliva.

Aggravation of the toothache by smoking tobacco.

Increased secretion of saliva.

Small blisters on the tongue and in the throat, which soon become ulcers.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

35. Heat and burning in the mouth and throat.
Sensation of roughness in the throat.

Appetite and Taste.

Aversion to beer.
Increased thirst, with desire for ice.
After eating, nausea and sleepiness.

Stomach and Abdomen.

40. Nausea after smoking tobacco.
Disagreeable sensation of coldness in the stomach.
Tension of the stomach.
Pain in the liver, aggravated by pressure.
Stitches in the liver.
45. Sensation of constriction in the lower abdomen, which is hard.
Swelling, induration and twitching pains in the inguinal glands.

Stool and Anus.

Hard stool, difficult to discharge (in the evening).
Loose stools, with burning at the anus.
Burning heat, and itching at the anus (in the evening); better after an evacuation.
50. Hæmorrhoids, itching, discharging some mucus.

Urinary Organs.

Increased secretion of urine.
Urine turbid, milky, dark, with flakes of mucus and frothy.
Secretion diminished; the last drops cause violent burning.
Secretion slow and in a small stream.
55. During micturition, burning in the urethra; stitches in the urethra; stitches from the abdomen into the chest.
After micturition, itching, tingling in the urethra, lasting half an hour; burning in the urethra; involuntary dripping of urine.
The urethra is painful to pressure.
Spasmodic stricture of the urethra.
Discharge from the urethra, thick, pus.

Genitals.

60. *Men.* Itching at the genitals.
Drawing pain from the testicles into the spermatic cords upwards; the right testicle is drawn up.
Sensation of soreness of the testes.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Violent, long-continuing erections, with stitches in the urethra.
Painful swelling and induration of the testes (right).
65. Scrotum swelled, indurated.
Women. Swelling and induration of the mammary glands; cancer of the breast.

Respiratory Organs.

Violent cough, with irregular respiration, at times too slow, at times too rapid; barking cough, with burning pain in the sternum and stitches in both sides of the lungs.
Sharp stitch in the heart, from within to without.

Back and Neck.

Moist eruption in the neck, extending into the head.
70. Pain in the small of the back, as if broken, with tension; worse when stooping.

Extremities.

Upper. Swelling and induration of the axillary glands.
The hands feel as if they were too large; they are dry and hot.
Spreading blisters on the swollen hands and fingers, aggravated by cold water.
Arthritic nodosities in the finger joints.
75. *Lower.* Dry, scaly tetter on the legs.
Itching of the toes and perspiration between them.

Generalities.

Great emaciation.
Twitching of the muscles.
Great debility and weakness, (3—5 P. M.)

Sleep.

80. Sleepiness during the day (morning).
Restless sleep, with tossing about and vivid, lascivious dreams; profuse perspiration after midnight.

Fever.

Pulse accelerated.
Chilliness with shuddering, followed by perspiration.
Chilliness from being uncovered.
85. Dry heat, with sensation of general heat (at night).
Profuse perspiration at night, towards morning, with disinclination to be uncovered.

Skin.

Painful swelling and induration of the glands.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Ulcers, with tingling, pulsation, burning; stitches in the edges when touching them.
Itching over the whole body.
90. Skin inflamed, red, burning; eruption of blisters, which burst and form ulcers.
Moist tetter, itching in the heat of the bed, and after washing.
Painful (not itching) tetter over the whole body; red and moist during the increasing moon, pale and dry during the decreasing moon.
Scaly tetter, with thick crusts.
Itching and moist eruptions, with ichorous discharges excoriating the surrounding parts, with redness, heat and swelling of the skin.
95. Aggravation of all skin symptoms by the heat of the bed and from washing.

COCCIONELLA SEPTEM PUNCTATA.

Mind and Disposition.

Ill-humored, irritable.

Head.

Giddiness; the head feels dull, as if he had drank too much, with a white-coated tongue.
Congestion of blood to the head when entering a warm room; better in the open air.

Eyes.

Sensation as if a foreign body were lodged between the eyelid and the eye.
5. Sensation as if the edges of the eyelids were swollen.

Ears.

Sudden violent stitch in the left internal ear, extending to the left side of the neck and into the sternum.
Intolerable itching in the left ear.

Nose.

Dryness of the nose, with inclination to sneeze.
Swelling of the nose, with itching, violent sneezing and increased secretion of mucus.
10. Redness of the edges of the nostrils.
Crusts on the edges of the nostrils.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Mouth and Throat.

Sensation as if cold air were blown on the teeth.
Great soreness of the teeth to contact.
Scraping and dryness in the throat.
15. Sweetish, metallic taste in the mouth.
Dry, brown-coated tongue.
Stitches and burning in the throat and on the tongue.
Swelling and redness of the right tonsil.
Sensation as if the palate were elongated, with continuous hawking.
20. Swelling of the tonsils, with continuous desire to swallow, and sensation as if a plug were lodged in the throat.

Appetite and Taste.

Desire to eat often and much at a time.
Sensation of hunger, with colic.
Canine hunger.
After dinner much thirst, and when he drinks water then chill.

Stomach and Abdomen.

25. Spasmodic empty eructations.
Heartburn.
Sensation as if something indigestible were lying in the stomach.
Nausea and vomiting; vomiting of mucus.
Stitches in the pit of the stomach when inhaling.
30. Fulness in the abdomen, as if he had eaten too much, with swelling and tenderness of the pit of the stomach.

Stool and Anus.

During stool, burning in the rectum; stitches in the rectum.
Itching at the anus, with tenesmus, from slight exertion.
Stitch from the anus, extending into the urethra.

Urinary Organs.

Stitches extending from the kidneys through the urethra into the bladder.
35. Spasmodic pain in the bladder, with alternate coldness and heat.
Itching at the end of the urethra.
Great desire to urinate in the morning (with erection).
Frequent micturition.
The discharge of urine is slow, in small quantities, with violent burning pain.
40. Red sediment like brick-dust.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Genitals.

Men. Genitals hot, red, swollen.
Sexual desire increased.
Women. Catamenia too early and too profuse.

Respiratory Organs.

Hoarse voice, with roughness and scraping sensation in the throat.
45. Hawking and coughing, with increased thirst.
Cough, in a warm room; better, in a cold room.
Periodical attacks of cough, with expectoration of mucus.
Hooping-cough; nightly, periodical attacks of cough from tickling in the larynx, ending with expectoration of a large quantity of viscid, stringy mucus.
Morning cough; first barking, dry cough, followed by expectoration of viscid mucus; the difficult expectoration causes vomiturition and vomiting.
50. Cough, with expectoration of viscid, stringy, yellow, sour-tasting or reddish mucus.
The bronchial tubes are loaded with mucus.
Burning under the sternum.
In the chest sensation of heat, of soreness.
Sensation as if every thing were pressed towards the heart.
55. Heavy pressure in the region of the heart.

Extremities.

Upper. Sensation as if a fine glass splinter were sticking in the tips of the fingers, under the nails.
Lower. Violent stitches in the right hip-joint.
Hot swelling of the knees.
Pain in the right patella when walking.

Sleep.

60. Frequent awaking during the night, with excitement, as if he had taken too much coffee.
Great sleepiness (after dinner).
Vivid dreams.

Fever.

Chilliness all day; cold feet in the morning, with perspiration of the whole body.
Chill in the evening, with heat in the head, followed by general heat, and then perspiration all night, which relieves.
65. Perspiration, when walking, on the lower extremities, in the morning.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Conditions.

Especially affects the mucous membranes.
Aggravation from motion and heat (headache).

COCCULUS.

Mind and Disposition.

He sits as if wrapped up in deep, sad thoughts, and does not take notice of any thing; anxiety.
The time passes too quickly.

Head.

Giddiness, with nausea, when raising himself up in bed.
Vertigo, as from intoxication.
Stupid feeling in the head (cold perspiration on forehead and hands).
Cloudiness in the head, increased by eating and drinking.
Sensation of emptiness in the head.
Headache, with nausea.
The headache is aggravated after sleeping, eating or drinking (coffee), in the open air, while riding in a carriage; and is relieved in a warm room, or when becoming warm in bed.
Spasmodic trembling of the head, caused by weakness of the muscles of the neck; worse after sleeping and in the open air, from coffee and tobacco; better in the warm room.

Eyes.

Pain in the eyes, as if they were torn out of the head (with headache).
At night the eyes cannot be opened; they are aching.
Dim-sightedness (after reading a short time the print is all blurred).
Black spots before the eyes.
Dryness of the eyelids.

Ears.

Hardness of hearing, with noise, as from rushing water.
The right ear feels closed.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Nose.

Very acute sense of smell.
Swelling of the right half of the nose.

Face.

20. Heat in the face and redness of the cheeks.
Flushes of heat in the face after drinking.
Swelling and induration of the submaxillary glands.

Mouth and Throat.

Dryness of the mouth (in the night, without thirst).
Dryness of the œsophagus, with feeling of heat.
25. Inability to swallow; the œsophagus feels paralyzed.
Difficulty of speech, as from paralysis of the tongue.
Foamy phlegm before the mouth.
Taste in the mouth coppery, metallic, sour (after eating and coughing).

Stomach and Abdomen.

Aversion to food, drinking, tobacco and acids.
30. Intense thirst, especially while eating.
Frequent empty eructations, leaving a bitter taste in the mouth and throat.
Eructations, with nausea and sticking pains in the pit of the stomach.
Paroxysms of nausea, with tendency to faint.
Excessive nausea and vomiting when riding in a carriage, or from becoming cold.
35. Nausea, with headache and pains in the intestines, as if bruised.
Spasm of the stomach (cramp) during and after a meal, with griping tearing.
Fulness and pinching in the stomach, with oppressed breathing.
Constrictive pain in the stomach, preventing sleep.
Sensation of emptiness in the abdomen.
40. Hysterical spasms in the abdomen, in women.
Distention of the abdomen.
Flatulent colic, at night, aggravated when coughing.

Stool and Anus.

Constipation; the hard stool is expelled with difficulty.
After the evacuation, violent tenesmus.
45. Ineffectual desire for stool, with constipation.
Contractive pain in the rectum, preventing sitting (in the afternoon).
Diarrhœa, with emission of flatulency before the stool.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Urinary Organs.

Frequent desire to urinate, with small discharges.
Watery (pale) urine.

Sexual Organs.

50. *Men.* Increased excitability of the sexual organs.
The testicles feel bruised, especially when touched.
Women. Menstruation too early, blood coagulated, or suppressed, with violent uterine spasms or abdominal colic.
Discharge of bloody mucus during pregnancy.

Respiratory Organs.

Oppressed breathing, from contractive sensation in the trachea, as if irritated by smoke, causing constant coughing.
55. Oppression of the chest, caused by cough.
Tightness and constriction of the right side of the chest.
Stitches in the chest (sternum) when walking.
Burning in the chest, extending into the throat.
Sensation of emptiness of the chest.
60. Hysterical spasms in the chest, with sighing and moaning.
Palpitation of the heart, nervous, with anxiety.

Back and Neck.

The muscles of the neck are weak; they do not support the head.
Cracking of the cervical vertebræ.
Tremor in the back.
65. Paralytic pain and paralysis of the back and small of the back.

Extremities.

Upper. Pain, as if bruised, in the shoulder and bones of the arms, when lifting them up, and when touching them.
Lameness of the arm (cannot write).
The arms go to sleep, are insensible.
Hot swelling of the hands.
70. The hands are alternately hot and cold.
Lower. Cracking in the left hip-joint.
Paralytic immobility of the lower limbs.
Paralysis of the lower limbs, from the small of the back downwards.
The thighs feel paralyzed and bruised.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

75. Cracking of the knee during motion.
Inflammation and swelling of the knee, with stitches.
Hot swelling of the feet (evening, the left foot).
Burning of the feet.
Cold perspiration of the feet.
80. Pain in the heel (os calcis), as if bruised.

Generalities.

Paralysis, one sided, with numbness of the limbs.
Paralytic immobility of the limbs, with drawing pains in the bones.
Sensation of emptiness, or of constriction in internal parts.
Disposition to tremble (trembling of all the limbs).
85. Hysterical spasms, with anguish.
Great debility from slight exertion and inclination to faint.
Attacks of gout, with swelling of the affected parts.

Sleep.

Constant drowsiness.
Sleeplessness on account of anxiety and bodily restlessness.
90. Vivid dreams, exciting fear.

Fever.

Pulse small and spasmodic; sometimes it cannot be felt.
Chilliness alternating with heat.
Chill in the afternoon and evening, principally on the legs and in the back; not relieved by heat.
Continuous chilliness, with hot skin.
95. Dry heat during the night.
Flushes of heat, with burning heat of the cheeks and cold feet.
Perspiration during the night, which is only cold on the face.
Morning sweat, especially on the chest.
Slight perspiration over the whole body, from the least exertion.
100. Perspiration of the affected parts.
Intermittent fever, with colic and lameness of the small of the back.

Skin.

Induration; cold swelling of the glands, with stinging pains.
Pale (chlorotic) skin.
Ulcers very sensitive to contact.

Conditions.

105. Great sensitiveness to the open (cold and warm) air.
Aggravation from eating, drinking, riding in a carriage, talking and sleeping.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

COCHLEARIA ARMORACIA.

Mind and Disposition.

Difficult thinking in the evening.

Head.

Headache, now in one, then in another side of the head; worse when opening the eyes widely.

Urinary Organs.

Frequent desire to urinate; the urine is discharged with difficulty, causing burning, tenderness and inflammation of the urethra, as in the first (inflammatory) stages of gonorrhœa.

Generalities.

Pain in every joint, during rest; going off during motion.

COFFEA CRUDA.

Mind and Disposition.

Over-sensitiveness; weeping mood.
Great anguish; cannot be composed; is not able to hold the pen; trembles.
Sentimental ecstasy; excited imagination; increased power to think.
Excessive weeping and lamentations over trifles.
5. The pains seem insupportable, driving to despair.
Fright from sudden pleasant surprises.

Head.

Congestion of blood to the head, especially after a pleasant surprise.
Headache, as if the brain were torn or dashed to pieces.
In the vertex he feels and hears a cracking, when sitting quietly.
10. One-sided headache, as from a nail driven into the head; worse when walking in the open air.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Eyes.

Eyes look reddish; the power of vision is increased; can read small writing more distinctly.

Ears.

Music has a shrill sound to the ears.
Sense of hearing more acute.

Nose.

The sense of smell is more acute.
15. Bleeding from the nose.

Face.

Dry heat in the face, with red cheeks.

Mouth and Teeth.

Toothache, with restlessness, anguish and weeping mood, especially at night and after a meal.
Toothache, relieved by cold water.
Swelling and painfulness of the throat; worse when swallowing.

Appetite and Taste.

20. Increased hunger, with rapid, hurried eating.
Nightly thirst, which wakens him.
Taste more acute.
Sweetish taste in the mouth.

Stomach and Abdomen.

Colic, as if the stomach had been overloaded, as if the abdomen would burst; cannot suffer the clothes to be tight on the abdomen.
25. Pressure in the abdomen as from incarcerated flatulence.

Stool and Anus.

Diarrhœa, during dentition.

Urinary Organs.

Emission of large quantity of urine (midnight).

Sexual Organs.

Men. The sexual organs are very much excited without emission of semen, and with dry heat of the body.
Women. Labor and after-pains insupportably painful.

Respiratory Organs.

30. Oppression of the chest; obliged to take short inspirations; the breathing heaves the chest visibly.
Short, dry cough, as from constriction of the larynx.
Night cough (cough with measles).

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Generalities.

The pains are felt intensely, driving to despair, and inclination to weep.
He feels unusually well.
35. Twitching of the limbs.
Great movability of all the muscles.

Sleep.

Sleeplessness, from over-excitability of mind and body (sleeplessness of lying-in women).

Fever.

Chilliness, increased by every movement.
Internal chilliness, with external heat of the face and body.
40. Chills running down the back.
Dry heat in the evening after going to bed, with chilliness in the back.
Nightly, dry heat, with delirium.
Perspiration on the face, with internal chilliness.

Skin.

Eruptions (measles), with over-excitability and weeping.

Conditions.

45. Bad effects from sudden, pleasurable surprise.
Aversion to the open air, which aggravates the symptoms.
Bad effects from wine-drinking, taking cold, and excessive exaltation.
Amelioration by cold water (odontalgia).

COLCHICUM.

Mind and Disposition.

Peevish; dissatisfied with every thing.
His sufferings seem intolerable to him.
Slight causes, external impressions (bright light, strong smells, contact, bad manners) disturb his temper at once.
Great desire for rest and disinclination to every mental exertion; forgetfulness; absence of mind.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Head.

5. Giddiness when sitting down after walking.
Sensation of constriction over the eyes.
Pulsations in the head.
Pressing pain in the occiput, from mental exertion.
The headache is relieved, after supper, from warmth and lying quiet in bed.

Eyes.

10. Watering of the eyes in the open air.
Ulceration of the meibomian glands (left lower lid), with swelling of the eyelids.
Burning and redness of the edges of the eyelids.

Ears.

Discharge from the ears, with tearing in the ears (after measles).
Stitches in the ears (evening).
15. Dryness of the ears.

Nose.

Fluent coryza, with thin, tenacious discharge from the nose.
Tingling in the nose.
The sense of smell is painfully acute.
Bleeding of the nose in the evenings.

Face.

20. Piteous, sad features, as if he were ill.
Very great paleness of the face.
Cheeks red and hot (afternoon).
Œdematous swelling of the face.

Mouth and Throat.

Increased secretion of saliva; profuse ptyalism, with dryness of the throat.
25. Sensation of warmth and dryness in the mouth.
Lips chapped.
The tongue is heavy, stiff, and insensible.
Tongue coated white.
Smarting and sensation of dryness of the tongue and throat.
30. Biting-tingling in the throat and fauces.
Frequent hawking of (greenish) mucus.
Inflammation and redness of the palate, of the fauces.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Appetite and Taste.

Aversion to food, and loathing when merely looking at it, and still more when smelling it; the smell of broth nauseates, and that of fish, eggs, or fat meat almost makes him faint.

Taste bitter; violent thirst.

Stomach and Abdomen.

35. Constant singultus.

Nausea, in an erect position, when moving, at table, with inclination to vomit, with constant flow of saliva.

Vomiting of bile or mucus, of the ingesta, with trembling, violent gagging, colic, succeeded by bitterness in the mouth and throat.

Every motion excites or renews the vomiting.

Sensitiveness of the region of the stomach; it does not bear contact.

40. The stomach feels icy cold.

Burning in the stomach, with heavy pain.

Sensation of gnawing hunger in the stomach.

Abdominal dropsy, with a fold over the pubic region.

Stitches in the pit of the stomach.

45. Pulsation in the abdomen.

Stool and Anus.

Stool scanty, discharged only by hard straining even of the soft stool, with pain in the small of the back.

Extremely painful stools.

Watery discharges, going off without sensation.

Ineffectual pressing to stool; he feels the faeces in the rectum, but cannot expel them.

50. Frequent evacuations of transparent, jelly-like mucus, relieving the colic.

Fall dysentery, with discharges of white mucus and violent tenesmus; bloody stools, mingled with a slimy substance.

During stool sensation as if the sphincter ani were torn to pieces; burning at the anus.

Prolapsus ani; spasms in the sphincter ani.

Urinary Organs.

Frequent micturition.

55. Whitish sediment in the urine.

Burning in the urinary organs, with diminished secretion.

Brown, black urine.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Sexual Organs.

Men. Itching at the prepuce and orifice of the urethra.
Tearing in the glands and left spermatic cord.
60. *Women.* Catamenia too early.

Respiratory Organs.

Hoarseness in the morning, with roughness of the throat.
Nightly cough, with involuntary discharge of urine.
Oppression of the chest, with anxiety; relieved by bending forward.
Frequent pressure in small spots in the chest.
65. Pressure and oppression in the region of the heart, as if an attack of apoplexy threatened; relieved by walking.
Lancinating pain or cutting, as with a knife, in the right side of the chest.
Hydrothorax.

Back and Neck.

Tearing and lancinations in the back.
Soreness in the small of the back when touching it.
70. Drawing in the small of the back; worse during motion.

Extremities.

Upper. Stitches in the right shoulder.
Painful lameness in the arms, which makes it impossible to hold the lightest thing.
Trembling of the right hand, preventing writing.
Bubbling sensation in the left upper arm.
75. Rheumatic pain in the arms, extending into the fingers, especially the joints of the fingers.
Heat of the palms of the hands.
Fingers cold; tingling in the tips of the fingers.
Lower. Rheumatic pains in the legs, extending to the toes.
Œdematous swelling of the legs and feet.
80. The feet feel heavy.
Tingling in the tips of the toes.

Generalities.

Great weakness, with sensation of lameness through all the limbs.
Tearing twitches, like electric shocks, through one side of the body, with sensation of lameness.
Frequent starting.
85. Tingling in many parts of the body, as if frost-bitten, when the weather changes.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sleep.

Irresistible sleepiness, drowsiness.
Sleeplessness, without entire consciousness.
Sleeplessness because he cannot lie on the left side, on which he is accustomed to go to sleep.

Fever.

Pulse hard, full, and accelerated.
90. Coldness and chilliness, running through all the limbs.
Frequent shiverings down the back.
External dry heat of the skin.
At night dry, external heat, with excessive thirst.
Perspiration wanting or suppressed.

Skin.

95. Œdematous swelling and anasarca.
Suppressed perspiration.

Conditions.

Rheumatic pains in the limbs during warm weather; stitches in the limbs during cold weather.
The pains increase towards evening, and do not diminish before daybreak.
Sensitiveness of the body, especially of the affected parts, to motion and contact.
100. Aggravation while walking.
Amelioration while reposing, sitting (when stooping).

COLOCYNTHIS.

Mind and Disposition.

Aversion to talk; disinclined to answer questions.
Inclined to be angry and indignant.
Delirium, with eyes open and desire to flee.
Disinclined to occupy oneself, even averse to visit his otherwise well-liked friends.

Head.

5. Easy intoxication (from drinking beer).
One-sided headache, with nausea and vomiting, (5 P. M.)

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Pressing and heaviness in the forehead; aggravated when stooping and lying on the back.
Pressing pain in the forehead and root of the nose, as if a coryza would appear.
Profuse perspiration on the head, itching, smelling like urine (also on the hands, thighs and feet); worse at night, in bed; relieved after rising and walking in the warm room.
10. Biting, burning pain in the scalp.

Eyes.

Sensitive pressure in the eyes, especially when stooping.
Burning and cutting in the eyes.
Secretion of acrid tears from the eyes.
Stitches in the eyes (and forehead).
15. Obscuration of the sight.

Ears.

Pulsation and rushing in the ears.

Nose.

Coryza, fluent; worse in the open air; better in the room.

Face.

Face pale and relaxed, with sunken eyes.
Dark redness of the face.
20. Prosopalgia, left side; tearing or burning and stinging pain, extending to the ear and head.
Cramp-like sensation in the left malar bone, extending into the left eye.
Swelling of the face, with redness and heat of one cheek.

Mouth and Throat.

Burning at the tip of the tongue.
Sensation as if the tongue had been scalded by some hot fluid.
25. Tongue coated white or yellow.
Burning of the under lip.
Feeling of constriction in the throat, with empty eructations and palpitation of the heart.

Stomach and Abdomen.

Bitter taste of all the food and drink.
Vomiting of food; greenish vomiting.
30. Pressure in the stomach, with sensation of hunger.
Canine hunger; intense thirst, without hunger.
After taking the least nourishment, diarrhœa and vomiting.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Pain in the abdomen when walking (navel).
Bruised feeling in the abdomen.
35. Feeling in the whole abdomen as if the intestines were being squeezed between stones; tympanitis.
The (colic) *pains in the abdomen compel one to bend double—worse in any other position.*
Colic, with great sensitiveness of the abdomen, after anger, with cramps in the calves of the legs.
Pain in the abdomen, cutting as with knives.
Sensation of increasing constriction in the intestines.
40. Rumbling in the bowels.
The colic and abdominal pains are relieved by bending double, by violent exercise, by coffee and tobacco; every other food or drink causes an aggravation.

Stool and Anus.

Constipation, and evacuations retarded (during pregnancy).
Diarrhœa; stools frothy, smelling acid and putrid.
Dysentery; discharges of mucus and blood, with tenesmus.
45. Constriction of the rectum during stool.
Discharge of blood from the rectum, with stinging, burning pain in the small of the back and anus (daily).

Urinary Organs.

Frequent tenesmus vesicæ, with but small discharges.
Urine fœtid; it soon thickens; is viscid and like jelly.
Abundant micturition.
50. Urine (like that in dropsy after scarlet fever) of a faint flesh color, with a white-brown, flocculent, transparent sediment, depositing on the chamber small, red, hard, solid crystals, which adhere firmly to the vessel.
Itching at the orifice of the urethra, with desire to urinate.
Burning in the urethra after micturition.

Sexual Organs.

Men. Retraction of the prepuce behind the glans, during sleep.
Impotence.
55. *Women.* Stitches in the ovaries.
Lochia suppressed; puerperal fever after vexation.

Respiratory Organs.

Constriction in the larynx, which induces frequent deglutition, with oppression of breathing; better in the open air.
Nightly attacks of oppression, as if the chest were constricted.
Cough caused by smoking tobacco.
60. Dry cough from tickling in the throat.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Back.

Pain in the shoulder-blades and back, extending into the neck, with tension.

Great weakness in the back, especially the small of the back, with pressing headache (morning).

Extremities.

Upper. Swelling and suppuration of the axillary glands; subsultus of muscles.

Pain in the palms of the hands, as if the muscles were contracted and the hand and fingers could not be opened; worse when at rest.

65. Hands feel stiff.

Lower. While in motion, pain in the right thigh, as if the psoas muscle were too short; on stopping it ceased, but began again when he commenced to walk.

Cramp-like pain in the hip, from the kidneys to the thighs, with sensation as if the hip joint were fastened by iron clamps.

Stitches in the knee joints.

The knees feel stiff, preventing one from stooping down.

70. Sensation of coldness in the knees (in the morning).

The feet go to sleep (first the left, then the right foot).

Swelling of the feet.

Generalities.

Tension and constriction in external and internal parts.

Stiffness of the joints.

75. Twitching of the muscles.

General shortening of the tendons.

All the extremities are contracted.

Faintness, with coldness of the extremities.

Stitches extending along the body.

80. Swelling of various parts, with oppression of breathing.

Pulsations through the body.

Burning pains.

Sleep.

Sleep restless, disturbed by dreams.

Sleeplessness after anger.

85. Very wakeful and sleepless.

Fever.

Pulse full, hard and accelerated. Strong pulsation in the arteries.

Coldness and chilliness of the body, frequently with heat of the face.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Coldness of the hands and soles of the feet, while the rest of the body is warm.
External dry heat.
Internal heat, with attacks of flushes of heat.
Perspiration at night, smelling like urine, causing itching of the skin.
Perspiration, principally on the head and on the extremities.

Skin.

The skin of the whole body scales off.
Carbuncles, with continuous burning pain.
Small ulcers, with itching and burning.

Conditions.

The pains are often accompanied by stiffness and retarded motion of the affected parts; they often affect the hip joints; the pains are generally worse during rest, except those affecting principally the joints; they are also much worse from motion; the painful tearing (rheumatic pain) in the limbs is relieved by discharge of flatus.
Bad effects from anger with indignation and silent grief.

CONIUM MACULATUM.

Mind and Disposition.

Hypochondria and hysteria from suppression of, or from too free an indulgence in, the sexual instinct, with low spiritedness, anxiousness and sadness.
Forgetfulness; excessive difficulty of recollecting things.
Dread of men when they approach him; nevertheless he dreads being alone.
Inclination to start, as with fright.
Want of disposition to work.

Head.

Giddiness when looking around.
Intoxication from the smallest quantity of stimulus; even wine and water in small quantities intoxicates him.
Apoplexy with paralysis (in old people).

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stupifying headache, first in the forepart of the head, later in the back part, with coryza; worse in the open air; relieved on stooping and moving the head.

10. Tearing in the temples and sides of the head, with the sensation as if the brain were gone to sleep; worse from contact, motion, and after eating; better in a recumbent position, or while stooping.

Lancinating pain, especially in the vertex.

Sensation of a great lump in the brain.

One-sided headache, with nausea.

Headache caused by too small but frequent stools, with tenesmus.

15. Hydrocephalus; the pains are aggravated when awaking, after eating, in the open air; ameliorated on external pressure, on lying down, and on closing the eyes.

Eyes.

Sensation of coldness or burning of the eyes in the open air.

Aversion to light, without inflammation of the eyes.

Cataract from contusion.

Yellowish color of the eyes.

20. Things look red.

Shortsightedness.

Ears.

Stitches in and around the ears.

Accumulation of ear-wax, looking like decayed paper or blood-red; hardness of hearing, ceasing when the wax is removed and returning with the wax.

Great and painful sensitiveness of hearing.

25. Roaring and humming in both ears.

Induration of the parotid gland.

Nose.

Excessively acute smell.

Purulent discharge from the nose.

Frequent bleeding from the nose (when sneezing).

30. Sickly and pale complexion; pale purple, bloated face.

Heat in the face.

Stinging, tearing faceache (at night).

Moist and spreading herpes in the face.

Cancer of the lips (from the pressure of the pipe).

35. Dry and scaly lips.

Mouth and Throat.

Drawing, extending from the jaws to the ears and head.

Gnashing of the teeth.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Toothache in a hollow tooth when eating anything cold.
Gums swollen, blue-red, bleed readily.
40. Stiff, swollen, painful tongue; dry tongue.
Involuntary deglutition, especially when walking in the wind.
Violent ptyalism.
Pressure in the œsophagus, as if a round body (globus hystericus) were ascending from the stomach.
Spasmodic constriction of the throat.

Stomach and Abdomen.

45. Nausea as soon as food is taken.
Nausea and vomiting during pregnancy.
Great desire for coffee, for salt food and acids.
After taking milk sensation of inflation of the abdomen.
Suppressed eructations, with subsequent pain in the stomach.
50. Sensation of soreness and rawness of the stomach and of the abdomen when walking on the stones.
Spasmodic pains in the stomach.
Hardness of the abdomen from swelling of the mesenteric glands.
Lancinations in the abdomen, as if knives were plunged in; stitches in the spleen.
Emission of cold flatulence; rumbling and grumbling in the abdomen.

Stool and Anus.

55. Constipation, with ineffectual desire for stool; constant urging, without stool.
Hard stool, with tenesmus (headache; discharge of prostatic fluid).
During stool burning in the rectum.
After stool tremulous weakness.
Frequent stitches in the anus.
60. Heat in the lower part of the rectum.
Diarrhœa; stools undigested, with colic; very debilitating.
Involuntary discharge of fæces during sleep.

Urinary Organs.

Strangury.
The flow of urine suddenly stops, and continues after a short interruption.
65. Urine thick, white and turbid; bloody.
Diabetes, accompanied by great pain.
While urinating, cutting pain in the urethra.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

After urinating, burning in the urethra (in the morning); pressure in the neck of the bladder, with stitches; worse when walking, better when sitting.
Pressure on the bladder.
70. Frequent micturition, during the night; the urine cannot be retained.

Sexual Organs.

Men. Impotence; insufficient erections.
Excessive pollutions.
Discharge of prostatic juice, while expelling the fæces, during every emotion.
Swelling of the testes (after contusion).
75. *Women.* Menstruation too early and too scanty.
Painful abdominal spasms during the menses.
Suppressed menstruation (with barrenness).
Acrid, burning leucorrhœa, preceded by pinching pains in the abdomen.
Inflammation of the mammæ, with stitches; scirrhus of the mamma after contusion.

Respiratory Organs.

80. Shortness of breathing when walking; suffocative attacks; oppressed breathing, in the morning, when waking.
Stitches in the chest (sternum).
Violent spasmodic nightly cough (hooping-cough), caused by itching in the chest and throat, or from a small dry spot in the larynx, without expectoration at night, and difficult, bloody, purulent, offensive expectoration during the day.
Cough during pregnancy.
Aggravation at night, when lying down; from acids and salt food.
85. Cough relieves the tightness of the chest.
Loose cough, with inability to expectorate; he must swallow what he coughs up.
Cough, with pain in the abdomen.

Back and Neck.

Pain, as from a sprain in the left side of the back and neck.

Extremities.

Upper. Humid tetters on the forepart of the arms.
90. The shoulder feels as if bruised and sore.
Cracking in the wrist joint.
Lower. Red spots on the calves, which turn yellow or green, as from contusion, preventing movement.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Cracking of the knee joint.
From a slight exposure of the feet he catches cold.

Generalities.

95. Sensation of debility in the morning, in bed.
Sudden loss of strength while walking.
Hysterical and hypochondriacal attacks.

Sleep.

Sleepiness in the daytime and early in the evening.

Fever.

Pulse irregular; generally slow and full, alternating with small and frequent beats.
100. Coldness and chilliness in the morning and forenoon.
Chilliness, with desire for heat, especially the sunshine.
Heat internally and externally, with great nervousness.
Heat, with profuse perspiration.
Perspiration day and night, as soon as one closes the eyes and goes to sleep.
105. Perspiration at night and in the morning, smelling offensively, and causing biting on the skin.

Skin.

Swelling of the glands, with tingling and stitches after contusions and bruises.
Humid tetters.
Blackish ulcers, with bloody, fœtid, ichorous discharges, especially after contusions.
Petechiæ (in old persons).
110. Urticaria, from violent bodily exercise.

Conditions.

Especially suitable for old men.
Most symptoms appear while at rest, especially at night, and in periodical attacks; some, when walking in the open air.
Bad effects from suppressed sexual desire, or from excessive indulgence.
The glands are much affected by contusions and bruises; hard swelling.
115. *Aggravation*, during eating, while standing, while lying down (cough), while at rest, when lifting the affected part, from masturbation.
Amelioration in the dark; from letting the affected limb hang down, from moving, when walking.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

COPAIVÆ BALSAMUM.

Stool and Anus.

White, diarrhœic stools, generally in the morning, with chilliness and colic, obliging one to bend double.
Involuntary stools.
Bloody stools.
Stools, with tenesmus.
5. Intolerable burning at the anus.

Urinary Organs.

Inflammation of the urinary organs; swelling and dilatation of the orifice of the urethra, with pulsative pain throughout the penis.
Constant, ineffectual desire to urinate; contraction of the urethra; emission of urine in drops.
Hæmaturia.
Urine foaming; greenish-turbid, smelling like violets.
10. Itching, biting and burning in the urethra, before and after micturition.
Yellow, purulent gonorrhœa.

Sexual Organs.

Men. Burning and sensation of dryness in the region of the prostate gland; induration of the prostate gland.
Swelling and induration of the testicles.

Respiratory Organs.

Dry, painful cough, with dryness in the larynx.
15. Profuse expectoration of a greenish-gray, purulent mucus, of a disgusting smell.
Spitting of blood.

Extremities.

Lower. Pain and swelling of the knees and malleoli.

Generalities.

Burning pain (skin, abdomen, urethra, prostate gland, chest).
Heaviness and pressure (abdomen, chest, perineum).

Fever.

20. Chilliness and coldness, in the forenoon, with pain in the dorsa of the feet; in the afternoon, heat and thirst for water.
Perspiration profuse, of a pungent smell.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Skin.

Scarlet-red or dark, rose-colored eruption, of an irregular, broad shape.
Dark-colored or bright-red, elevated, intolerable itching, lentil-sized, measle-shaped exanthema, in clusters, flowing one into another.
Nettle-rash, pale-red or bright-red, with violent itching.
25. Jaundice.

Conditions.

Rheumatism after suppressed gonorrhœa.
Increased secretion of mucus from the mucous membranes.

CORALLIUM RUBRUM.

Head.

Sensation of emptiness and hollowness of the head.
Violent headache, with pressure, particularly in the forehead, obliging one to move the head from one place to another; this gives no relief, nor does sitting up ameliorate it—it is only relieved for a short time by uncovering the whole body, which is burning hot.
When moving the head quickly, or rocking it, sensation as if wind were blowing through the skull.
The head feels as if it were too large (three times its size).
5. Pressing headache in the forehead; she cannot keep the eyes open; relieved by walking in the open air.
Congestion of blood to the head on stooping.

Eyes.

Pressure, as from sand, in the reddened eyes (evening).
On closing the eyes they feel hot, as if bathed in tears.
Burning of the eyes from candle-light.

Nose.

10. Painful ulcer on the inside of the right wing, with the sensation as if the nasal bones were pressed asunder.
Bleeding of the nose, from one nostril at a time (at night).
Profuse secretion of mucus through the posterior nares, obliging one to hawk frequently.
Violent coryza; discharge resembles molten tallow.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Face.

Heat in the face on bending the head forward.

15. Pain, as if bruised, in the left malar bone; worse on touching the part.

The lips are chapped and painful.

Painful swelling of the left submaxillary glands; worse when swallowing and on bending the head forward.

Mouth and Throat.

Every tooth on the left side feels as if set on edge; it feels as if the teeth were too close to one another, or as if a tenacious body were lodged between them.

Great dryness of the fauces.

20. Constant hawking, owing to an accumulation of mucus in the posterior nares.

Stomach and Abdomen.

Food tastes insipid.

Beer tastes sweet.

Violent thirst; longing for acids and salt food.

After dinner, hot cheeks and forehead, with cold feet.

25. Nausea, with dryness of the tongue and violent headache; worse when sitting up.

Stool and Anus.

Constipation (for six days), followed by copious papescent stool.

Urinary Organs.

Loam-colored urine, with similar sediment.

Burning urine.

Sexual Organs.

Men. Profuse perspiration of the genitals.

30. Swelling of the prepuce; the margin of the prepuce feels sore when the linen touches it.

The frænum is painful, as if pricked by needles.

The glans is sensitive, red, and swollen, and the inner surface and glans secrete yellow-green, fetid pus.

Red, flat ulcers on the glans and inner surface of the prepuce, with secretion of a quantity of yellow ichor.

Involuntary seminal emissions during sleep (without dreams or erections).

Respiratory Organs.

35. During a deep inspiration a sensation as if the air passing through the air-passages were icy cold, an inclination to cough, with difficult hawking up of bronchial mucus (in the morning).

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

Back and Neck.

Stiffness of the neck.
Pain, as if the small of the back were broken.

Extremities.

Upper. Pain in the wrists, as if he had been writing much and rapidly.
Lower. Pain in the knees, tibia and tarsal joint, as if he had wâlked a great deal.

Sleep.

40. Yawning, with pain in the articulation of the jaw.
Great sleepiness; falls asleep while standing.
As soon as she falls asleep she starts up, on account of frightful dreams.
Cannot sleep before midnight—tosses about; if he uncovers himself, he feels too cold, and when covered, he feels too hot.

Fever.

Pulse full and hard.
45. Chill; the skin is of the ordinary temperature, with headache and violent thirst; relieved by external heat.
Dry heat without thirst, and not followed by perspiration. The hot parts feel cold when uncovered.

Skin.

Smooth spots on the palms of the hands and fingers, first of a coral color, then dark-red, and lastly copper-colored.

Conditions.

After a short walk in the evening, great lassitude in the upper and lower limbs.
Artificial heat relieves the heat and coldness.
50. The pains make him scold and swear.

CREOSOTUM.

Mind and Disposition.

Low-spirited, inclined to weep, longing for death; music and other subduing emotions cause him to weep.
Ill-humor (in the morning), with disposition to weep.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Head.

Weakness of memory.
Painful dulness of the head, as after intoxication.
Heaviness in the forehead and sensation as if the brain would fall out.
Pulsation in the forehead, vertex (when awaking in the morning), with heat in the face.
Painfulness of the scalp when combing the hair (the hair falls off).

Eyes.

Itching and biting in the eyes, on the edges of the eyelids; when rubbing them they become red and feel worse.
Burning and heat in the eyes, with tears, especially when looking into a bright light.
Discharge of hot, acrid, smarting tears, like salt water; worse when rubbing the eyes, or early in the morning, on waking.
Twitching of the lids (uncontrollable).
Dim-sightedness, as if looking through gauze.
Sensation as if something were floating before the eyes, obliging one to wipe them constantly.

Ears.

Stitches in the ears.
Itching in the ears (and soles of the feet).
Humid herpes on the ears, with swelling of the cervical glands and livid, gray complexion.
Inflammation of the (left) outer ear, red, hot, swollen, burning, proceeding from a pimple in the concha, with stiffness and pain in the left side of the neck, shoulder and arm.

Nose.

Bad smell before the nose (on waking).
Bleeding of the nose (in the morning).

Face.

Livid complexion, with swelling of the cervical glands.
Great heat and brown redness of the face (during the siesta), with throbbing in the cheeks and forehead, and frequent micturition.
Scaly herpes on the eyelids, cheeks and around the mouth.
Dry lips, with peeling off.

Mouth and Throat.

Toothache, extending to the temples, to the left side of the face.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

25. The teeth feel as if they were too long.
Gums inflamed (left upper side).
Scraping in the throat, with roughness and dryness.

Appetite and Taste.

Bitter taste of the food when it is swallowed.

Stomach and Abdomen.

Eructations sour or empty, after dinner, followed by expectoration of frothy saliva.
30. Nausea during pregnancy.
Vomiturition, straining to vomit, in the morning; vomiting in the morning of sweetish water, with dryness in the nose and fullness in the forehead; cold hands and feet, with thirst.
Tightness of the stomach and pit of the stomach; the tight clothing is insupportable.
Painful hard place on the left side of the stomach.
Scirrhus or cancer of the stomach.
35. Stitches in the region of the liver.
Pressure in the region of the spleen; the spot is painful to external pressure, especially when sitting down soon after rising from the bed in the morning.
Sensation of contraction in the abdomen, as if a hard-twisted ball were lying in the umbilical region.
Labor-like pain, with drawing in of the upper part of the abdomen, extending to the small of the back and pressing toward the lumbar vertebræ, with flushes of heat in the face, palpitation of the heart, ineffectual urging to pass urine, which is finally emitted in small quantities and hot; after the paroxysm, chilliness and milky leucorrhœa.
Sensation of soreness in the abdomen (when taking a deep inspiration).
40. Painful sensation of coldness in the abdomen.
Distention of the abdomen, as after a copious meal.

Stool and Anus.

Constipation; stool hard, dry, and only expelled with difficulty.
Stitches in the rectum, extending towards the left groin.

Urinary Organs.

Diminished secretion of urine; also, he drinks much, with frequent desire to micturate (at night), passing but little at a time.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

45. Frequent and profuse micturition (pale urine).
Urine has a bad smell; of the color of chestnuts, reddish, with red sediment.
Before urinating, discharge of mild leucorrhœa.
During micturition, burning between the labia.

Sexual Organs.

Men. Burning in the genitals and impotence.
50. *Women.* Itching in the vagina, inducing rubbing in the evening, succeeded by smarting, swelling, heat and induration of the external parts, with soreness in the vagina when urinating.
On the neck of the uterus a hard lump, and ulcerative pain during an embrace; the pain worse in the morning than in the evening.
Prolapsus uteri.
During an embrace, burning in the parts, followed next day by menstrual discharge of dark blood.
Menstruation too early and too profuse.
55. Before and during menstruation, hardness of hearing.
Leucorrhœa, mild, corrosive, debilitating.
Appearance of the menses in the third month of pregnancy (blood black, flows in a stream).

Respiratory Organs.

Scraping and roughness in the throat, with hoarseness, relieved by sneezing, in the morning.
Cough (in the evening, in bed), caused by crawling below the larynx, with involuntary micturition.
60. Dry, wheezing, hollow cough, caused by scraping and roughness and crawling in the chest, without expectoration.
Cough, with expectoration of thick, yellow or white mucus.
Aggravation of the cough morning and evening, while exhaling, from motion, from music, when awaking, when lying on the side, or when turning in bed.
Cough, with pain in the chest and sternum, compelling to press the hand on it; stitches and soreness in the chest.
Pain in the back; great sleepiness and profound sleep.
65. Frequent desire to take a deep breath on account of a sensation of heaviness on the chest.
Shortness of breath, with sensation of heaviness on the chest.
The chest feels bruised, especially the sternum.
Stitches in the chest above the heart, with oppression of breathing; in the right side, extending under the shoulder-blade, arresting the breathing.
Stitches in the heart.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Back.

70. Pain, as if the small of the back would break; worse at rest; better from motion.
Pain in the small of the back like labor-pains; strong pressure to urinate, and ineffectual desire to go to stool.
Pain in the back at night; worse when lying.
The scapulæ feel as if bruised.

Extremities.

Upper. Pain in the shoulders as if they had been uncovered all night.
75. Stitches in the arm from the shoulder-joint through the fingers; they feel as if gone to sleep, insensible.
Deadness of the fingers, which grow pale and insensible (early in the morning, when rising), (with tingling and going to sleep).
Pain in the left thumb, as if sprained or stiff.
Lower. Humming and buzzing sensation in the lower limbs.
Pain of the soles of the feet, as from subcutaneous ulceration.
80. Œdematous, white swelling of both feet (feel cold and heavy).
Burning itching of the soles.

Sleep.

Great drowsiness, with frequent yawning.
Sleeplessness (before midnight); tosses about all night without any apparent cause.

Generalities.

Faintness (in the morning, when rising too early).
85. Sensation of soreness, as if bruised.
Restlessness in the body while reposing.
Stitches in the joints.

Fever.

Pulse small and weak; when at rest, pulsation in all the arteries.
Chilliness predominating while at rest.
90. Chill, with flushes of the face; red cheeks and icy cold feet.
Chill, with great bodily restlessness.
Heat, mostly in the face.
Flushes of heat, with circumscribed redness of the cheeks.
Perspiration only during the morning, with heat and redness of the cheeks.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Skin.

95. Blotches like nettle-rash.
Large, greasy-looking, pox-shaped pustules over the whole body.
Herpes, furfuraceous and pustulous, dry, humid (on the backs of the hands and fingers, in the palms of the hands, on the ears, elbows, knuckles, and malleoli).
Itching, very violent towards evening.

Conditions.

Aggravation, in the open air; on moving; from eating cold food.
100. *Amelioration*, from warmth.

CROCUS SATIVUS.

Mind and Disposition.

Gaiety; uncommon mirth and cheerfulness; witty; joking loquacious.
Sings involuntarily, and then laughs.
Immoderate, improper laughter; changeable disposition.

Head.

Vertigo when raising the head, with heat of the whole body.
5. Great forgetfulness; loses his ideas when he undertakes to write them down.
Giddiness, as if intoxicated, in the forehead; in the room, but not in the open air.
Giddiness, with fainting.
Pulsating pains in one side of the head (left), extending into the eye.
Pain in the forehead in the evening by candle-light, with burning and pressure in the eyes.
10. Sudden shock in the forehead and temples.
Sensation, when moving the head, as if the brain were loose, and were tottering to and fro.

Eyes.

Twitching of the eyelids; twitching and itching of the upper eyelids.
Nightly spasms of the lids.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Inclination to wink and to wipe the eyes, as if a pellicle of gum were drawn over them.

15. When reading (in the evening) sees as through a gauze.
Dilatation of the pupils.
When reading, the white paper is pale-red.
Sudden flashes before the eyes like electric sparks (during the day).
A quantity of tears rush from the dim eyes as soon as he begins to read.

20. Lachrymation in the room; not in the open air.
Heating and lancinating pains in the eyes after surgical operations.

Ears.

Humming and roaring in the ears, with hardness of hearing; worse on stooping.

Nose.

Discharge from the nose (one nostril at a time) of tenacious, thick, dark-black blood, with cold perspiration on the forehead.

Face.

Livid complexion.

25. Circumscribed, burning red spots in the face.
Alternate redness and paleness of the face.
Red, hot face.
Lips cracked.

Mouth and Throat.

White-coated tongue (better after breakfast); the papillæ are very much erect.

30. Unusual warmth in the mouth.
Scraping in the throat in the evening before and after, but not during the time he takes his food.
Sensation in the œsophagus as from a plug.
Sensation as if the uvula had been elongated, during and after deglutition.

Stomach and Abdomen.

Thirst in the evening.

35. Nausea, disappearing in the open air.
Heartburn after eating.
Bloated abdomen.
Sensation as if something living were hopping about in the stomach, abdomen, pit of the stomach (arms and other parts of the body).

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Distention of the stomach and abdomen (the stomach feels distended in the morning before eating anything).
40. Sensation of heaviness in the abdomen, with pressing towards the uterus.

Stool and Anus.

Creeping in the anus, as from ascarides.
Stitches and itching at the anus (stitch extending from the anus through the small of the back into the left groin, increasing during an inspiration).

Genitals.

Men. Excitement of the sexual desire.
Women. Menstruation too early and too profuse.
45. Hemorrhage from the uterus (during the least movement); blood viscid, black, smelling badly (miscarriage third month).

Respiratory Organs.

Oppression of the chest, with the desire to draw a long breath; relieved by yawning.
Disagreeably-smelling breath.
Violent, dry cough, from irritation in the pharynx; relieved by pressing with the hand on the pit of the stomach.
Cough, with spitting of blood.
50. Great feeling of emptiness in the pit of the stomach.
Sensation as if something living were hopping in the chest.

Back.

Sensation of coldness in the back.
Swelling of the neck.

Extremities.

Upper. In the shoulder-joint sensation as if the head of the humerus were loose; cracking.
55. Sensation as if the arms and hands were gone to sleep.
The arms (fore-arm) feel heavy, as if bruised.
Burning-tingling and tension in the tips of the fingers.
Chilblains on the hands and fingers.
Lower. Violent cracking of the hip-joint, of the knee-joint (when stooping).
60. Great sensation of weariness in the knee-joints and lower legs.
Chilblains on the toes.
The soles of the feet ache from standing.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Sleep.

Continuous yawning and desire to sleep.
Sleepiness after each meal; somnolency.
65. Sings while sleeping.

Generalities.

Sensation as if something living were hopping and jumping in the body.
Tingling in different parts of the body.
Hemorrhages from various organs (blood black, viscid).
St. Vitus' dance (every seven days, with singing, dancing, laughing and singing).
70. Some limbs go to sleep (at night).

Fever.

Pulse accelerated; feverish.
Chill in the afternoon, growing worse in the evening, with chilliness extending from the back into the legs, with trembling.
During the chill (and heat), thirst.
75. Chilliness, only the back part of the body.
Flushes of internal heat, with pricking and tingling of the skin.
Heat, mostly of the head and face, with paleness of the cheeks and thirst.
Perspiration very little, and only at night; cold and debilitating.
Perspiration only on the lower part of the body.

Skin.

80. Scarlet redness of the whole body.
Painful suppuration of bruised parts (old cicatrized wounds open again, and suppurate).
Chilblains.

Conditions.

Especially suitable for women.
Frequent and great changes in the sensations; the feelings changing suddenly from the greatest hilarity to the deepest despondency.
85. *Aggravation*, in the morning early (while fasting), (lassitude, debility).
Amelioration, in the cool, open air.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

CROTON TIGLIUM.

Head.

Vertigo, with dulness of the head, pale complexion, debility and nausea; worse in the open air.
Heaviness of the head.
Sensitiveness of the head to the pressure of the hat.
Headache; worse in the morning.

Eyes.

Itching of the eyelids.
Œdematous swelling of the eyelids (eyelids look puffed).
Twitching of the eyelids.
Stinging in the eyeball.
Burning pain in the inflamed eye, with burning in the ear, vertigo, and fainting.
Ulceration of the conjunctiva, contraction of the pupil, and profuse lachrymation and dimness of the cornea.

Nose.

Burning in the nostrils; inflammation of the nose.

Face and Throat.

Dry, parched lips.
Burning of the lips.
Sensitiveness of the tip of the tongue.
White-coated tongue.
Scraping (disagreeable) taste in the fauces.
Burning in the fauces and pharynx.
Constrictive sensation in the throat.

Stomach and Abdomen.

Excessive nausea, with vanishing of sight, sweat on the forehead, distention of the abdomen, excessive gagging, vertigo; worse after drinking.
Burning in the stomach.
Sensitiveness of the region of the stomach to the touch.
Abdomen distended; coldness.
Colicky pain in the transverse colon before every stool.
Colic relieved by hot milk.

Stool and Anus.

Stools liquid (yellow-colored water), with tenesmus, or with nausea and colic, or coming out like shot.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Stools dark-green or greenish-yellow.
Stools, with burning at the anus.
During stool, perspiration.
Stool as soon as he drinks (the child has a stool and colic as soon as it nurses).
30. At the anus, itching; pulsations; constrictive sensation; stitches; sensation as if a plug lodged in the rectum were pressing out.

Urinary Organs.

Stitches in the region of the kidneys, arresting the breathing.
Increased secretion of (turbid) urine.
Burning in the urethra when urinating.

Sexual Organs.

Men. The left testicle is drawn up; the right testicle is relaxed.
35. *Women.* Catamenia too scanty.
Pain and stitches through the breasts into the chest, and extending to the back, as soon as the child begins to nurse.

Respiratory Organs.

Hoarseness and hollow voice, which obliges him to hawk constantly.
Accumulation of rattling mucus in the larynx.
When coughing, soreness in the abdomen.
40. Cough, morning and evening.
Burning on the chest.
The chest is painful when touched.
Sensation of hollowness in the chest.
Palpitation of the heart, with difficulty of breathing, especially on going up stairs.
45. Stitches in the region of the heart during an expiration.

Extremities.

Upper. Sticking or aching pains in the shoulder-joints.
Lower. Lancinations in the big toes; pricking in the toes.

Sleep.

Drowsiness; the palpitation of the heart prevents him from going to sleep.

Generalities.

Weariness; ill-feeling and irresistible desire to sleep.
50. Fainting spells.
Weakness and bruised feeling through the whole body.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Fever.

Pulse frequent and full.
Chilliness over the back.
Ascension of heat on the body.
55. Heat and fever accompanying the cutaneous eruption.
Perspiration on the forehead.

Skin.

Scarlet redness of the skin (with rash-like vesicles).
Redness, warmth, stinging here and there; pustules running into one, oozing and forming a gray-brown crust, which finally falls off.
Itching, followed by a painful burning.
60. Herpetic eruption on the scrotum.
Painful swelling of the submaxillary glands and tonsils.

Conditions.

Aggravation. Stools, nausea and vomiting, colic, after drinking (and eating).
Amelioration, after sleep (headache, colic, pains).

CUBEBS.

Mind and Disposition.

Exaltation of temper and of the mental faculties.

Stool and Anus.

Diarrhœa, with rumbling and cutting in the abdomen and burning in the rectum.
Suppuration of the rectum.
Burning and itching of the anus.

Urinary Organs.

5. Foaming urine.
Burning and itching in the fossa navicularis.

Sexual Organs.

Discharge from the urethra of a dark-reddish color (gonorrhœa).
Inflammation of the penis.
Sensation of pressure and heaviness in the pelvis.

Extremities.

10. Sensation of heat in the palms of the hands and soles of the feet.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

CUPRUM.

Mind and Disposition.

Craziness; attacks with savage malice, with proud bearing, and at times interrupted by clonic spasms.
Great anguish, like fear of death; restlessness, groaning, and desire to escape.
Attacks of rage (wants to bite the bystanders).
Convulsive laughter.
5. Incoherent, delirious talk.

Head.

Vertigo while looking upwards, when reading; the head inclines to bend forward; worse during motion, better when lying down.
Painful hollow sensation in the head.
Tingling in the vertex.
Convulsions of the head; the head is moved from one side to the other; is drawn to one side or falls forward; aggravated or renewed by each contact (hydrocephalus).
10. Headache after an epileptic attack.
The head is twisted to one side; falls forward.
Purplish-red swelling of the head; face purple-red and blue lips; convulsion and twitches in the limbs; worse when touched, which causes the swelling to pain.

Eyes.

Eyes fixed (staring), sunken.
Protruded, glistening eyes.
15. Eyes are turned upward.
Greater immobility of the pupils.
Violent itching in the eyes (evening).
Dim eyes; they feel so weak that they close.

Ears.

Boring pain in and behind the ear.
20. Itching in the ear.

Face.

Distorted muscles of the face; sad, dejected expression.
Paleness of the face; changed features, full of anguish.
Bluish face with bluish lips.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Mouth and Throat.

Spasmodic contraction of the jaws.
25. Difficult dentition in children, with convulsions.
Inability to talk, on account of spasms in the throat.
Foam at the mouth.
Hoarse crying, like a child.
Coldness of the tip of the tongue.
30. Burning in the throat; dryness of the throat, with thirst.
Singultus and spasm of the œsophagus.
When drinking, the beverage descends in the gullet with a gurgling noise.
Excessive thirst, with great dryness of the throat.
Sweet taste in the mouth.
35. Desire for warm food; eats hastily.

Stomach and Abdomen.

Singultus preceding the spasms.
Nausea, ascending from the stomach into the throat.
Vomiting of water containing flakes, offensive smelling; of bile, of blood.
Excessive vomiting accompanied by colic, diarrhœa, spasms.
40. Vomiting is prevented by drinking cold water.
Pressure in the pit of the stomach; worse from pressure.
Gnawing and corroding sensation in the stomach.
Violent colic, with great anxiety.
Pressure in the abdomen, as from a stone; worse from contact.
45. Violent spasms in the abdomen, with convulsions.
Ulcers (corroding, stinging) in the intestines.

Stool and Anus.

Suppressed stool, with general heat.
Violent watery diarrhœa (with flakes; bloody diarrhœa).

Urinary Organs.

Suppressed secretion of urine (and stool).
50. Urine dark-red, turbid, with yellowish sediment; viscous, offensive.
Frequent nocturnal urination.

Respiratory Organs.

Suffocative arrest of breathing.
Asthma increases (at 3 A. M.) when bending the body backwards, when coughing, when laughing.
Painful contraction of the chest, especially after drinking.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

55. Hurried breathing, with rattling in the bronchial tubes.
Spasmodic constriction of the chest, obstructing breathing and preventing speech (after fright and anger).
Hooping-cough in long continuing attacks, causing suffocative fits; one swallow of cold water relieves.
Violent palpitation of the heart (before the menses).

Extremities.

Upper. Jerking in the arms and hands.
60. The arms and hands are bluish marbled.
Twitches of the muscles of the forearms and hands (morning).
The fingers twitch.
Herpes in the bends of the elbows, forming yellow scales, itching, especially in the evening.
Inflammation of lymphatic vessels from the hand to the shoulder, with violent swelling of the hand.
65. Coldness of the hands.
Weakness and lameness of the hand.
Lower. In the knee-joint weakness, pain, as if broken.
Twitching of the muscles in the lower extremities.
Painful cramp in the calves.
70. Twitching of the toes.
Burning of the soles of the feet.
Suppressed perspiration of the feet.

Sleep.

Deep sleep, with jerking in the limbs.
Lethargic sleep.
75. During sleep constant grumbling in the abdomen.

Generalities.

Convulsions, with piercing cries.
Clonic spasms.
Epileptic attacks (at night), followed by headache.

Fever.

Pulse small, weak and slow.
80. Chilliness over the whole body, mostly in the extremities.
Chilliness after every attack of indisposition (epileptic attacks).
Debilitating, hectic, internal heat.
Flushes of heat.
Cold perspiration at night.
85. Many attacks (epileptic attacks, attacks of mania) end with (cold) perspiration.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Skin.

Herpes, with yellow scales.
Dry itch.
Old ulcers; caries.

Conditions.

Contact renews and aggravates many complaints.
Aggravation from vomiting.
Amelioration after drinking (a swallow of water relieves the cough).

CYCLAMEN.

Mind and Disposition.

Taciturn, depressed, out of humor.
Inclined to internal, undemonstrative grief.
Sudden change of sadness and cheerfulness.
Weakness of the memory.
Dulness of the mind and indisposition to perform any sort of labor.

Head.

Vertigo; when leaning against something, he feels as if the brain were in motion.
Vertigo; increasing when exercising in the open air, relieved when sitting in a room.
Stitches in the left temple, the forehead, with dizziness.
Headache in the morning, when rising.
Stitches in the head (temples; forehead, when stooping).
Congestion of blood to the head; increased sensation of heat in the head.
The headache is relieved by applications of cold water.
Fine, sharp, itching, stinging in the hairy scalp, which constantly reappears in another place after scratching; worse in the evening and when at rest, better from motion.

Eyes.

Dilatation of the pupils.
The eyes lie deep in the orbits, look dim, and are surrounded by blue rings.
Itching of the eyelids.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Swelling of the upper eyelids.
Obscuration of sight.
Double vision; strabismus.
Burning in the eyes; worse when reading.

Ears.

Itching in the ears, with increased secretion of wax.
Hearing diminished.

Nose.

Diminished sense of smell.
Fluent coryza (morning).

Face.

Pale face.
Small pimples in the face, rapidly filling up and then drying up.

Mouth and Throat.

Dryness of the lips, without thirst.
Increased secretion of tenacious mucus in the mouth.
Mouth and throat redder than usual.
Tongue coated white.
Fine stitches in the surface of the tongue.
Redness of the tip of the tongue, with small, burning blister, impeding speech and mastication, with increase of saliva.
The upper lip feels numb, as from an induration.
Burning on the tip of the tongue (evening).
Food tastes flat.
Dryness in the throat.
Sensation of painful constriction in the throat.
Burning and scraping in the throat.
The tonsils and palate are shrivelled and white.

Stomach and Abdomen.

Aversion to eat bread and butter; less aversion to warm food.
After eating but little, aversion to the rest of the food, with sensation of nausea in the throat.
Thirst during the night.
Thirst and hunger, with dryness in the throat.
Nausea and accumulation of water in the mouth.
Nausea and fulness in the chest, with unusual hunger (morning).
Nausea (morning; after eating fat food).
Vomiting of blood.
Nausea caused by eating and drinking; could only drink lemonade without being nauseated.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Vomiting of mucus followed by sleep.
50. Fulness and pressure in the stomach,—pit of the stomach,—as if he had eaten too much.
Stitches in the stomach, region of the liver, navel, abdomen.
Sensitiveness, when moving, of the abdomen to pressure.
Rumbling in the intestines.

Stool and Anus.

Frequent discharge of hard stool (hard lumps).
55. Diarrhœa, watery, papescent, with vomiting at night.
Pressure in the rectum.
Discharge of blood from the rectum.
Drawing, pressing pain in and about the anus and perineum, as from subcutaneous ulceration, when walking or sitting.

Urinary Organs.

Frequent copious emission of whitish urine.
60. Stitches in the urethra, with desire to urinate, followed by a sudden discharge of dark red-yellow urine.
Frequent micturition, with pressure on the bladder and rectum.
Urine dark-colored, with flakes floating in it.

Sexual Organs.

Men. The prepuce and corona glandis feel sore from slight rubbing.
Women. Catamenia too profuse and too frequent.
65. Before menstruation (at night) labor-like pains; the abdomen was bloated and swollen on the previous day; the menstrual blood is black and clotted.
Secretion from the swollen mammæ, like milk.

Respiratory Organs and Chest.

When reading aloud the voice is weak.
Scraping and dryness in the pharynx, causing a suffocative cough.
Oppression of the chest, with impeded breathing.
70. Sensation of great weakness in the chest, as if there was not strength enough to breathe.
Pressure in the sternum.
Palpitation of the heart; stitches in the region of the heart.

Back and Neck.

Dull stitches in the region of the kidney; worse when drawing a long breath.
In the neck stiffness; a paralytic pain.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Extremities.

75. *Upper.* Paralytic hard pressure in the upper and forearm, as if in the periosteum and interiorly in the muscles, extending to the fingers, hindering writing.
Cramp-like, slow contraction of the right thumb and index; they have to be extended by force.
Stinging itching or pricking, as from needles between the fingers, ceasing after scratching.
Sensation of numbness in the right hand.
Lower. Cramp-like pain in the posterior surface of the thigh, above the bend of the right knee.
80. Sensation as if sprained in the left foot.
Soreness in the heels when walking.
Feet (toes) frost-bitten (looking red).

Generalities.

Pressing, drawing pains, generally in the periosteum or where the skin covers the bones.
Weakness, especially in the evening, with ill-humor and sleepiness; better when moving about.

Fever.

85. Pulse double beat.
Attacks of chilliness in the morning or evening.
During the evening chill, great sensitiveness to cold air or to being uncovered.
After the chill heat, especially of the face,—the hands remaining cold for a long time.
Heat after eating.
90. Perspiration at night, during sleep, of offensive smell.

Skin.

Itching; pricking at night, especially at night in bed; disappearing in one place when scratching, but reappearing at once at another place.

Conditions.

Aggravation when at rest and in the evening.
As long as he moves about he feels well, but as soon as he sits down, especially in the evening, he experiences various inconveniences.
Aggravation from eating fat food; while reposing (when sitting, standing).
95. Amelioration from moving (walking).

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

DAPHNE INDICA.

Mind and Disposition.

Lowness of spirits.

Head.

Feeling of fulness in the head, as if the head would burst.
Heat in the head, especially in the vertex.
Painful pulsation in the temples, with soreness when touched.

Eyes.

Contraction of the pupils.
Painful feeling in the eyes, as if pressed into the head.
Eyes inflamed, without lustre; filled with tears.

Ears.

Roaring in the ears.

Face.

Heat and burning of the cheeks.
Sensation of swelling; rigidity and tension in the articulation of the jaw.

Mouth.

Ptyalism; saliva hot.

Stomach and Abdomen.

Arthritic pains, which suddenly wander from the extremities to the abdomen.

Urinary Organs.

Frequent and copious micturition.
The urine is turbid, thick, yellowish, like rotten eggs.
Fetid smell of the urine.
Red sediment of the urine, which adheres to the sides of the vessel.
After micturition, discharge of prostatic fluid.
Sweating of the scrotum.

Sleep.

Entire sleeplessness.
Unrefreshing night-sleep (nightmare).
When falling asleep, starting.

Generalities.

Rheumatic and arthritic pains, especially after suppressed gonorrhœa.

Fever.

Viscid perspiration, having sometimes a putrid smell.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

DIADEMA ARANEA.

Head.

Headache, relieved by smoking tobacco and going out in the open air.

Mouth.

Painfulness of all the teeth as soon as he goes to bed in the evening.

Bitter taste, with coated tongue; relieved by smoking.

Abdomen.

Swelling of the spleen (after intermittent fever was suppressed by Quinine).

Respiratory Organs.

5. Hæmoptysis.

Sexual Organs.

Women. Catamenia too early, too profuse, of too long duration.

Metrorrhagia; bright-colored blood.

Extremities.

Upper. Sensation on the ring and little fingers, as if they were asleep.

Lower. Boring and digging in the os calcis, continuing on moving the foot, and disappearing by continuing the motion.

10. Ulcer on the left heel.

Sleep.

As soon as he lies down at night a violent pain in all the teeth.

Generalities.

Hemorrhages from all the organs.

Fever.

Chilliness every day at the same hour (precisely), with sleeplessness, no heat or perspiration following.

Chilliness day and night, even during the summer; worse during rain.

15. Chill and other symptoms are worse every other day, at precisely the same hours.

Conditions.

Aggravation in wet habitations and from being on the water—Daily, at precisely the same hour.

Digitized by UNIVERSITY OF MICHIGAN Original from UNIVERSITY OF MICHIGAN

DIGITALIS PURPUREA.

Mind and Disposition.

Great anxiety and inclination to shed tears; apprehension about the future.
Gloomy and peevish.
Indisposed to speak; inclination to lassitude.

Head.

Giddiness, with trembling.
Dulness of the head, with limited power of thinking.
Stitches in the temples (evening and night).
Stitches in the forehead, extending into the nose, especially after drinking something cold.
When stooping, sensation as if something fell forward in the head.
Pressure in the forehead, from mental exertion.
Sensation of itching in the head (inside, one-sided).
Sudden cracking in the head (during a siesta), with starting, as in a fright.
Hydrocephalus; sensation as if waves or water were beating on the skull; worse while standing, talking, shaking the head and bending the head backward—relieved when lying down or bending the head forward.
The head is inclined to sink backward.

Eyes.

Burning pain in the right eyebrow.
Blueness of the eyelids.
Swelling of the lower lid.
Inflammation of the Meibomian glands.
Agglutination of the eyes in the morning.
Lachrymation (tears, acrid); worse in the room than in the open air; worse from bright light and cold air (in the morning).
Diminished irritability of the pupil; aversion to light.
Painless obscuration of the lens.
Obscuration of sight.
Dark bodies, like flies, hover before the eyes.
Double vision (diplopia).
Things appear green (or yellow).

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Ears.

Hissing before the ears, like boiling water (with hardness of hearing).
Single stitches behind the ears.
Painful swelling of the parotid gland and behind the ear.

Nose.

Pain above the root of the nose.
30. Coryza, with hoarseness.

Face.

Pale face; bluish hue under the pale skin.
Blue lips (and eyelids).
Lips dry, parched.
Black pores in the skin, which suppurate and become ulcerated.
35. Convulsions on the left side of the face.

Mouth and Throat.

Blueness of the tongue.
Swelling of the tongue.
White-coated tongue (morning).
Fetid or sweetish ptyalism (with soreness of mouth, gums and tongue).
40. Ulcer on the tongue.
Mouth and throat rough, sore; scraped feeling of.

Stomach and Abdomen.

Loss of appetite and clean tongue.
Continuous thirst, with dry lips.
Flat, slimy taste; bread tastes bitter.
45. Gulping up of an acrid or tasteless fluid.
Nausea; convulsive efforts to vomit.
Vomiting (morning) of the ingesta, of a green liquid.
Nausea, as if he would die with it; continuous, and not relieved by vomiting.
Nausea and vomiting of food as soon as he eats.
50. If she expectorates she has to vomit at once what she has eaten.
Vomiting of mucus.
Great sensation of weakness in the stomach (sinking), as if he would die, soon after eating.
Burning in the stomach, extending up to the œsophagus.
Colic, with nausea and vomiting.
55. Stitches in the pit of the stomach, extending to the sides and back.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN

Contractive pain in the abdomen.
Sensitiveness to pressure in the region of the liver.
Distension of the abdomen (ascites).

Stool and Anus.

Stool gray, ash-colored, white as chalk.
60. Watery diarrhœa.
Diarrhœa, consisting of fæces and mucus.
Chilliness previous to stool.

Urinary Organs.

Pressure on the bladder, with the sensation as if it were too full, continuing after micturition.
Continual desire to urinate; each time only a few drops are emitted; the urine is dark-brown, hot, and burning on passing.
65. Frequent emission of small quantities of water-colored urine.
Excessive emission of urine.
While in a recumbent position the urine can be retained for a longer time.
Difficult micturition, as if the urethra were constricted.
Inflammation of the bladder (neck of the bladder).
70. Cutting pain before and after micturition.

Genital Organs.

Men. Hydrocele; the scrotum looks like a bladder filled with water.
Dropsical swelling of the genitals.
Contusive pain in the right testicle.

Respiratory Organs.

Oppressed breathing when walking and in a recumbent position.
75. Hoarseness (in the morning, after a night-sweat).
Tenacious mucus in the throat, detached by coughing.
Hollow, spasmodic cough, from roughness and scraping in the throat; expectoration, only in the evening, of yellow jelly-like mucus, tasting sweet; sometimes small quantities of dark blood are expectorated (expectoration like boiled starch).
Cough worse at midnight and during the morning hours.
The cough is caused by talking, walking, drinking any thing cold; when bending the body forward; after eating.
80. Sensation of soreness in the chest.
Increased activity of the heart, with slow pulse.

Digitized by UNIVERSITY OF MICHIGAN
Original from UNIVERSITY OF MICHIGAN