

## **REVIEW ARTICLE**

# The Preparedness of Hospital Emergency Departments for Responding to Disasters in Iran; a Systematic Review and Meta-Analysis

# Mosayeb Kazemzadeh<sup>1</sup>, Elham Shafiei<sup>2</sup>, Katayoun Jahangiri<sup>3</sup>, Kosar Yousefi<sup>2</sup>, Ali Sahebi<sup>3\*</sup>

- 1. MSC in Health Care Management, Ilam University of Medical Sciences, Ilam, Iran.
- 2. Clinical Research Development Unit, Shahid Mostafa Khomeini hospital, Ilam University of Medical Sciences, Ilam, Iran.

3. Department of Health in Disasters and Emergencies, School of Public Health and Safety, Shahid Beheshti University of Medical Sciences, Tehran, Iran.

#### Received: August 2019; Accepted: September 2019; Published online: 8 October 2019

Abstract: Introduction: Hospitals are the most important infrastructures of any society. The hospital emergency department is one of the most important wards of hospitals in response to disasters. The purpose of this study was to evaluate the preparedness of hospital emergency departments in response to disasters in Iran via a systematic review and meta-analysis. Methods: This study was a systematic review and meta-analysis. The literature search was conducted in the national and international databases including SID, Magiran, Irandoc, Google scholar, Medline, Scopus, and ISI. Valid Persian and English keywords were used to extract articles related to the preparedness of hospital emergency departments in response to disasters. The STROBE checklist was used to evaluate the quality of the articles, and the I<sup>2</sup> index was used to assess heterogeneity among the studies. Statistical analyses were conducted using STATA14 software. Results: In this study, 185 articles were initially recruited. Meta-analysis was finally performed on 4 articles selected based on inclusion criteria. The analysis included a total of 51 hospitals in Iran. According to our results, the mean preparedness of hospital emergency departments in response to disasters was calculated as 54.64% (95% CI = 41.15-68.13,  $I^2 = 0.0\%$ ; p = 0.727). Conclusion: The results of this study showed that the average level of preparedness of hospital emergency departments in Iran to respond to disasters was moderate to high. Therefore, planning and actions should be considered based on the guidelines and accreditation standards to enhance the preparedness of hospital emergency departments in response to disasters.

Keywords: Disasters; disaster medicine; emergency service, hospital; meta-analysis as topic

Cite this article as: Kazemzadeh M, Shafiei E, Jahangiri K, Yousefi K, Sahebi A. The Preparedness of Hospital Emergency Departments for Responding to Disasters in Iran; a Systematic Review and Meta-Analysis. Arch Acad Emerg Mede. 2019; 7(1): e58.

# 1. Introduction

Hospitals are among the most important infrastructures of any society. The constant activity of hospitals is essential for providing health services to the injured, both in normal conditions and in disasters (1). In addition to inflicting individuals, disasters have many impacts on the functional, structural and non-structural components of hospitals (2). Hospital preparedness is a part of Disaster management cycle. Disaster management preparedness consists of 9 components, the most important of which is planning. Planning includes policies and programs to minimize disaster consequences. Hospitals need to remain fully operational during disasters, and the assessment of hospital readiness is essential to ensure this issue (3). Studies have reported moderate levels of structural, non-structural and functional safety in most Iranian hospitals to respond to disasters. Therefore, there is a need for proper planning and actions to improve the hospital safety level (4). A study conducted on 224 hospitals in Iran in 2014 showed that the majority (54.5%) of Iran's hospitals had high vulnerability to disasters (5). Among hospital wards, the emergency department is a key section in response to disasters. This is because emergency departments play a vital



<sup>\*</sup>Corresponding Author: Ali Sahebi; Department of Health in Disasters and Emergencies, School of Public Health and Safety, Shahid Beheshti University of Medical Sciences, Tehran, Iran. Tel: 00989183434703, Email: Ali.sahebi@sbmu.ac.ir

role in providing 24-hour acute care services to outpatients, inpatients, and those in immediate need for assistance (6). The personnel of emergency departments are hospital's first responders to disasters and therefore, need to be appropriately prepared (7). The emergency department is the gateway for patients to enter the hospital. On the other hand, hospitals face a wide range of disasters and are responsible for responding to a variety of emergencies ranging from traffic accidents to terrorist attacks. Hence, the preparedness of emergency department should not be neglected facing such incidents (8). At the time of disasters, the efficiency of emergency departments to manage Mass casualty incidents (MCI) depends on the availability and adequacy of human and financial resources (9). The purpose of this study was to evaluate the preparedness of hospital emergency departments in Iran for responding to disasters via a systematic review and meta-analysis.

## 2. Methods:

The present study was conducted based on the guidelines of Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) (10). To prevent bias, search, selection of studies, quality evaluation and data extraction were conducted by two researchers, independently in each stage. An agreement on the obtained data was finally achieved through group discussions.

#### 2.1. Search strategy

The electronic search was conducted in Irandoc, SID, Magiran, Scopus, PubMed (MEDLINE), Embase, and Web of science databases and manual search was done in Google Scholar using valid English keywords and their Persian equivalents. The keywords included emergency ward, emergency unit, emergency room, hospital, response, emergency preparedness, emergency readiness, disaster, hospital emergency preparedness, and Iran. The keywords were combined using (AND) and (OR) operators. The search strategy in PubMed used the following terms: ((((("civil defense" [MeSH Terms] OR ("civil"[All Fields] AND "defense"[All Fields]) OR "civil defense" [All Fields] OR ("emergency" [All Fields] AND "preparedness" [All Fields]) OR "emergency preparedness"[All Fields]) OR (("emergencies"[MeSH Terms] OR "emergencies" [All Fields] OR "emergency" [All Fields]) AND readiness[All Fields])) AND response[All Fields]) AND ("disasters" [MeSH Terms] OR "disasters" [All Fields] OR "disaster"[All Fields])) AND ("hospitals"[MeSH Terms] OR "hospitals" [All Fields] OR "hospital" [All Fields]) AND ("iran" [MeSH Terms] OR "iran" [All Fields])) . The timespan of gathering studies was limited to the end of July 2019.

#### 2.2. Inclusion criteria

The inclusion criterion was descriptive cross-sectional studies that reported the rate of preparedness of emergency departments of Iranian hospitals in response to disasters based on the checklist presented by the world health organization (WHO) (11). The WHO hospital emergency response checklist consists of 9 sections and 90 questions. The average overall preparedness score ranged from 0 to 100. The mean scores of 0-20, 21- 40, 41-60, 61-80 and 81-100 indicated very poor, poor, moderate, good and excellent readiness, respectively (12). Studies in both English and Persian were included.

#### 2.3. Exclusion criteria

Studies evaluating the preparedness or safety of hospitals in response to disasters as well as those evaluating the preparedness of emergency departments using tools other than the WHO instrument were excluded.

#### 2.4. Qualitative assessment

The quality assessment of the studies was performed using the standard 22-item STROBE checklist (13). The minimum and maximum obtainable scores using this checklist were 0 and 44, respectively. Studies that acquired a minimum score of 16 were selected for meta-analysis.

#### 2.5. Data Extraction

Initially, articles with unrelated titles were removed and then the abstracts and full texts of related articles were reviewed according to the inclusion criteria. The required data was extracted from the included articles using a pre-prepared checklist. The collected data included the first author, the location of study, the year of study publication, type of the study, number of evaluated hospitals, instruments used in the study, and finally the mean level of emergency department preparedness in response to disasters.

#### 3. Statistical analysis

Since the average level of preparedness of hospital emergency department in response to disasters was extracted based on the number of evaluated hospitals, binomial distribution was used to calculate the variance of each study. The weighted average was used to combine the preparedness levels in different studies. Each study was weighted inversely corresponding to its variance. The heterogeneity index of studies was calculated as 0.0%, which was in the range of low heterogeneity indices (i.e. I<sup>2</sup> indices <25%, 25 to 75%, and >75% indicate low, medium and high heterogeneities, respectively) (14). Therefore, the fixed effects model was used for meta-analysis. In the present study, Egger's test was conducted to evaluate the possibility of publication bias. The data were analyzed using STATA software (version 14).

This open-access article distributed under the terms of the Creative Commons Attribution NonCommercial 3.0 License (CC BY-NC 3.0). Downloaded from: http://journals.sbmu.ac.ir/aaem






Figure 1: PRISMA flow diagram of the study.

Table 1: The characteristics of the selected studies in meta-analysis

First author	Place	Year	Study type	Hospitals*	Instrument	Quality	Mean %
Yousefli (12)	Ghazvin	2014	CS	6	WHO	Good	70.72
Hasanpoor(20)	Karaj	2015	CS	13	WHO	Good	44.17
Janati (21)	Tabriz	2018	CS	18	WHO	Good	54.26
Seyedin (22)	Tehran	2018	CS	14	WHO	Good	56.93

\*: Number of hospitals. CS: cross-sectional, WHO: world health organization checklist.

## 4. Results:

3

In the initial search, 185 related studies were identified. Of these, 181 studies were excluded due to not fulfilling the inclusion criteria. Finally, 4 cross-sectional studies evaluating 51 hospitals between 2015 and 2018 entered quality assessment and meta-analysis. Figure 1 shows the process of study selection. Finally, 4 studies with good quality entered the meta-analysis. All the included studies used the Hospital Emergency Response checklist presented by WHO. Table 1 displays the general specifications and the data extracted from each study. According to our results, the overall preparedness of emergency departments of Iranian hospitals in






Figure 2: The forest plot of the overall and individual percentages of emergency department preparedness of Iranian hospitals for responding to disasters with 95% confidence interval.

response to disasters was 54.64% (95% CI = 41.15-68.13,  $I^2 = 0.0\%$ , p = 0.727) (Figure 2). The highest and lowest levels of preparedness were reported in the studies of Yousefli et al. in Qazvin and Hasanpoor et al. in Karaj, respectively. The Result of Egger's test showed that the effect of publication bias was not significant (p = 0.396).

## 5. Discussion:

In the present review, cross-sectional studies reporting the preparedness of emergency departments in response to disasters in 51 Iranian hospitals were analyzed. These studies used the standard checklist developed by the WHO. Overall, the preparedness of hospital emergency departments in response to disasters was 54.64% (95% CI = 41.15-68.13,  $I^2$  = 0.0%, p = 0.727) indicating a moderate to high level of preparedness. In a study in 2016, Asefzadeh et al. (4) showed that overall preparedness for facing disasters was at moderate level in hospitals in Iran. The overall safety level of Ilam health centers in 2016 was estimated as 22.79%(15). The results of a study by Jalali et al. comparing hospital disaster preparedness between Iran and Sweden showed that Swedish hospitals were at level "A", while Iranian hospitals attained level "B". There was no relationship between hospital readiness level and neither the hospital's size or affiliation. However, the level of hospital readiness was significantly related

to the social and economic levels of each country. Furthermore, poor hospital readiness was due to the lack of contingency plans and the inadequacy of resources (16). Considering the vital role of hospitals in treating the injured and reducing mortality in disasters, hospitals should be prepared to respond to disasters regardless of the economic status of each country. The results of another study by Amiri et al. (17) showed that the hospital preparedness in response to disasters was at moderate level in 53 hospitals in northern Iran. In the recent report, it was highlighted that educational programs, hospital resilience, drills, and exercises significantly contributed to improving hospital readiness. In a study, Aladhrai et al. examined the readiness of Yemen hospitals between 2011 and 2013 using the WHO hospital emergency response checklist and showed that no significant improvement was made in Yemen hospitals preparedness against disasters during this period. In fact, the recent report revealed poor performance of all elements that were important for hospital preparedness such as management, surge capacity, and safety. This fact highlights the importance of implementing strategic plans, guidelines, and procedures by health authorities to promote disaster preparedness (18). The results of a study in 2016 by Ingrassia et al. who evaluated the response to disaster of emergency departments at 15 hospitals in Italy showed that 12 hospitals were inadequately prepared. Based on the WHO hospital emergency response checklist,

This open-access article distributed under the terms of the Creative Commons Attribution NonCommercial 3.0 License (CC BY-NC 3.0). Downloaded from: http://journals.sbmu.ac.ir/aaem



- -

the average preparedness level was lower than normal in the evaluated hospitals (19). Factors affecting the preparedness level of emergency departments included staff, equipment, and systems (8). Following disasters, the emergency departments of hospitals suddenly become overcrowded due to mass casualties, so they must be prepared to respond to the situation. The results of several studies showed that the preparedness of hospitals to respond to disasters in Iran was at moderate level. Therefore, given the high incidence of disasters in Iran, health policymakers should plan appropriate strategies and take adequate measures to improve disaster preparedness at all management levels.

# 6. Limitations

5

There were very few studies that reported the status of hospital emergency response to disasters using the WHO checklist.

# 7. Conclusion

According to the findings of the present review, the overall preparedness level of emergency departments of Iranian hospitals in response to disasters was moderate to high. In addition, the level of hospital preparedness in response to disasters was also moderate in Iran. Therefore, given the high incidence of disasters in Iran, health policymakers should take appropriate actions and implement required plans at all management levels using guidelines and accreditation standards to enhance the preparedness of hospital emergency departments in response to disasters.

# 8. Appendix

## 8.1. Acknowledgements

We thank all the colleagues and researchers who contributed to the present review by publishing their results.

## 8.2. Authors Contributions

Study design: Mosayeb Kazemzadeh and Ali Sahebi Systematic search, Study selection, and quality assessment: Elham Shafiei, Kosar yousefi

Statistical analyses and interpretation of data: Ali Sahebi, Elham Shafiei

Drafting of the manuscript: Katayoun Jahangiri and Mosayeb kazemzadeh

The final version of the manuscript was accepted by all authors.

#### Authors ORCIDs

Mosayeb Kazemzadeh: 0000-0003-0299-5833 Elham Shafiei: 0000-0001-5689-5235 Katayoun Jahangiri: 0000-0003-2061-1418 Kosar Yousefi: 0000-0002-7501-9238 Ali Sahebi: 0000-0003-4662-8998

#### Archives of Academic Emergency Medicine. 2019; 7 (1): e58

## 8.3. Funding Support

None.

## 8.4. Conflict of Interest

The authors do not have any conflict of interest to declare.

# References

- 1. Jahangiri K, Izadkhah YO, Lari A. Hospital safety index (HSI) analysis in confronting disasters: A case study from Iran. International Journal of Health System and Disaster Management. 2014;2(1):44.
- 2. Ghafouri RR, Hosseini SM, Pouraghaei M. Are our hospitals safe against disasters? An evaluation of hospital safety index in Tabriz, Iran. Journal of Analytical Research in Clinical Medicine. 2018;6(3):139-44.
- 3. Nekoie-Moghadam M, Kurland L, Moosazadeh M, Ingrassia PL, Della Corte F, Djalali A. Tools and checklists used for the evaluation of hospital disaster preparedness: a systematic review. Disaster medicine and public health preparedness. 2016;10(5):781-8.
- Asefzadeh S, Rajaee R, Ghamari F, Kalhor R, Gholami S. Preparedness of Iranian Hospitals Against Disasters. Biotechnology and Health Sciences. 2016;3(3):1-6.
- 5. Ardalan A, Kandi M, Talebian MT, Khankeh H, Masoumi G, Mohammadi R, et al. Hospitals safety from disasters in IR iran: the results from assessment of 224 hospitals. PLoS currents. 2014;6.
- Cimellaro GP. A Model to Evaluate Disaster Resilience of an Emergency Department. Urban Resilience for Emergency Response and Recovery: Springer; 2016. p. 361-87.
- Paganini M, Borrelli F, Cattani J, Ragazzoni L, Djalali A, Carenzo L, et al. Assessment of disaster preparedness among emergency departments in Italian hospitals: a cautious warning for disaster risk reduction and management capacity. Scandinavian journal of trauma, resuscitation and emergency medicine. 2016;24(1):101.
- 8. Marzaleh MA, Rezaee R, Rezaianzadeh A, Rakhshan M, Hadadi G, Peyravi M. Emergency Department Preparedness of Hospitals for Radiation, Nuclear Accidents, and Nuclear Terrorism: A Qualitative Study in Iran. Iranian Red Crescent Medical Journal. 2019(In Press).
- Gul M, Guneri AE. Simulation modelling of a patient surge in an emergency department under disaster conditions. Croatian Operational Research Review. 2015;6(2):429-43.
- Moher D, Liberati A, Tetzlaff J, Altman DG. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. International journal of surgery (London, England). 2010;8(5):336-41.



This open-access article distributed under the terms of the Creative Commons Attribution NonCommercial 3.0 License (CC BY-NC 3.0). Downloaded from: http://journals.sbmu.ac.ir/aaem

- 11. Bortolin M, S. Sorensen B, D. Zane R, E. Wante B, B. Rao M, Rockenschaub G. Hospital emergency response checklist An all-hazards tool for hospital administrators and emergency managers Supported by The European Commission Together for Health2010.
- Yousefli M, Asefzadeh S, PartoviShayan Z. Evaluation of Emergency wards readiness for responding to disasters and emergencies at hospitals of Qazvin University of Medical Sciences according to World Health Organization Model 2012. 2. 2014;6(2):0-.
- Vandenbroucke JP, von Elm E, Altman DG, GÄÿtzsche PC, Mulrow CD, Pocock SJ, et al. Strengthening the Reporting of Observational Studies in Epidemiology (STROBE): explanation and elaboration. International journal of surgery. 2014;12(12):1500-24.
- 14. Yousefi K, Adibi-Larijani H, Golitaleb M, Sahebi A. Knowledge, Attitude and Performance Associated with Disaster Preparedness in Iranian Nurses: A Systematic Review and Meta-analysis. Advanced Journal of Emergency Medicine. 2019.
- 15. Jahangiri K, Rostami N, Sahebi A. Challenges of Utilizing the Primary Health Safety Index Tool for Assessing the Vulnerability of Healthcare Centers to Disasters. Advanced Journal of Emergency Medicine. 2019.
- Djalali A, Castren M, Khankeh H, Gryth D, Radestad M, ÄÜhlen G, et al. Hospital Disaster Preparedness as Mea- sured by Functional Capacity: a Comparison between Iran and Sweden. Prehospital and Disaster Medicine. 2013;28(5):454-61.

- 17. Amiri M, Raei M, Nasrollahpour Shirvani SD, Mohammadi GR, Afkar A, Jahani-tiji M, et al. Preparedness of Affiliated Hospitals of Universities in North of Iran to Confront Disasters in the Year 2011. Hospital. 2013;12(1):19-28.
- Aladhrai SA, Djalali A, Della Corte F, Alsabri M, El-Bakri NK, Ingrassia PL. Impact of the 2011 revolution on hospital disaster preparedness in Yemen. Disaster medicine and public health preparedness. 2015;9(4):396-402.
- Ingrassia PL, Mangini M, Azzaretto M, Ciaramitaro I, Costa L, Burkle JF, et al. Hospital Disaster Preparedness in Italy: a preliminary study utilizing the World Health Organization Hospital Emergency Response Evaluation Toolkit. Minerva anestesiologica. 2016;82(12):1259-66.
- Hasanpoor E, nazari m. Hospital Emergency Response of Iran's Hospitals against Disasters: A Case Study in Karaj. journal of hospital. 2015;4.
- Janati A, Sadeghi-Bazargani H, Hasanpoor E, Sokhanvar M, HaghGoshyie E, Salehi A. Emergency response of Iranian hospitals against disasters: a practical framework for improvement. Disaster medicine and public health preparedness. 2018;12(2):166-71.
- 22. Seyedin SH, Hasanpoor E, Hasanzadeh E, Sheikhy-Chaman M. Assessment of Hospital Emergency Response Against Disasters Hospitals Of Iran University of Medical Siences: 2017. Health\_Based Research. 2018;4(2):159-67.

