

- 2002;6:593-8.
- 13. Olszewski WL, Moscicka M, Zolich D, et al. Human keratinocyte stem cells survive for months in sodium chloride and can be successfully transplanted. *Transplant Proc* 2005;37:525-6.
 - 14. Hong KK, Lew BL, Kim YI, et al. The effect of TNF-alpha and INF-gamma on the telomerase activity of cultured human keratinocyte. *Ann Dermatol* 2007;19:147-52.
 - 15. Korzeniewski C, Callewaert DM. An enzyme-release assay for natural cytotoxicity. *J Immunol Methods* 1983;64:313-20.
 - 16. Kaur P, Li A. Adhesive properties of human basal epidermal cells: an analysis of keratinocyte stem cells, transit amplifying cells, and postmitotic differentiating cells. *J Invest Dermatol* 2000;114:413-20.
 - 17. Choi JH. Epidermal stem cells. *Korean J Invest Dermatol* 2003;10:137-42.
 - 18. Nijhof JG, van Pelt C, Mulder AA, et al. Epidermal stem and progenitor cells in murine epidermis accumulate UV damage despite NER proficiency. *Carcinogenesis* 2007;28:792-800.
 - 19. Caricchio R, McPhie L, Cohen PL. Ultraviolet B radiation-induced cell death: critical role of ultraviolet dose in inflammation and lupus autoantigen redistribution. *J Immunol* 2003;171:5778-86.
 - 20. Kim PK, Weller R, Hua Y, et al. Ultraviolet irradiation increases FADD protein in apoptotic human keratinocytes. *Biochem Biophys Res Comm* 2003;302:290-5.
 - 21. Jeong EJ, Choi SH, Chang SE, et al. Putative progenitor/stem cells isolated from human oral mucosa are resistant to ionizing radiation. *J Dermatol Sci* 2008; 50:65-8.
 - 22. Reya T, Morrison SJ, Clarke MF, et al. Stem cells, cancer, and cancer stem cells. *Nature* 2001;414:105-11.

Non-commercial use only