## A Proposed Methodology for Integrated Architectural Design of Smart Hospitals

Mohamed Helmy Elhefnawy<sup>1,\*</sup>

<sup>1</sup>Assistant Professor of Architectural Engineering, Faculty of Fine Arts, Assiut University, Egypt

#### Abstract

INTRODUCTION: Urgent need has recently emerged to transform hospitals from buildings that not only achieve functional requirements, but also comply with modern technologies. This is so that they are able to self-adapt to external conditions and change their behavior according to users. This is compatible with emerging trends to convert cities and buildings in developing countries to smart.

OBJECTIVES: To develop a comprehensive methodology for proper dealing with smart materials & systems when constructing and finishing hospitals, leading to defining principles of an integrated architectural design for smart hospitals.

METHODS: The descriptive analytical approach included theoretical background on concept of smart hospitals, types of smart materials & systems and their role in hospital design.

RESULTS: An integrated methodology for proper architectural dealing with hospitals to allow them to be smart, which the study recommends to follow and complement between smart materials and systems.

CONCLUSION: The research conceived a proposed methodology for the architectural design of smart hospitals and identified mechanisms for utilizing smart materials and systems in developing hospital designs

Keywords: Smart hospitals, Smart materials & systems.

Received on 27 March 2020, accepted on 24 May 2020, published on 28 May 2020

Copyright © 2020 Mohamed Helmy Elhefnawy, licensed to EAI. This is an open access article distributed under the terms of the Creative Commons Attribution licence (http://creativecommons.org/licenses/by/3.0/), which permits unlimited use, distribution and reproduction in any medium so long as the original work is properly cited.

doi: 10.4108/eai.5-2-2020.164826


\*Corresponding author. Email:mhelmy1974@yahoo.com.au

#### 1. Introduction

Smart hospitals are essential components of smart cities which have received great attention in most countries of the world. The interest in establishing smart hospitals is due to the intense varying requirements of patients, workers, and visitors. This requires achieving response and self-interaction with the internal environment, in addition to achieving adaptation and compatibility with external conditions, without direct intervention<sup>[1]</sup>.

Moreover, it is an essential step for automating the health care field in light of the intensity of the various internal systems<sup>[2]</sup>, which provides practical solutions for medical management and treatment by relying on information technology and building network infrastructure, such as mobile or remote health care and others<sup>[3]</sup>.

Also, this provides sustainable self-management of resources such as energy and water<sup>[4], [5]</sup>, reducing pollution by emissions and waste<sup>[6]</sup>. Thus, the hospital environmental performance is improved, and the operating environment is



This is as a part of computer sciences that are interested in producing smart technologies which give characteristics to buildings similar to these of human intelligence<sup>[7]</sup>.

This approach is compatible with rapid technological advances and modern technologies which support interactive and integrated building construction and finishing materials (concrete, glass, etc.) in addition to supporting various systems (air conditioning, ventilation, safety and security systems, etc.).

The concept of architectural design of smart hospitals and their importance will be defined below in addition to identification of smart technologies associated with their design which leads to setting up a methodology to allow for relying on these technologies in designing smart hospitals.



# 2. The concept of smart hospitals, importance and advantages

The term "smart buildings" has appeared in the early eighties of the twentieth century to achieve integration between the environment, technology, and provide comfort in controlling electronic devices in buildings. Initially, focus is given to the technological side and support of communication between building systems (air conditioning, ventilation, safety, security, etc.) to achieve the building user's requirements and increase productivity, Smart buildings can be defined as buildings that are equipped in a technical manner that allows effective management of resources at the lowest cost <sup>[8]</sup>. This is to be able to interact with the internal environment and adapt to the external environment <sup>[9]</sup>.

Hence, **Smart hospitals can be defined as:** hospitals that are able to continuously adapt and improve the internal environment to achieve the needs of its users by responding to <u>external</u> changes such as climate and security protection, and the <u>interior</u> changes in functional and surveying requirements in the building<sup>[10]</sup>.

This is done at specified times, according to information collected from the internal and external environment <sup>[11]</sup> by means of inputs such as detectors <sup>[12]</sup>.

They are buildings that change constantly as a result of the continuous interaction between their components (location, operations, users, administration), and the relationships between them<sup>[13]</sup>.

This is done by using materials, systems and sensors that rely on self-interacting techniques with the environment to give the hospital additional features that are compatible with technological advances and medical requirements<sup>[14]</sup>.

Also, they are buildings capable of creating a good climate that helps to raise the efficiency of its users and effectively manage to reduce the cost of operation over its life span.

This is carried out by integrating environmental systems (energy, lighting, sound, temperature, communications, information network, etc.) to achieve rapid communication with the outside world by computer, optical fiber and satellite<sup>[15]</sup>.

The systems should be controlled and adapted by comprehensive integration and coordination without direct interference from the user<sup>[16]</sup>, with the exploitation of technological systems and building control systems to achieve the highest functional and technological performance for it<sup>[17]</sup>, so that the effective technology and architectural strategies related to global networks are formed to create comprehensive development and integration with users<sup>[18]</sup>, also to complete integration between jobs and technological systems, face current or future requirements and needs, and inspire sustainable life for future cities<sup>[17]</sup>.

Smart hospitals are concerned with providing an effective environment that helps users to achieve goals related to cost and environmental comfort, " safety and security", suitability flexibility<sup>[19], [20]</sup>, sustainable energy and water, reduce emissions and waste pollution<sup>[13]</sup>, focuses on identifying the characteristics and capabilities of building an architectural hospital to achieve dynamic response to environmental factors and managing reactions in a manner that depends on anticipating environmental changes, and the use of renewable energy sources. The hospital-intelligence can be apparent in its internal functions, the services that it provides, the management systems, or all three aspects integrated<sup>[17]</sup>. It is also shows the correlation between its aims and modern design of hospitals, according to the following:

# 3. Characteristics and types of smart materials and systems, and their role in hospitals

Managing smart hospitals depends on the use of smart materials that are used in the construction and finishing of the building <sup>[21]</sup>, and smart systems through which the building is managed, according to the following.

#### 3.1. Smart materials in hospital buildings

Smart materials are capable of providing a unique beneficial response when specific changes occurs in the surrounding environment<sup>[22]</sup>.

They are high-tech materials that have the ability to sense and respond to adaptation to environmental, internal and climatic changes<sup>[22]</sup>. They are able to perceive and respond to many external stimuli in an organized manner<sup>[23]</sup>, stimuli that can be electrical, chemical or magnetic in nature<sup>[12]</sup>.

The difference between smart and traditional materials is seen in the composition and interaction with external influences and response to external stimulus in order to control temperature changes or solar radiation <sup>[24]</sup>. Such materials form a part of the smart structural system and have the ability to sense its environment and calculate changes to the building <sup>[25]</sup>.

#### 3.1.1. Smart material properties

Intelligent materials are characterized by the ability to return to their previous form, self-repair, strength, rigidity, ductility and high efficiency. In addition to the long life span, ease of manufacture, installation, aesthetics and environmental compatibility and the ability to respond quickly to hazards<sup>[11]</sup>.

#### 3.1.2. Types of smart materials

According to the nature of intelligence, smart materials are divided into materials that change one of their properties (chemical, thermal, mechanical and magnetic) in response to a change in external conditions, and materials that transfer energy from one form to another directly, as in Figure 1. Table 1 illustrates types of smart building materials that correspond to the requirements of smart hospitals.

Figure 2 shows some of type of smart materials mentioned in the previous table. Also, Table 2 shows types of smart floors, walls and ceilings finishing materials compatible with the requirements of the smart hospital <sup>[26], [27]</sup>, Figure3 also shows types of walls and ceilings finishing materials mentioned in the previous table.






Figure 1. Types of smart materials [28]

#### Table 1. Types of smart building materials that correspond to the requirements of smart hospitals

Туре	Material Name	Components	The use
	Light- Transmitting Concrete	It is a mixture of concrete and fiber optics	It allows light to pass through it, and a view of the outside world
×	Transparent Concrete	Concrete made from crushed glass and plastic materials that help to cohesion	Makes the building facade as a large glass window and withstands pressure
terial	Aerated Concrete	Aluminum powder is added to cement, lime and water to produce lightweight concrete	It is used for high-rise buildings and interior walls
ıg Ma	Pervious Concrete	Concrete with a porous structure that allows rain water to pass through to the ground, and is durable	It is used in sidewalks and floors
Building Materials	Luminous Brick	It is made of transparent or colored polycarbonate panels and can withstand more than ordinary glass	It is used in high art buildings because it is glossy or matte
I	Smart Brick	Stuffed bricks with sensors, processors, and wireless signal connections to warn of hidden pressures and damage in the aftermath of a disaster	It provides important and necessary information for firefighters and rescue workers and provides safety for them
	Smart Cement	Magnesium carbonate is put in place of calcium carbonate and absorbs carbon dioxide from the air	It is used to protect against pollution and Airborne infection transmission





Figure 2. Types of smart materials

 Table 2. Types of smart floors, walls and ceilings finishing materials compatible with the requirements of smart hospital <sup>[26]</sup> [29].

Туре	Material Name	Components	The use
	Electric Energy Floors	It is equipped with a wireless transmitter to capture kinetic energy within people walk and convert it into electrical energy	Electric energy in lighting, etc., or stored excess energy in batteries for use at night
materials	Floors equipped with advanced protection system	They are tiles equipped with remote sensing devices as a protection system, so that people can be identified through the footprint.	Identify people, report to security systems, know people if they fall, and give an ultimatum
finishing r	Electrostatic Floors	Generates energy depending on pedestrians, and tiles are 50 cm x 50 cm, when people press them, they generate 0.1 watts	Clean energy that preserves the environment, reduces CO2, and saves energy consumption
Floors fi	Phosphorous Ceramics	Made of glass with phosphorous pigments, organic and inorganic materials to be able to absorb sun energy, that used as visible energy at night	Heat resistance and chemicals materials, easy to clean and do not require special maintenance
	Narmada Slices	carbon strips surrounded by two polyethylene layers, and there are two copper strips on both sides of the strips that conduct electrical current, the	It generates thermal energy and is installed and. It is safe and isolated and has no risks from short circuit



Reflective Indoor Coatings Dark Painting Shutoff valves Optical fiber Chromogenic Glass Self-cleaning Glass Coagulate Glass Coagulate Glass Photochromic Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule Technology	current passes from one copper strip to another through carbon to generate thermal energy Reflects the lighting, which increases the feeling of lighting, and reduces energy consumption Super black coating to dim the light 10:20 times It contains water flow sensors in case of leakage Orientation devices to wave and light signals Its characteristics change according to the needs of the building that is chemically treated and coated with titanium oxide It is placed between the two layers of the aerogel material, and responds to heat. It clots and changes to a semi-transparent mode They are substances whose color characteristics change by exposure to light Flexible and moldable protects the building from ultraviolet radiation and is lightweight Made of cast polystyrene fibers and considered a sound absorbent material	or water, transported easily from one place to another under carpet Suitable for areas with limited sunlight with intensity and duratio Resistant to unwanted reflection Prevent Infusion and its damage For remote sensing application Give an aesthetic appearance and control of the light Pollution resistance and infection control It changes according to requirements of space, and achieve thermal insulation and privacy Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation It is used to control sound in
Coatings Dark Painting Shutoff valves Optical fiber Chromogenic Glass Self-cleaning Glass Coagulate Glass Coagulate Glass Photochromic Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	Reflects the lighting, which increases the feeling of lighting, and reduces energy consumption         Super black coating to dim the light 10:20 times         It contains water flow sensors in case of leakage         Orientation devices to wave and light signals         Its characteristics change according to the needs of the building         that is chemically treated and coated with titanium oxide         It is placed between the two layers of the aerogel material, and responds to heat. It clots and changes to a semi-transparent mode         They are substances whose color characteristics change by exposure to light         Flexible and moldable protects the building from ultraviolet radiation and is lightweight         Made of cast polystyrene fibers and considered a	Suitable for areas with limited sunlight with intensity and duratio Resistant to unwanted reflection Prevent Infusion and its damage For remote sensing application Give an aesthetic appearance and control of the light Pollution resistance and infection control It changes according to requirements of space, and achieve thermal insulation and privacy Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation
Coatings Dark Painting Shutoff valves Optical fiber Chromogenic Glass Self-cleaning Glass Coagulate Glass Coagulate Glass Photochromic Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	lighting, and reduces energy consumptionSuper black coating to dim the light 10:20 timesIt contains water flow sensors in case of leakageOrientation devices to wave and light signalsIts characteristics change according to the needs of the buildingthat is chemically treated and coated with titanium oxideIt is placed between the two layers of the aerogel material, and responds to heat. It clots and changes to a semi-transparent modeThey are substances whose color characteristics change by exposure to lightFlexible and moldable protects the building from ultraviolet radiation and is lightweightMade of cast polystyrene fibers and considered a	sunlight with intensity and duratio Resistant to unwanted reflection Prevent Infusion and its damage For remote sensing application Give an aesthetic appearance and control of the light Pollution resistance and infection control It changes according to requirements of space, and achiev thermal insulation and privacy Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation
Dark Painting Shutoff valves Optical fiber Chromogenic Glass Self-cleaning Glass Coagulate Glass Coagulate Glass Photochromic Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	Super black coating to dim the light 10:20 times         It contains water flow sensors in case of leakage         Orientation devices to wave and light signals         Its characteristics change according to the needs of the building         that is chemically treated and coated with titanium oxide         It is placed between the two layers of the aerogel material, and responds to heat. It clots and changes to a semi-transparent mode         They are substances whose color characteristics change by exposure to light         Flexible and moldable protects the building from ultraviolet radiation and is lightweight         Made of cast polystyrene fibers and considered a	Resistant to unwanted reflection Prevent Infusion and its damage For remote sensing application Give an aesthetic appearance and control of the light Pollution resistance and infection control It changes according to requirements of space, and achiev thermal insulation and privacy Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation
Shutoff valves Optical fiber Chromogenic Glass Self-cleaning Glass Coagulate Glass Photochromic Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	It contains water flow sensors in case of leakage         Orientation devices to wave and light signals         Its characteristics change according to the needs of the building         that is chemically treated and coated with titanium oxide         It is placed between the two layers of the aerogel material, and responds to heat. It clots and changes to a semi-transparent mode         They are substances whose color characteristics change by exposure to light         Flexible and moldable protects the building from ultraviolet radiation and is lightweight         Made of cast polystyrene fibers and considered a	For remote sensing application Give an aesthetic appearance and control of the light Pollution resistance and infection control It changes according to requirements of space, and achiev thermal insulation and privacy Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation
Chromogenic Glass Self-cleaning Glass Coagulate Glass Coagulate Glass Photochromic Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	Orientation devices to wave and light signals         Its characteristics change according to the needs of the building         that is chemically treated and coated with titanium oxide         It is placed between the two layers of the aerogel material, and responds to heat. It clots and changes to a semi-transparent mode         They are substances whose color characteristics change by exposure to light         Flexible and moldable protects the building from ultraviolet radiation and is lightweight         Made of cast polystyrene fibers and considered a	Give an aesthetic appearance and control of the light Pollution resistance and infection control It changes according to requirements of space, and achiev thermal insulation and privacy Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation
Glass Self-cleaning Glass Coagulate Glass Photochromic Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	the building that is chemically treated and coated with titanium oxide It is placed between the two layers of the aerogel material, and responds to heat. It clots and changes to a semi-transparent mode They are substances whose color characteristics change by exposure to light Flexible and moldable protects the building from ultraviolet radiation and is lightweight Made of cast polystyrene fibers and considered a	Give an aesthetic appearance and control of the light Pollution resistance and infection control It changes according to requirements of space, and achiev thermal insulation and privacy Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation
Glass Coagulate Glass Photochromic Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	that is chemically treated and coated with titanium oxide It is placed between the two layers of the aerogel material, and responds to heat. It clots and changes to a semi-transparent mode They are substances whose color characteristics change by exposure to light Flexible and moldable protects the building from ultraviolet radiation and is lightweight Made of cast polystyrene fibers and considered a	Pollution resistance and infection control It changes according to requirements of space, and achiev thermal insulation and privacy Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation
Photochromic Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	material, and responds to heat. It clots and changes to a semi-transparent mode They are substances whose color characteristics change by exposure to light Flexible and moldable protects the building from ultraviolet radiation and is lightweight Made of cast polystyrene fibers and considered a	requirements of space, and achiev thermal insulation and privacy Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation
Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	They are substances whose color characteristics change by exposure to light Flexible and moldable protects the building from ultraviolet radiation and is lightweight Made of cast polystyrene fibers and considered a	Painting the elevation of building to interact with the sun and light Decorating the walls due to its softness, and ease formation
Materials Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	change by exposure to light Flexible and moldable protects the building from ultraviolet radiation and is lightweight Made of cast polystyrene fibers and considered a	to interact with the sun and light Decorating the walls due to its softness, and ease formation
Formable Aluminum Sheets Polystyrene Acoustic Panels Hanging Granule	Flexible and moldable protects the building from ultraviolet radiation and is lightweight Made of cast polystyrene fibers and considered a	Decorating the walls due to its softness, and ease formation
Polystyrene Acoustic Panels Hanging Granule	Made of cast polystyrene fibers and considered a	
Acoustic Panels Hanging Granule		It is used to control cound in
		interior spaces
	Microscopic granules of a light-absorbing solid that	Change of agglomeration of the
0.	between two glass plates coated with an electrically	granules changes the transparency
Q. (	conductive material	of the glass, the entry outside light
Status Variables (PCM)	Collect and store the thermal energy materials used to cool the vacuum in the summer or heating in the	Its state changes when absorbing thermal energy or its release from
A 1		solid to a liquid state or vice vers
panels	and these panels reduce energy consumption by	Used to store solar or wind energ and broadcast it in the building for heating and sound absorption
Fluoropolymer panels	They are air-pressed transparent polymeric panels, one, two or three layers, which form the building	It provides heat insulation and UV protection and is self-cleaning an anti-combustion
Microscope Slides	1 mm strips of acrylic and glass have small holes, when the sound waves are joined to it, the sound	It is used for acoustic insulation, and electrical energy for heating due to the heat produced
Aerogel Glass	Porous, dry gel materials with little thermal conductivity. When exposed to heat, they quickly	Provides sound insulation and fir extinguishing ability, and reduces temperature.
Photovoltaic Glazing	Transparent materials and when exposed to the sun, begins to disperse and reflection begins and turns to	To reduce solar heat gain, and thu reduce the cooling load, it generat little clean electricity
Thermochromic Glass	Change optical and thermal properties according to the ambient temperature and solar radiation intensity.	Achieves shading, the glass remain transparent at lower temperatures and becomes opaque when raised
Gasochromic glass	The idea of its work depends on pumping the hydrogen gas H <sub>2</sub> or O <sub>2</sub> oxygen into the cavity between the glass plates, absorbing the sun's heat	It absorbs the sun's heat, transpor it to the internal space, and reduce the electrical consumption
ElectroChromic Glass	Variable properties of substances, able to change their color independently responsing to an external electrical catalyst	It controls the gain of sunlight, controls daylight, and reduces the need for artificial lighting
Liquid Crystal Technology	Two layers of glass with a liquid crystal when electricity is shed on it is arranged regularly, the glass becomes transparent passing light	Control the amount of light transmitted through liquid crystal between the two layers of glass
Suspended Particle Glazing	It includes needle-shaped particles stuck in a liquid at random between two double glazing panels. When electricity passes, the particles are organized to pass light. When the particles stop moving, the glass dims and blocks the light.	It is used to protect against harmful UV rays when turned on or off an instantly controls the amount of Passer by light and heat
Smart	Vital interfaces contain cells that resemble the lens	It controls solar energy entry, EAI Endorsed Transa
	(PCM) Aluminum coated panels Fluoropolymer panels Microscope Slides Aerogel Glass Photovoltaic Glazing Thermochromic Glass Gasochromic glass ElectroChromic glass Liquid Crystal Technology Suspended Particle Glazing	(PCM)to cool the vacuum in the summer or heating in the winter.Aluminum coated panelsThey are aluminum panels with a rough surface, and these panels reduce energy consumption by 15%.Fluoropolymer panelsThey are air-pressed transparent polymeric panels, one, two or three layers, which form the building sheath and are surrounded by a metal frame.Microscope SlidesI mm strips of acrylic and glass have small holes, when the sound waves are joined to it, the sound energy converts to thermal one, decrease the noiseAerogel GlassPorous, dry gel materials with little thermal conductivity. When exposed to heat, they quickly clot, the color of the glass changes to a semi statePhotovoltaic GlazingTransparent materials and when exposed to the sun, begins to disperse and reflection begins and turns to the visible spectrum at more rays.Change optical and thermal properties according to the ambient temperature and solar radiation intensity.Gasochromic GlassThe idea of its work depends on pumping the hydrogen gas H2 or O2 oxygen into the cavity between the glass plates, absorbing the sun's heatElectroChromic GlassTwo layers of glass with a liquid crystal when electricial catalystLiquid Crystal TechnologyTwo layers of glass with a liquid crystal when electricity is shed on it is arranged regularly, the glass becomes transparent passing lightSuspended Particle GlazingIt includes needle-shaped particles stuck in a liquid at random between two double glazing panels. When electricity passes, the particles stop moving, the glass dims and blocks the light.



A Proposed Methodology for Integrated Architectural Design of Smart Hospitals

Т	ype	Material Name	Components	The use
		Mashrabiya	of the imaging camera, to automatically reduce and enlarge the holes according to the light intensity.	reduces air conditioners and allows light to enter without solar radiation
		Sun Break Technology	Fiberglass, aluminum or glass-reinforced sheets are strong and flexible, which are used with elevations to open or close automatically as needed to reduce heat and energy.	It is dynamics, changing its shape, composition and orientation to respond to environmental factors, and climate change
		Solar Cell Coverage Techniques	Solar capacitors are combined with the glass tiles and put them on the roofs over the solar cells to absorb and deliver energy while protecting them from external influence.	Solar energy absorption, storage and utilization in solar cells
		Cira Light SunTrackers Skylight	They are roofs that take advantage of daylight, using solar powered GPS. Mirrors cover the building's sunlight with a prismatic lens that distributes light regularly.	Clean lighting technology, sustainable solar-powered lighting solution to save energy




Figure 3. Types of walls and ceilings finishing materials

# 3.2. Intelligent systems in hospitals

Smart systems are defined as a set of inputs that are prepared in specific ways that achieve certain desired goals<sup>[15]</sup>. They compose of a group of interconnected elements such as sensors, motors, controllers, and computers that are managed together to control the main functions of buildings and control subsystems such as heating, ventilation, cooling, etc<sup>[30]</sup>. Specific software are that linked to hardware such as switches, communication media, and connectivity materials such as wires, equipment, and data entry means<sup>[31]</sup>.

This plays an important role in building economics and management<sup>[10]</sup>, as well as energy conservation through various effective programs, to obtain optimum performance and help with operation and maintenance.

#### 3.2.1. Components of smart systems

It consists of three components: **Input Systems** for collecting information on factors associated with the building, using reception devices such as <u>internal sensors</u> distributed in the rooms according to the type of sensor and the shape of the space<sup>[32]</sup>, or <u>external sensors</u> that attach to the top of the rooms or on the exterior<sup>[31]</sup>.

Information processing is carried out to obtain information, data from input, analyze and process them to control other systems in an integrated manner<sup>[33]</sup>.

Then the **Outputs System** includes the output of the data processing, through which clear decisions are enforceable. The response to this is either internal, such as responding to wind loads, or external as changing the intensity of lighting, or opening or closing doors automatically<sup>[33]</sup>. Its role in the

building can be determined in making it an architectural product capable of knowledge, decision-making and self-response<sup>[1]</sup>.

#### 3.2.2. Characteristics of smart systems

Intelligent systems are characterized by their high efficiency when using high quality insulating and conductive materials, the possibility of simultaneously combining several activities and controlling several services such as lighting, air conditioning. In addition to the ability to receive several variables from different sources in a highly complex way, such as lighting several rooms with varying degrees of lighting intensity. Also this includes the ability to handle and manage peak periods by reducing loads, monitor and analyze internal and external environments and implement operational functions without human intervention.

This is to remotely control systems via the Internet <sup>[34]</sup>. With the importance of the role of automation in developing architectural environments by relying on technical equipments and communication devices<sup>[35]</sup>, the effect of virtualization, communication technologies, the Internet, and virtual reality.

#### 3.2.3. Types of smart systems

Smart systems include three types: control and access control systems, direct digital control systems, and communication systems, as shown in Table 3.



The	System Name	Nature	Use
System Access control systems	Identification Systems	Invisible sensors are placed under tiles or in concrete, safe because the electricity that flows through them is very weak.	It gives an alert when there are people who are not authorized to enter the place, and ensure that the person has access
ntrol s	CCTV & Video Surveillance	Live and direct surveillance devices in some places	Used at the entrances and corridors, monitored and recorded video and transferred by internet
ess co	Thermal Imaging Camera	It detects and measures by temperature differences	Allows observation of what cannot be seen while ensuring quality and safety
Acc	Image Recognition System	It depends on the quality of the photos and the lighting and background	It detects and encodes faces in videos and photos
	Smart Sensors	System for analyzing weather forecast, measuring potential environmental, fire alarm, and monitoring spaces	Used to monitor lighting, noise, humidity, temperature, and built-in control, proximity and touch sensors, for safety and fire control.
Heating, A control system consisting of a set of Ventilation and Air rings grouped together			Maintaining the environmental conditions required for vacuum and monitoring them, and improving the quality of indoor air
l cont ns		It closes the systems at times of occupancy or with the schedule of works	Individual control in each room to conserve energy, monitoring energy consumption by user
Conditioningimproving the quadeEnergy Efficiency monitoringIt closes the systems at times of occupancy or with the schedule of worksIndividual control in ea energy, monitoring energyLighting Control SystemsManagement in line with the needs of each building, according to its type, area and percentage of occupancyMonitor bills, measure th consumption, and provid directly to the	Monitor bills, measure the amount of electricity consumption, and provide information and data directly to the consumer		
Dire	Addressable Fire Alarm System	Each detector has a title and guides about the fire or smoke with a separate report	Instructs the fire zone to send signals if smoke reaches a certain level
	Smart Plumbing Systems	Automatic devices with faucets to collect the used water and reuse it for irrigation	It aims to conserve water through the use, detection of water leakage, and its location
	Vertical Communication	Associated with vertical communication between building elements	It contains an alarm system, surveillance cameras and communication equipment
Communicati on systems	Addressing Communications Devices	For converting traditional systems to addressing, with the possibility of linking them to traditional systems	It is used to facilitate maintenance, reduces communication costs, and gives high quality connections
Comr on s	Network (LAN) Network (WAN)	Wireless networks Wireless networks	Check high speed small buildings are used Achieve high speed data over a wide areas

Table 3. Types of smart finishing compatible with the requirements of the smart hospital [26] [29].

# 4. Modern design requirements related to smart hospital thought

The link between smart hospital and modern hospital design shows the importance of achieving interactive functionality, technology, user desires, environmental needs, and security and safety.

#### 4.1.1. Requirements for functional interactivity

Recently, hospital design requirements are concerned with achieving: (a) Flexibility and self-response to changing in functional requirements leading to an improvements in the internal environment of occupants, (b) Functional expansion to accommodate future growth, (c) Interactive management of operational cost control aspects, (d) Adaptation to changes in uses, to achieve certain economic and technical aspects<sup>[36]</sup>, (e) The possibility of adding security and fire protection systems according to the requirements<sup>[37]</sup>, (f) Moving towards the digital space, enhancing medical services, using a model that provides business requirements, information technology, and improving work flow, (g) Integration of systems and technology to serve users,

interact with functions and capabilities of remote communication, periodic maintenance works, facilitate work movement, and internal communication<sup>[17]</sup>, (h) Development based on information technology, (EMR), and using of information regarding medical treatment and operation, as shown Figure4.



Figure 4. Identification of Smart Assets in Hospitals [40]



#### 4.1.2. Technological considerations

Hospital designs are concerned with the requirements of: (a) Enhancing the participation of patients and companions in the medical process, by simplifying communication between them and service providers, (b) Improving work flow using the internet and mobile technology, (c) Reducing patient frequency rates on the hospital and waiting for them and sending notifications of service delivery times, (d) Ease of access and finding the way to and within the building to meet the needs of users<sup>[17]</sup>, (e) Relying on "Smart Planet", using sensors and transmitting information using the Internet of Things and artificial intelligence<sup>[23]</sup>, (f) Providing electronic health records for patients<sup>[2]</sup>, (g) Avoiding paperwork to counter the abundant information that is newly produced by medicine<sup>[38]</sup>, (h) Automated operations dependent on information and communications<sup>[17]</sup>, (i) Use of radiofrequency identification (RFID) systems and the participation of doctors and nurses in parallel<sup>[39]</sup>, (j) Monitoring building elements and providing a comfortable environment for occupants, using data transmission infrastructure networks, (k) Integration of technological systems for elevators, airconditioning, lighting, fire and security, and communication systems (telephone, fax and internet)<sup>[12]</sup>. (l) Using Internet and satellite communication for internal communication, automation, and building management<sup>[17]</sup>, such as Trinitas Regional Medical Center, New Jersey.

#### 4.1.3. Achieving environmental considerations

The hospital is dealing with requirements: (a) Compatibility with the environment and sustainability by exploiting renewable energy sources and controlling light, heat, and ventilation<sup>[41]</sup>, (b) Reducing the use of traditional energy resources, and their cost<sup>[42]</sup>, (c) Reducing environmental pollution by reducing noise, gas emissions, and providing indoor air quality<sup>[43]</sup>, (d) Achieving quality for internal environments including: **Physiological** Comfort (programming the temperature, humidity and type of required ventilation according to users), Thermal Comfort (providing comfortable thermal conditions with thermal balance between the body and the environment), Visual Comfort (changing the level of lighting automatically according to the function and without stress), Audio Comfort (outer envelope acoustic treatment and insulation of internal spaces), Saving Time and Effort (supporting communications and technologies, monitoring, safe and safety systems, and communication with equipment) such as the University of Missouri Health Care, Columbia, Longterm Cost Savings (construction, maintenance, operation, automatic control of lighting, and ventilation of unoccupied spaces)<sup>[44]</sup>, (e) Providing environmentally friendly materials and systems that achieve social, and technical goals<sup>[3]</sup>, (f) Reducing risk, use less paper, recycle and generate less waste<sup>[45]</sup>. (g) Improving environmental performance by improving site capabilities and preserving water and materials<sup>[17]</sup>.

#### 4.1.4. Achieving users' desires

Hospitals are concentrated on the requirements of: (a) responding by changing the behavior of materials according to the needs of occupants, in terms of adapting to external conditions, (b) Integrating electronic tools and means to provide comfortable environments and enhancing employee safety according to work changes<sup>[1]</sup>, (c) Managing resources automatically to increase the efficiency and




satisfaction of occupants, (d) Linking automated control systems with information systems, to address occupant requirements and make buildings responsive, (E) Modernizing the building's electronic systems and equipment without the need to replace existing electrical connections to address future requirements<sup>[10]</sup>, (f) Providing climate control, energy, air-conditioning and ventilation systems for the users comfort<sup>[17]</sup>, (g) Electronic control of communication networks and fire-fighting systems according to the user's desires<sup>[46]</sup>, (h) Application of technology in storing patient data, reducing traffic distances for workers to reduce stress, waiting, and stay times <sup>[47]</sup>, (i) Utilize mobile and Internet of Things technologies to provide effective communication between patients and caregivers such as the Ohio State Wexner Medical Center, Columbus .

#### 4.1.5. Achieving

The hospital is currently concerned with requirements: (a) Electronic control of building systems in order to protect from fire, and mitigate dangers<sup>[17]</sup>, (b) Continuous monitoring of systems to achieve conditioning and dealing in emergency situations <sup>[48]</sup>, (c) Providing hospital automation systems and methods of control, monitoring of materials, and their internal installation<sup>[10]</sup>, (d) Electronic programming of hospital components and systems according to the expected possibilities which allows them to act and adapt accordingly, to overcome the negative effects of the environment<sup>[49]</sup>.</sup> (e) Restoring building systems safely, quickly and easily, (f) Making quick decisions with regards to energy management, maintenance, communications, fire protection, safety, etc., and achieve integration between systems to achieve maximum safety for its users<sup>[50]</sup>, (g) The use of remote communication systems to control transmission of infection<sup>[17]</sup>.

# 5. A proposed methodology for the integrated architectural design of smart hospitals

The methodology is based on five main stages, as shown in the Figure 5.



**Figure 5.** A proposed methodology for the integrated architectural design of smart hospital buildings

# First stage: Defining modern design requirements related to smart architecture thought

In this stage, modern design requirements, previously identified in item 4 will be studied, and a reference to local conditions, operating policies, user requirements, and stability is required to utilize the premise of using smart materials and systems.

### Second stage: facing the main challenges impeding hospitals to become smart

At this stage, challenges encountered by designers when dealing with the design of smart hospitals will be identified, including: (1) Conflict in priorities among requirements mentioned in the previous section (2) Weaknesses pertaining to dealing with smart hospitals such as the system failures, human errors, natural disasters, failure to link devices to systems, insufficient physical security of components, noncompliance with regulatory standards and user behavior. These challenges are addressed by referring to officials, operating policies and future plans of services, in order to address weaknesses, using smart materials and systems in addition to achieving integration among them.

# Third Stage: Defining the proper basics of the architectural design of smart hospitals

This stage defines the principles of architectural design that meet the goals and requirements of smart hospitals and face the challenges associated with them, Figure 6, including:

A- Providing information in an adaptive manner that achieves interaction with the environment and changes functional requirements to suit user needs.

B- Providing high flexibility, and achieving information security <sup>[28]</sup>.

C - Self-control and change of status of materials according to changes in the surrounding environment and users' desires.

D - Coordination between hospital systems and devices in a way that allows for the integration and analysis of data <sup>[51]</sup>.

E- Providing information to patients under care during their stay.

F- Smart rooms in hospitals allowing patient and relatives to see medical information.

G- Using smart technology and mobility systems such as tablets and smart phones <sup>[3]</sup>.

H- Using smart technologies like WiFi, active RFID, sensors and integration platforms.

I - Combining existing hospital technologies with new smart programs to reducing required time for providing services.

J- Internet of Things (IoT) applications for detection and follow-up, using artificial intelligence.

K- Overcoming the disadvantages of the traditional information systems, and building the basic network environment <sup>[52]</sup>.

L- The tele-care system, expanding hospital boundaries and reducing frequency of visits.

M- Identification systems to track and document patients or employees and infection control.

N- Availability of communication and integration of smart devices to provide the correct information in the right place and time.

O- Using building management software to monitor its services, energy conservation, operation and maintenance.

P - Patient monitoring and automatic data transfer, with

automation of special units such as Intensive Care (ICU)<sup>[53]</sup>. Q- Remote voice, video, storage, and forwarding technologies<sup>[53]</sup>.

R- Intelligent automatic operations and task automation to achieve safety for patients and convenience for doctors.

S- Real-time location system (RTLS), hand-washing monitoring, nurse call system, communication control, employee messaging, call-bell and notification of medical staff assistants on mobile devices, emails <sup>[20]</sup>.



Figure 6. The Basics of architectural design of smart hospitals

#### Fourth Stage: Defining the role of smart materials and systems in the architectural design of smart hospitals

At this stage, defining the contribution of smart materials and systems to achieve the basics of the architectural design of smart hospitals mentioned in the previous stage is determined, as shown in the following Table4.

## Fifth Stage: Achieving integration between smart materials and systems inside smart hospitals

In this stage, ways to integrate the elements of the smart building (materials and systems) are specified to achieve functional compatibility and integrated buildings management. In addition to locating equipment and linking systems, devices and programs in a common structure and enhancing sustainability in buildings. This is done by referring to the schedule of requirements and types of smart materials and systems in the previous stage of methodology. Then identifying alternatives for smart materials and systems necessary to achieve each of the architectural design standards.

Furthermore, determining the most appropriate systems according to operating policies and capabilities available in the hospital, then determining the mutual effect between smart systems and materials in the fourth stage in addition to stipulating its link with the functions of the different spaces in the hospital. Furthermore, to determine the relationship between smart materials and systems according to modern design requirements, mentioned in the first stage, and ensure the integration between smart materials and systems that directly and indirectly affect the architectural design, as shown in the last cell at Table4.

This stage ends with a reassessment and testing of the methodology by returning again to the first step and making sure that modern design requirements related to smart architectural ideas are met.



security, safety	Technology	Functionality, Environmental needs	Technology	functionality, Environment	Technology, user desires-Environment	Function- Technology, Environmental needs	Environmental needs	Technology (	Environmental needs	All	environmental needs, and security and	Environmental needs	Environmental needs- User desires	Technology	Function	User desires	Technology -User desires -	Technology -User	Technology-	User desires -	Security and Safety	All	Function-User desires	and achieve integration		
										•		•	•										•	Transmitt Concret Transpare Concret Aerated Concret	e ent e	Buildi
									•	•			•									•	•	Perviou Concret Luminou Brick Smart Bri	e IS	no Materials
				•							•											•		Smart Cement Electric		
•				•		•					•						•					Đ		Energy Floors Floors equipped with advance protection system	d d n	Floors finishing
				•						•	•	•							•			•		Electrosta Floor Phosphore Ceramic Narmad	ous s	o materials
								$\bigcirc$		•		•		•								•		Slices Reflectiv Indoor Coating	e	╞
									•															Dark Paint Shutoff valves	,	Walls and cei
					•	•				•						•								Optical Fi Chromoge Glass	nic	llings finishing
				•	•					•	•											•		Self-clean glass Coagula glass	ie .	materials
										•		$\Theta$				H						•		Photochron Material		L
Monitoring, recovery of building systems	Updating electronic systems and	Ventilation and climate control for user comfort	Control and connectivity to electronic	Health and safety promotion and	Behavior change according to the desires of the users	Remote control, motion monitoring and self-control	Recycling - environmentally friendly	Save time, effort and reduce operating	Water conservation and sustainability	The patient's audiovisual comfort	reduce pollution	Renewable energy use, energy efficiency	Control and adaptation in the external environment	Integration between electronic systems for maximum safety	Smart infrastructure	Find the way and ease of access to the hospital	Reducing frequency and waiting for service	Effective communication between	Remote connection and maintenance	Digital space and electronic archive	Safety and control of fire systems	Improving the efficiency of the indoor	Responding to change in job and future growth	Basics of the architectural design of smart hospitals	Smart Material, Systems	



security, safety	Technology	Functionality, Environmental needs	Technology	tunctionality, Environment	Technology, user	Function- Technology,	Environmental needs	Technology	Environmental needs	All	environmental needs,	Environmental needs	Environmental needs-	Technology	Function	User desires	Technology -User	Technology -User	Technology-	User desires -	Security and Safety	All	Function- User	Design requirements and achieve integration	
										•												•	•	Formable Aluminu m Sheets Polystyre ne Acoustic Panels	
										•		•										•		Hanging Granule Technolo gy Status Variables (PCM)	
										•	•	•										•		Aluminu m coated panels Fluoropol ymer Panels	
								$\Theta$		•											•	•		Microsco pe Slides Aerogel Glass Photovolt	Walls and c
			D							•		•										•		aic Glazing Thermoch romic Glass Gasochro	Walls and ceilings finishing materials
			•							•												•		mic Glass ElectroCh romic Glass Liquid Crystal	g materials
			D							•		•										•		Technolo gy Suspende d Particle Glazing Smart	
			•							•		•										•		Mashrabi ya Sun Breaks Technolo gy	
,										•		•										•		Solar Cell Coverage Techniqu es Cira Light Sun Trackers	
Monitoring, recovery of	Updating electronic systems	Ventilation and climate	Control and connectivity to	F. F.	Behavior change according to	Remote control, motion	Recycling - environmentally	Save time, effort and reduce	Water conservation and	The patient's audiovisual	reduce pollution	Renewable energy use, energy efficiency	Control and adaptation in the	Integration between electronic	Smart infrastructure	Find the way and ease of	Reducing frequancyand	between patients and service	Remote connection and	Digital space and electronic	Safety and control of fire	Improving the efficiency of the indoor environment	Responding to change in job	Skylight	Smart Material, Systems



EAI Endorsed Transactions on Smart Cities 07 2020 - 08 2020 | Volume 4 | Issue 12 | e4

technology, security, safety	Technology	Environmental	Technology	Iunctionality, Environment	Technology, user desires-	Technology, Environmental	Environmental needs	Technology	Environmental needs	All	environmental	Environmental	Environmental	Technology	Function	User desires	Technology -User	Technology -User	Technology-	User desires -	Security and Safety	All	Function- User	requirements and g achieve integration	)
•				•		•					•					•						•		Identifica on Systems CCTV & Video Surveillan ce	
•						•											•							Thermal Imaging Camera Image Recogniti n System	
•				•	•	•		igodot		•			•	•					•	•	•	•		Smart Sensors	
•			•	•				lacksquare		•		$\bigcirc$		•								•		HVAC Systems Energy	
•				•								•		•										Efficiency Monitorii g System Lighting	1 9
•			●					•		•												•		Control Systems Addressa	u control sv
	•		•											•							•			le Fire Alarm System Smart	
•	•		•			•	•							•	•							•		plumbing Systems Vertical Commun cation Systems	
						•												•	•	•				Addressin g Commun cations Devices	
	•		•		)								•			•	•	•	•	•	•			Network (LAN) Network (WAN)	
Monitoring, recovery of building systems	Updating electronic systems and	Ventilation and climate control for user	Control and connectivity to electronic	Health and safety promotion and	Behavior change according to the desires of the users	Remote control, motion monitoring and	Recycling - environmentally friendly	Save time, effort and reduce operating	Water conservation and sustainability	The patient's audiovisual comfort	reduce pollution	Renewable energy use, energy efficiency	Control and adaptation in the external	Integration between electronic systems	Smart infrastructure	Find the way and ease of access to the	Reducing frequancyand waiting for	Effective communication between	Remote connection and maintenance	Digital space and electronic archive	Safety and control of fire systems	Improving the efficiency of the indoor	Responding to change in job and future	Basics of the architectural design of smart hospitals	Smart Material, Systems

EAI Endorsed Transactions

on Smart Cities 07 2020 - 08 2020 | Volume 4 | Issue 12 | e4

#### 5. Conclusions & Recommendation

The following are the most important conclusions and recommendations of the research.

#### 5.1. Conclusions

(1) There is a close link between the premises and principles of smart architecture and fulfillment of design requirements of modern hospitals.

(2) The use of smart materials and systems contributes to achieving functional interactivity, technological considerations, environmental considerations, user needs, and enhances security and safety.

(3) The integrated architectural design of smart hospitals can be achieved by a proposed methodology consisting of 5 basic stages that start with defining design requirements and ending with ways of achieving integration between the elements of the, as shown in the Figure 5.

(4) The concept of using smart materials and systems meets various design requirements for smart hospitals, according to their nature and characteristics, directly or indirectly, as shown in Table3.

(5) The use of smart building materials allows responding to changes in functionality, while smart floor finishing materials generate clean energy and control movement in special spaces.

(6) The architectural designer must review operating policies and design requirements of the hospital for an appropriate selection of materials and smart systems used within it.

(7) Various types of smart glass are considered to have an influential role regarding the use of renewable energy and reducing energy consumption, thus reduce operating costs.

(8) Integration in the architectural design of hospitals is achieved by monitoring the operations of all the systems used and providing utilities to link them with smart materials and achieving an appropriate level of comfort, convenience, safety and efficiency for workers.

(9) The use of transparent concrete, phosphorous ceramics, smart sensors and (WAN) network contributes to achieving design requirements of smart hospitals in a way that exceeds other approaches.

(10) Integration between smart materials and systems is achieved by taking into account the characteristics of smart materials and systems, and determining their relationship with the design requirements of smart hospitals.

(12) Most smart materials and systems are concerned with improving the internal environment, and achieving thermal, audio, and visual comfort, as they affect energy, time, effort savings, and reduce costs.

(13) The role of smart systems is apparent in achieving effective communication between smart hospital users and in self-controlled, systems according to their requirements.

#### 5.2. Recommendations

Through the study, analysis, and results of the research, the research recommends the following:

(1) Follow the proposed methodology when designing smart hospitals to achieve integration between elements of smart architecture.

(2) Promoting using smart materials and systems.



(3) Giving attention to achieving modern design requirements in hospital buildings, using smart architecture elements, including smart materials and systems.

(4) Encouraging studies and research that develop smart materials and invent new interactive materials to keep pace with technological development in hospital design.

(5) When designing smart hospital buildings, focus is given to activating integration between smart materials and systems and taking attention to materials and systems that meet more than one design requirement without affecting on any other requirement.

(6) Activating the role of smart systems and materials in obtaining smart hospitals with responsive and interactive properties.

(7) Preparing methods for assessing smart buildings on an environmental basis, to know the extent of their impact accurately on the surrounding environment and its conservation.

(8) Carrying out studies on smart systems to work together in an integrated way so that the building, is able to think and make decisions based on the variables surrounding it.

(9) Preparing international and local codes for the architectural design principles of smart buildings, the most important of which are hospitals.

#### References

[1] Feng, B. & Li, P.& Yao, H.& Ji, Y& He, J. (2020) Developing a smart healthcare framework with an 'Aboriginal lens', 7th International Conference on Information Technology and Quantitive Management, Elsevier.

[2] https://archer-soft.com/en/blog/smart-hospita0l-what-it-and-howbuild-your-own-solution.

[3] ...... (2019) Smart Hospital Solutions-One Stop Digital Transformation, *KareXpert Technologies Pvt*. Ltd.

[4] Ilyashenko, O.& Ilin, I. & Kurapeev D. (2018) Smart Hospital concept and its implementation capabilities based on the incentive

extension, *SHS Web of Conferences 44*, EDP Sciences, Volume (44). [5] Kolokotsa, D. & Kampelis, N. (2019) Smart buildings, smart communities & smart grids, 3<sup>rd</sup> International Conference SSPCR, Smart and Sustainable Planning for Cities and Regions.

[6] Roy, S. & Mishra, H.& Mohapatra, B. (2016) Creating Sustainable Environment using Smart Materials in Smart Structures, *Indian Journal of Science and Technology*, Vol. (9)

[7] Adio-Moses, D.& Asaolu, O. S. (2016) Artificial Intelligence for Sustainable Development of Intelligent Building. *9th CIDB Postgraduate Conference*, 2-4 February (South Africa, At University of Cape Town).

[8] Abo-elazm, F. M.& Ali, M. Sh.(2017) The concept of Local Smart Architecture: An Approach to Appropriate Local Sustainable Buildings. *International Journal of Cultural Heritage*, (Arabic), http://iaras.org/iaras/journals/ijch

[9] Casini M., (2016) Smart Buildings Advanced Materials and Nanotechnology to Improve Energy-Efficiency and Environmental Performance, Elsevier Ltd, Woodhead Publishing Series in Civil and Structural Engineering, No. (69).

[10] Abd allah, A. M.& Abd Elrazek H.A.(2008) The Concept of Technique Systems in the Notion of Smart Buildings Architecture, *Faculty of Engineering Journal*, Baghdad University, Volume (13), No. (3), (Arabic).

[11] Lee, U. & Kim H. (2007) Design and Protocol for Privacy Management Architecture for Converged Medical Information System, *International Conference on Convergence Information Technology*.

[12] Mekki A. (2017) Mechanisms for Applying Smart Architecture Requirements to Administrative Buildings (Palestinian Pension Authority Building - A Case Study), Master of Architecture, Degree, Faculty of Engineering, Deanship of Research and Graduate Studies The Islamic University of Gaza, (Arabic).

[13] Arkin, H. & Pacuik. M (2015) Service systems in intelligent

building, In Lustig, A. (ed), proceedings 1st International congress of intelligent buildings, P20

[14] Casey, T. (2020) Smart Building Technologies, *National Association of Energy Service Companies*, naesco.org/naesco-smart-buildings.

[15] Alsayed, R. & Mahmoud, E.& Mohamed , M.& Badawi, E. (2018) Intelligent building architecture from a certain perspective for user comfort. *Journal of Engineering (FJE)*, Fayoum University, Faculty of Engineering, Volume(1), No.(1), (Arabic).

[16] Belani, D.& Makwana, A. H.& Pitroda, J.& Vyas, C. M. (2014) Intelligent Building New ERA of Todays World, *Conference on: Trends and Challenges of Civil Engineering in Todays Transforming World*.

[17] Goda A. B. M. (2017) Compatibility between function and technology in the framework of intelligence (towards an introduction to interactive intelligent design), Journal of Engineering Sciences (JES), Assiut University, Faculty of Engineering Volume (45), No. (5), (Arabic).

[18] Abou El Azm, F.& Kassem B. S. (2018), Towards Novel and Appropriate Smart Buildings, *International Journal of Environmental Science and Development*.

[19] Ben Safar, S. (2019) A Review in Smart Homes Systems and Technologies.

[20] Ting-pat S.& Chan W. L. (2012) Intelligent Building Systems, *Springer Science & Business Media*, LLC., The International Series on Asian Studies in Computer and Information Science book series, Volume (5).

[21] Liveri, D.& Bakatsis I.& Drougkas A. (2016) Security and resilience for Smart Hospitals Key findings, 2<sup>nd</sup> eHealth Security Workshop, ENISA, Vienna.

[22] Yousef, A. (2017) Smart materials innovative technologies in

architecture-Towards Innovative design paradigm. *International Conference- Alternative and Renewable Energy Quest*, AREQ, Volume (115), 1-3 February (Spain, Elsevier).

[23] Tian, Sh. & Yang, W. & Wang, P. & Michael J. (2019) Smart healthcare: making medical care more intelligent. *Global Health Journal*, KEAI, Volume (3), Issue (31).

[24] López, M.& Rubio, R.& Martín, S.& Ben, C. (2017) How plants inspire façades. From plants to architecture: Biomimetic principles for the development of adaptive architectural envelopes, *Renewable and Sustainable Energy Reviews*, Elsevier, Volume (67).

[25] Mishra, J. (2017) Smart Material-Types SS And Their Application: AREVIEW, *International Journal of Mechanical And Production Engineering*, New Delhi, India, Volume(5), Issue(12).

[26] EL-Eshy, A. Sh.& El-Maadawy, A. E.& Abdalla. A. M., (2018), Architecture in Crowded Farms: Relation Between Human and Energy, *Journal of Al Azhar University Engineering*, Sector, Egypt, Volume (13), No. (49), p.1346-1358.

[27] Kamila, S., (2013) Introduction, Classification and Applications of Smart Materials: An Overview, *American Journal of Applied Sciences*, Volume (10), p.877.

[28] Liveri, D. (2016) Smart Hospitals-Security and Resilience for Smart Health Service and Infrastructures, *European Union Agency For Network And Information Security*, ENISA

[29] Elhalwagy, A. M. & Ghoneem M. Y. M. & Elhadidi M. (2017) Feasibility Study for Using Piezoelectric Energy Harvesting Floor in Buildings' Interior Spaces, *International Conference – Alternative and Renewable Energy Quest, Energy Procedia journal*, Elsevier, Volume (115), p. 114-126.

[30] Ciholas P. & Lennie A.& Sadigova P.& Such J. M. (2019) The Security of Smart Buildings: a Systematic Literature Review, arXiv, Computer Science, Cryptography and Security, Cornell University, V.3
[31]Hulten, G. (2018) *Building Intelligent Systems: A Guide to Machine*

Learning Engineering, Lynnwood, Apress, Washington, USA. [32] Sinopoli, J.(2010) Smart Buildings Systems For Architects, Owners, and Builders, Elsevier Press, Kidlington, Oxford, UK. [33] Hunter G.& Stetter, J.& Hesketh, P.& Liu, C (2012) Smart Sensor Systems, *NATO Science for Peace and Security Series B: Physics and Biophysics*, https://www.researchgate.net/publication/258734399

[34] Huawei Technologies Co. (2012) Huawei's Smart Hospital Solutions, HUAWEI Enterprise ICT Solutions.

[35]Wang, Sh. (2010) *Intelligent Buildings and Building Automation*, Spon Press, Taylor and Francis, London.

[36] Senosi, M. A.& Abdelghani, A. (2017) The Use of Modern Technologies for Developing Banks Buildings in Egypt, *International Scientific Journal in Architecture, Engineering and Technology*, IEREK Press, (Arabic).

[37] Buckman A.H.& Beck, M. (2014) What is a Smart Building, *Smart and Sustainable Built Environment*, Volume (3).

[38] Holzinger, A.& Rocker C. & Ziefle M. (2016): From Smart Health to Smart Hospitals, *Smart Health: Open Problems and Future Challenges*, Springer International Publishing Switzerland

[39] Jill A. Fisher, Torin& M. (2008) Tracking the social dimensions of RFID systems in hospitals. *International Journal of Medical Informatics*, Volume (77), Issue (3).

[40] Stationwala A. & Tam R. & Shafer B. (2016) Creating the Smart Hospital of the Future with Innovation Partnerships. *HIMSS16, Conference& Exhibition*, 29 Feb-4 March (Las Vegas).

[41] Al-Shanwani H. S.& Mahmoud, A. H.& Attieh, N. N. (2019) Analytical study of the effect of the application of smart buildings on the environment of administrative buildings and the rate of energy consumption within them, *Journal of Al Azhar University Engineering Sector*, Egypt, Volume (14), No. (51), p. 831-841.

[42] Elgharib, E. (2014) Smart buildings ... what are they? What are the necessities for it, *Future Makers Journal*, No.(5), (Arabic).

[43] Al Tahan, L. (2014) Green Building Rating System for Existing Buildings- Upgrades, Operations and Maintenance Case Study: (Damascus City – Baghdad Street) 1950-1970, Master Degree, Faculty of the Architecture - Damascus University, (Arabic)

[44] Schmidt, M.& Ahlund, C. (2018) Smart Buildings as Cyber-Physical Systems: Data-driven predictive control strategies for energy efficiency, *Renewable and Sustainable Energy Reviews*, Elsevier, Volume (92), Issue (C), p. 743.

[45] Department of Health Emergencies (2017) Smart Hospitals Toolkit, *Pan American Health Organization*, Washington, D.C.

[46] Cole, R.& Brown Z. (2009) Reconciling human and automated intelligence in the provision of occupant comfort, *Intelligent Buildings International journal*, Volume(1), p. 42.

[47]Sheta, Sh. A. A. & Moustafa, W. S. & El deep A. S. (2016) Evidence-Based Design of In-Patient Rooms in Healthcare Buildings (global and local case studies), *Journal of Engineering Sciences (JES)*, Assiut University, Faculty of Engineering, Volume (44), No.(2).

[48]Norman, Th. (2014) Integrated Security Systems Design: A Complete Reference for Building Enterprise-Wide Digital Security Systems, Butterworth- Heinemann, an Imprint Of Elsevier, Burlington, USA, 2nd Edition.

[49] Akram Kh. O., Franco. D, S. & Ismail S. (2016) Smart Buildings– A New Environment (Theoretical Approach), International Journal of Engineering Technology, Management and Applied Sciences, Volume (4), p 2.

[50] Abo leila, M. Sh. (2017) Intelligence Techniques in Architecture Towards Investing Heritage Buildings, *International Scientific Journal on Architecture, Engineering and Technology*, IEREK Press, No.(5), (Arabic).

[51] Ismail, I.& Moussa, F. (2012) A Pervasive System Architecture for Smart Environment. *International Journal of Artificial Intelligence & Applications (IJAIA)*, Volume (3), No.(5).

[52] Yu, 2L. & Lu, Y.& Zhu X. (2012) Smart Hospital based on Internet of Things, *Journal of Networks*, Volume (7), No. (10), Finland.

[53] Jayashree, M. J. & Sunny, A. A.& John, A. & Sunny, A. A.& Sam A. A. (2014) Smart Hospital Technology, *Health Informatics-An International Journal (HIIJ)*, Volume(3), No.(3).

