An Annotated Checklist of Macrobenthic Algae of the Western Coast of Zamboanga City (Mindanao, Philippines)

O. Tito*, C. Sescon*, C. Adalla*, J. Asdani, E. M. Basilio, A. Climaco, A. Dagalea, M. Luna, Y. Uddin, and R. A. Vega

> Marine Biology Department Zamboanga State College of Marine Sciences and Technology

ABSTRACT

Seaweed collections were made at several sites along the western coast of Zamboanga City from July to August 1999. Ninety-four (94) taxa were identified. These represent the three (3) major algal divisions broken down into fifteen (15) orders, twenty-six (26) families and forty-four (44) genera.

Six species: *Botryocladia leptopoda* (J. Agardh) Kylin, *Halimeda distorta* (Yamada) Colinvaux, *Halimeda melanesica* Valet, *Kallymenia perforata* J. Agardh, *Sarconema filiforme* (Sonder) Kylin and *Solieria robusta* (Greville) Kylin, and the genus *Sarconema* Zanardini represent new records for Zamboanga and the Philippines. All specimens are deposited in the Zamboanga State College of Marine Sciences and Technology Herbarium.

Keywords: checklist, seaweed species, new records, Zamboanga

INTRODUCTION

Records of the marine algae and its taxonomic studies for the entire Western Coast of Zamboanga City are scanty. The latest treatise that compiles the reported seaweeds from the Philippines prior to 1987 is the work of Silva et al. (1987) who catalogued 911 species, including those found in Zamboanga waters. The earliest account of marine algae collected from this area is probably that of Goerg von Martens in 1868, during the Preussiche Expedition, followed by the British Challenger Expedition in 1874-1875 and the Dutch Siboga Expedition in 1899. Subsequent reports that include seaweeds from Zamboanga were published by Velasquez (1955), Taylor (1966), Cordero (1980), and Trono et al. (1983). The most recent collections done by Japanese and Filipino scientists in 1988 resulted in a list of species published by Umezaki in 1989. However, some of these reports documented in Zamboanga do not mention the specific locality of the area except those made in Santa Cruz Islands, Sacol Island, and the Calarian areas.

The main purpose of this study is to identify the different macrobenthic algae growing along the littoral zones of the western coast of Zamboanga City.

MATERIALS AND METHODS

Seaweeds were collected from littoral areas (10 sites). Stations 1 to 6 were located from the southeastern portion of Zamboanga City. These areas were partially protected from strong waves and currents. Stations 4 and 5 were situated near the river mouth and

^{*} Corresponding authors

characterized by heavy siltation resulting from run-off waters due to heavy rains. Stations 7 to 10 were narrow reef flats facing the Sulu-Celebes Sea, and were exposed to strong waves and winds.

Snorkeling and wading on the reef flats were done to collect the specimens. Topographical and oceanographic data and other relevant information were recorded. Collection and preservation procedures were adopted and modified from Abbott et al. (1976), Lewmanomont & Ogawa (1995), and Ganzon-Fortes (1991). Collected specimens were initially sorted out on the beach before being transported to the ZSCMST laboratory for identification and preservation.

Materials were pressed and dried, following the methods described by Ganzon-Fortes (1991), Tito (1999), and by Dr. Max H. Hommersand and Dr. Laurence M. Liao (pers. comm.). Some specimens were preserved in clear glass bottle with 5% formalin-seawater solution. Microscopic examination of samples was done by sectioning the materials using freehand method. Samples were identified on the basis of external and internal morphological features using reliable taxonomic keys like those of Magruder & Hunt (1979), Calumpong & Meñez (1997), & Trono (1997).

RESULTS AND DISCUSSION

A total of ninety-four (94) species of marine macrobenthic algae were collected and identified. These represent the three major algal divisions (Rhodophyta, Phaeophyta, and Chlorophyta). These are broken down into 15 orders, 26 families, and 44 genera. Of these, six species, namely, *Botryocladia leptopoda, Kallymenia perforata, Sarconema filiforme,* and *Soliera robusta* (Greville) for Rhodophyta, *Halimeda melanesica* and *Halimeda distorta* for Chlorophyta, and one genus, *Sarconema* Zanardini (a red alga), represent new records for the area and the Philippines.

The list of all the taxa included in this study is presented below following the classification scheme of Silva, et al. (1996):

DIVISION RHODOPHYTA

Number of Orders:	8
Number of Families:	12
Number of Genera:	21
Number of Species:	42

ORDER NEMALIALES

FAMILY GALAXAURACEAE

Actinotrichia Decaisne

Actinotrichia fragilis (Forsskaal) Boergesen Specimen examined: MB-154.

Galaxaura Lamouroux

Galaxaura apiculata Kjellman Specimen examined: MB-044a. *Galaxaura arborea* Kjellman Specimens examined: MB-044, MB-079, MB-221. *Galaxaura fasciculata* Kjellman Specimen examined: MB-079a.

Tricleocarpa Huisman & Borowitzka

Tricleocarpa cylindrica (Ellis & Sol.) Huisman & Borowitzka
Specimens examined: MB-045, MB-078, MB-125, MB-148, MB-183, MB-217, MB-230, MB-238.
Tricleocarpa fragilis (Linnaeus) Huisman & Townsend
Specimens examined: MB-046, MB-080.

ORDER GELIDIALES

FAMILY GELIDIACEAE

Gelidium Lamouroux

Gelidiella acerosa (Forsskaal) Feldmann & Hamel Specimen examined: MB-177.

ORDER GRACILARIALES

FAMILY GRACILARIACEAE

Gracilaria Greville

Gracilaria arcuata Zanardini Specimen examined: MB- 073a. Gracilaria debilis (Forsskaal) Boergesen Specimen examined: MB-127, MB-149, MB-184, MB-213. Gracilaria edulis (S.G. Gmelin) Silva Specimens examined: MB-050, MB-071, MB-128, MB-144. Gracilaria eucheumoides Harvev Specimens examined: MB-051, MB-073, MB-129. Gracilaria salicornia (C. Agardh) Dawson Specimens examined: MB-119, MB-153. Gracilaria textorii (Suringar) De Toni Specimen examined: MB-035.

ORDER CRYPTONEMIALES

FAMILY HALYMENIACEAE

Halymenia C. Agardh

Halymenia dilatata Zanardini
Specimen examined: MB-041, MB-081, MB-122, MB-176.
Halymenia durvillaei Bory de Saint -Vincent
Specimens examined: MB-047, MB-077, MB-124, MB-187.
Halymenia maculata J. Agardh
Specimens examined: MB-039, MB-083, MB-145, MB-214.

FAMILY KALLYMENIACEAE

Kallymenia J. Agardh

Kallymenia perforata J. Agardh Specimens examined: MB-042, MB-175.

ORDER CORALLINALES

FAMILY CORALLINACEAE

Amphiroa Lamouroux

Amphiroa fragilissima (Linnaeus) Lamouroux
Specimens examined: MB-246.
Amphiroa rigida Lamouroux
Specimens examined: MB-043, MB-115, MB-229.
Amphiroa foliacea Lamouroux
Specimen examined: MB-252.

ORDER GIGARTINALES

FAMILY HYPNEACEAE

Hypnea Lamouroux

Hypnea boergesenii Tanaka Specimens examined: MB-123, MB-152. Hypnea charoides Sonder Specimens examined: MB-049, MB-076, MB-205. Hypnea cervicornis J. Agardh Specimens examined: MB-178, MB-215. Hypnea divaricata (C. Agardh) Greville Specimens examined: MB-048, MB-219. Hypnea spinella (C. Agardh) Kuetzing Specimens examined: MB-074, MB-126, MB-147, MB-186. Hypnea pannosa J.Agardh Specimen examined: MB-123a.

FAMILY SOLIERIACEAE

Kappaphycus Doty

Kappaphycus alvarezii (Doty) Doty ex Silva
Specimens examined: MB-047, MB-077, MB-124, MB-187.
Kappaphycus cottonii (Weber van-Bosse) Doty ex Silva
Specimen examined: MB-052.
Kappaphycus striatum (Schmitz) Doty ex Silva
Specimen examined: MB-040.

Sarconema Zanardini

Sarconema filiforme (Sonder) Kylin Specimen examined: MB-072.

Solieria J. Agardh

Solieria robusta (Greville) Kylin Specimen examined: MB-037.

ORDER RHODYMENIALES

FAMILY CHAMPIACEAE

Champia Desvaux

Champia parvula (C. Agardh) Harvey Specimen examined: MB-038.

FAMILY RHODYMENIACEAE

Botryocladia (J. Agardh) Kylin

Botryocladia leptopoda (J. Agardh) Kylin Specimens examined: MB-036, MB-116, MB-181, MB-218.

Ceratodictyon Zanardini

Ceratodictyon spongiosum Zanardini Specimen examined: MB-146.

ORDER CERAMIALES

FAMILY DASYACEAE

Dictyurus Bory de Saint- Vincent

Dictyurus occidentalis J. Agardh Specimen examined: MB-180.

Vanvoorstia Harvey

Vanvoorstia spectabilis Harvey Specimen examined: MB-118.

FAMILY RHODOMELACEAE

Acanthopora Lamouroux

Acanthopora muscoides (Linnaeus) Bory de Saint-Vincent Specimens examined: MB-1311, MB-085, MB-150. Acanthopora spicifera (Vahl) Boergesen Specimens examined: MB-082, MB-121, MB-151, MB-182.

Chondria C. Agardh

Chondria armata (Kuetzing) Okamura Specimen examined: MB-032.

Laurencia Lamouroux

Laurencia cartilagenea Yamada Specimen examined: MB-034. *Laurencia papillosa* (C. Agardh) Greville Specimen examined: MB-034a.

Melanamansia R.E. Norris

Melanamansia glomerata (C. Agardh) Norris Specimen examined: MB-117.

DIVISION PHAEOPHYTA

Number of Orders: 3 Number of Families: 4 Number of Genera: 8 Number of Species: 15

ORDER DICTYOTALES

FAMILY DICTYOTACEAE

Dictyota Lamouroux

Dictyota cervicornis Kuetzing Specimens examined: MB-024, MB-207. Dictyota dichotoma (Hudson) Lamouroux Specimens examined: MB-025, MB-107, MB-141, MB-174. *Dictyota friabilis* Setchell Specimen examined: MB-023. *Dictyota mertensii* (Martius) Kuetzing Specimen examined: MB-020.

Lobophora J. Agardh

Lobophora variegata (Lamouroux) Womersley ex Oliviera Specimens examined: MB-022, MB-108, MB-143, MB-172.

Padina Adanson

Padina australis Hauck
 Specimens examined: MB-027, MB-069, MB-113, MB-142.
 Padina tetrastromatica Segawa
 Specimen examined: MB-066.

Spatoglossum Kuetzing

Spatoglossum pacificum Yendo Specimens examined: MB-026, MB-070, MB-206.

ORDER SCYTOSIPHONALES

FAMILY SCYTOSIPHONACEAE

Colpomenia (Endlicher) Derbes and Solier

Colpomenia sinuosa (Martens ex Roth) Derbes and Solier Specimen examined: MB-018.

ORDER FUCALES

FAMILY SARGASSACEAE

Sargassum C. Agardh

Sargassum crassifoliumJ. AgardhSpecimens examined:MB-030, MB-140.Sargassum cristaefoliumC. AgardhSpecimens examined:MB-021, MB-109.

Sargassum polycystum C. Agardh
Specimens examined: MB-018, MB-110.
Sargassum oligocystum Montagne
Specimens examined: MB-028, MB-067, MB-112, MB-173.

Turbinaria Lamouroux

Turbinaria ornata (Turner) J. Agardh Specimens examined: MB-029, MB-111.

FAMILY CYSTOSERIACEAE

Hormophysa Kuetzing

Hormophysa cuneiformis (Gmelin) P. Silva Specimen examined: MB-143a.

DIVISION CHLOROPHYTA

Number of Orders:4Number of Families:10Number of Genera:15Number of Species:37

ORDER ULVALES

FAMILY ULVACEAE

Enteromorpha Link

Enteromorpha intestinalis (Linnaeus) Van den Hoek
 Specimens examined: MB-016, MB-058, MB-136, MB-165.
 Enteromorpha flexuosa (Wulfen) J. Agardh
 Specimen examined: MB-233.

Ulva Linnaeus

Ulva lactuca Linnaeus Specimens examined: MB-006, MB-139, MB-162, MB-201. Ulva reticulata Forsskaal Specimens examined: MB-008, MB-089, MB-167, MB-193.

ORDER CLADOPHORALES

FAMILY CLADOPHORACEAE

Chaetomorpha Kuetzing

Chaetomorpha crassa (C. Agardh) Kuetzing Specimens examined: MB-001, MB-086, MB-135, MB-166. Chaetomorpha spiralis (Okamura) Specimen examined: MB-235.

Cladophora Kuetzing

Cladophora vagabunda (Linnaeus) Venden Specimens examined: MB-093, MB-129.

FAMILY SIPHONOCLADACEAE

Boergesenia J. Feldman

Boergesenia forbesii (Harvey) J. Feldmann Specimens examined: MB-005, MB-088, MB-155.

Boodlea G. Murray and De Toni

Boodlea composita (Harvey) Brand Specimen examined: MB-094.

Dictyosphaeria Decaisne ex Endlicher

Dictyosphaeria cavernosa (Forsskaal) Boergesen Specimen examined: MB-092.

FAMILY VALONIACEAE

Valonia C. Agardh

Valonia aegagropila C. Agardh Specimens examined: MB-055, MB-104, MB-131.

ORDER BRYOPSIDALES

FAMILY CAULERPACEAE

Caulerpa Lamouroux

Caulerpa cupressoides (Vahl) C. Agardh Specimen examined: MB-091. Caulerpa lentillifera J. Agardh var. compacta Trono and Ang Specimen examined: MB-091. Caulerpa peltata Lamouroux Specimens examined: MB-106, MB-156, MB-194, MB-226. Caulerpa racemosa (Forsskaal) J. Agardh Specimens examined: MB-007, MB-065, MB-132, MB-169, MB-190. Caulerpa racemosa (Forsskaal) Agardh var. turbinata (Agardh) Eubank Specimens examined: MB-105, MB-149. Caulerpa serrulata (Forsskaal) J. Agardh Specimen examined: MB-232, MB-242. Caulerpa sertularioides (S. Gmelin) Howe Specimens examined: MB-015, MB-060, MB-100, MB-130, MB-171, MB-202, MB-243, MB-248. Caulerpa taxifolia (Vahl) J. Agardh Specimens examined: MB-222, MB-239.

FAMILY CODIACEAE

Codium Stackhouse

Codium bartlettii Tseng & Gilbert Specimens examined: MB-061, MB-158, MB-204, MB-225, MB-240. Codium divaricatum Tseng & Gilbert Specimen examined: MB-053. Codium edule P. C. Silva Specimens examined: MB-010, MB-224, MB-236. Codium geppii O. Schmidt Specimens examined: MB-188, MB-250.

FAMILY HALIMEDACEAE

Halimeda Lamouroux

Halimeda bikiniensis Taylor Specimen examined: MB-056. Halimeda discoidea Decaisne Specimens examined: MB-017, MB-059, MB-101, MB-137, MB-195. Halimeda distorta Decaisne Specimen examined: MB-013. Halimeda gracilis Harvey ex J. Agardh Specimen examined: MB-014. Halimeda macroloba Decaisne Specimens examined: MB-002, MB-090, MB-170, MB-191, MB-244. Halimeda melanesica Valet Specimens examined: MB-009, MB-063, MB-096, MB-161, MB-198. Halimeda micronesica Yamada Specimen examined: MB-012. Halimeda tuna (Ellis & Solander) Lamouroux Specimens examined: MB-003, MB-097, MB-132, MB-164, MB-234.

FAMILY UDOTEACEAE

Chlorodesmis Harvey & Barkley

Chlorodesmis hildebrandtii A. Gepp & E. GeppSpecimens examined: MB-160, MB-200, MB-227.Chlorodesmis fastigiata (C. Agardh) DuckerSpecimen examined: MB-247.

ORDER DASYCLADALES

FAMILY DASYCLADACEAE

Bornetella Munier- Chalmas

Bornetella sphaerica (Yamada) Solms- Laubach Specimens examined: MB-004, MB-102, MB-157.

Neomeris Lamouroux

Neomeris annulata Dickie Specimens examined: MB-195, MB-241.

FAMILY POLYPHYSACEAE

Acetabularia Lamouroux

Acetabularia dentata Solms- Laubach Specimens examined: MB-054, MB-103. Acetabularia major G. Martens Specimens examined: MB-159, MB-203, MB-245, MB-249.

REFERENCES

Abbott IA, Hollenberg GA. 1976. Marine algae of California. California: Stanford University Press. 827 p.

Calumpong HP, Menez EG. 1997. Field guide to the common mangroves, seagrasses and algae of the Philippines. Makati, Philippines: Bookmark Inc. 197 p.

Cordero PA Jr. 1980. Taxonomy and distribution of Philippine useful seaweeds. National Research Council of the Philippines. 81: 1-78.

Ganzon-Fortes ET. 1991. Field and laboratory techniques in the collection, preservation and preparation of marine benthic algae for herbarium and for identification. In: Pagdilao Jr CR, Acedera MM, editors. Training on Seaweed Research, Proceedings of the Seaweed Research Training and Workshop for Project Leaders. (Book Series No. 11/1991). Los Baños, Laguna: Philippine Council for Aquatic and Marine Research and Development. p 67-71.

Lewmanomont K, Ogawa H. 1995. Common seaweeds and seagrasses of Thailand. Thailand: Faculty of Fisheries Kasersart University. 163 p.

Magruder WH, Hunt JW. 1979. Seaweeds of Hawaii. A photographic identification guide. Honolulu, Hawaii: Oriental Publishing Company. 116 p.

Silva PC, Meñez EG, Moe RL. 1987. Catalogue of the benthic marine algae of the Philippines. Smithsonian. Contr Mar Sci 27: 1-179.

Silva PC, Basson PW, Moe RL. 1996. Catalogue of the benthic marine algae of the Indian Ocean. London: University of California Press. 1259 p.

Taylor WR. 1966. Records of Asian and Western Pacific marine algae, particularly algae from Indonesia and the Philippines. Pac Sci 20:342-359.

Tito OD. 1999. Taxonomy and species diversity of marine macrobenthic algae of the Santa Cruz Islands, Zamboanga City, Philippines [dissertation]. Zamboanga City., Philippines: Zamboanga State College of Marine Sciences and Technology.

Trono GC Jr, Azanza-Corrales R, Manuel D. 1983. The genus Gracilaria (Gigartinales, Rhodophyta) in the Philippines. Kalikasan Philipp J Biol 12: 15-41.

Trono GC Jr. 1997. Field guide and atlas of the seaweed resources of the Philippines. Makati City: Bookmark Inc. 306 p.

Velasquez GT. 1955. The ecological distribution of the Myxophycean algae of Eastern Palawan and Sulu Archipelago. Natur Appl Sci Bull 15:153-184.